


2024/06/05 1018Z

KCYS HOHUM **V95** GORJE VIMPY **J13** BECON **UT13** CHX **UJ8** LMM **UJ51** ENEKO MMSL

1148.36 nm / 2126.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCYS	-	41.15560	0 ft	-	Cheyenne Rgnl
APT	-	-104.81200	0 m		
HOHUM	-	39.35870	35,000 ft	107	-
FIX	-	-104.84800	10,668 m		
STAMY	V95	39.04220	35,000 ft	21	-
FIX	AWY-LO	-105.06200	10,668 m		
GORJE	V95	38.64820	35,000 ft	26	-
FIX	AWY-LO	-105.32600	10,668 m		
VIMPY	-	38.60280	35,000 ft	3	-
FIX	-	-105.38700	10,668 m		
BINKE	J13	38.00710	35,000 ft	37	-
FIX	AWY-HI	-105.59300	10,668 m		
ALS	J13	37.34920	35,000 ft	40	ALAMOSA
VOR	AWY-HI	-105.81600	10,668 m		
ESPAN	J13	36.11980	35,000 ft	78	-
FIX	AWY-HI	-106.35700	10,668 m		
FLYBY	J13	35.60140	35,000 ft	32	-
FIX	AWY-HI	-106.58000	10,668 m		
FRIHO	J13	35.43810	35,000 ft	10	-
FIX	AWY-HI	-106.65000	10,668 m		
ABQ	J13	35.04380	35,000 ft	25	ALBUQUERQUE
VOR	AWY-HI	-106.81600	10,668 m		
TCS	J13	33.28250	35,000 ft	108	TRUTH OR CONSEQUENCES
VOR	AWY-HI	-107.28100	10,668 m		
RUTER	J13	32.28370	35,000 ft	63	-
FIX	AWY-HI	-106.89900	10,668 m		
BECON	J13	31.78820	35,000 ft	31	-
FIX	AWY-HI	-106.71300	10,668 m		
VIVAD	UT13	29.13560	35,000 ft	165	-
FIX	AWY-HI	-107.57900	10,668 m		
GABOS	UT13	28.60530	35,000 ft	33	-
FIX	AWY-HI	-107.74700	10,668 m		
ELUSA	UT13	27.66780	35,000 ft	58	-
FIX	AWY-HI	-108.03900	10,668 m		
CHX	UT13	26.71640	35,000 ft	59	CHOIX
NDB	AWY-HI	-108.33000	10,668 m		
PERTI	UJ8	26.17250	35,000 ft	38	-
FIX	AWY-HI	-108.72200	10,668 m		
LMM	UJ8	25.68260	35,000 ft	34	MOCHIS (LOS MOCHIS)
VOR	AWY-HI	-109.07200	10,668 m		
ENEKO	UJ51	24.31250	18,500 ft	84	-
FIX	AWY-HI	-109.42600	5,639 m		
MMSL	-	22.94830	0 ft	86	Cabo San Lucas
APT	-	-109.93800	0 m		

KCYS

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 6,159 ft / 1,877 m
Location: 41.155600 -104.812000
Magnetic Var: 7.564 E

METAR

KCYS 050953Z AUTO 18005KT 10SM CLR 12/02 A3001 RMK A02 SLP083 T01220022

TAF

TAF KCYS 050520Z 0506/0606 26010KT P6SM SKC FM050800 29020G30KT P6SM SKC FM051000 29030G42KT P6SM SKC FM051700 290

Frequencies

REC - 134.42 MHz - ATIS
GND - 121.90 MHz - CHEYENNE GROUND
APP - 124.55 MHz - CHEYENNE APPROACH
COM - 122.95 MHz - UNICOM
TWR - 118.70 MHz - CHEYENNE TOWER
DEP - 124.55 MHz - CHEYENNE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	9,248 ft	95.31	CONCRETE	607 ft	390 ft
	46 m	2,819 m	87.74		185 m	119 m
27	150 ft	9,248 ft	275.33	CONCRETE	673 ft	200 ft
	46 m	2,819 m	267.77		205 m	61 m
13	150 ft	6,691 ft	135.37	ASPHALT	1,060 ft	0 ft
	46 m	2,040 m	127.80		323 m	0 m
31	150 ft	6,691 ft	315.38	ASPHALT	1,161 ft	0 ft
	46 m	2,040 m	307.81		354 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	ICYS	110.10 MHz	18 nm	275.32	-	6,159 ft
				33 km	267.76		6,159 m
27	GS	ICYS	110.10 MHz	10 nm	275.32	3.00	6,159 ft
				19 km	267.76		6,159 m