

# CYUL

Montreal-Pierre Elliot Trudeau Intl


# CYMX

Montreal Mirabel Intl

2024/06/04 0031Z

CYUL YUL CYMX

17.54 nm / 32.48 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 10000ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 225kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CYUL	-	45.46750	0 ft	-		Montreal-Pierre Elliot Trudeau Intl
APT	-	-73.74380	0 m			
YUL	-	45.61570	800 ft	13		MONTREAL
VOR	-	-73.97090	244 m			
CYMX	-	45.67520	0 ft	4		Montreal Mirabel Intl
APT	-	-74.03540	0 m			

## CYUL

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 3

Elevation: 118 ft / 36 m  
Location: 45.467500 -73.743800  
Magnetic Var: 13.892 W

## METAR

CYUL 040000Z 27004KT 30SM FEW250 28/09 A2988 RMK CI1 SLP121 DENSITY ALT 1700FT

## TAF

TAF TAF CYUL 032340Z 0400/0424 29005KT P6SM FEW080 BECMG 0407/0409 03006KT BECMG 0415/0417 20008KT FM042200 20008

## Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.50		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m

## CYMX

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 270 ft / 82 m  
Location: 45.675200 -74.035400  
Magnetic Var: 13.812 W

## METAR

CYMX 040000Z VRB02KT 25SM FEW084 SCT250 24/11 A2989 RMK CU1CI3 CU TR SLP124 DENSITY ALT 1500FT

## TAF

TAF CYMX 032340Z 0400/0424 VRB03KT P6SM FEW080 SCT250 FM042100 VRB03KT P6SM SCT080 RMK NXT FCST BY 040600Z

## Frequencies

REC - 125.70 MHz - ATIS  
APP - 124.65 MHz -

COM - 119.10 MHz - MIRABEL RADIO  
DEP - 124.65 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	11,992 ft	44.87	CONCRETE	0 ft	200 ft
	61 m	3,655 m	58.68		0 m	61 m
24	200 ft	11,992 ft	224.89	CONCRETE	0 ft	200 ft
	61 m	3,655 m	238.70		0 m	61 m
11	200 ft	11,969 ft	98.45	CONCRETE	0 ft	148 ft
	61 m	3,648 m	112.26		0 m	45 m
29	200 ft	11,969 ft	278.48	CONCRETE	0 ft	148 ft
	61 m	3,648 m	292.29		0 m	45 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IKP	111.30 MHz	18 nm	44.88	-	270 ft
				33 km	58.69		270 m
11	LOC-ILS	IJX	110.90 MHz	18 nm	98.46	-	270 ft
				33 km	112.27		270 m
24	LOC-ILS	IIT	111.70 MHz	18 nm	224.88	-	270 ft
				33 km	238.69		270 m
06	GS	IKP	111.30 MHz	10 nm	44.88	3.00	270 ft
				19 km	58.69		270 m
11	GS	IJX	110.90 MHz	10 nm	98.46	3.00	270 ft
				19 km	112.27		270 m
24	GS	IIT	111.70 MHz	10 nm	224.88	3.00	270 ft
				19 km	238.69		270 m