

KLIT

Adams Field/Bill and Hillary Clinton National


KASG

SPRINGDALE MUNI

2024/05/19 0340Z

KLIT BIBBS KASG

127.30 nm / 235.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KLIT	-	34.72960	0 ft	-		Adams Field/Bill and Hillary Clinton National
APT	-	-92.22590	0 m			
BIBBS	-	34.96490	8,600 ft	24	-	
FIX	-	-92.62830	2,621 m			
KASG	-	36.17640	0 ft	102		SPRINGDALE MUNI
APT	-	-94.11920	0 m			

KLIT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 266 ft / 81 m
Location: 34.729600 -92.225900
Magnetic Var: 0.419 W

METAR

KLIT 190253Z 00000KT 10SM CLR 24/19 A2991 RMK A02 SLP128 T02440189 53017

TAF

KLIT 182337Z 1900/1924 05005KT P6SM FEW045 FM190800 00000KT 4SM BR SKC FM191300 09003KT P6SM FEW050

Frequencies

CLD - 118.95 MHz - ADAMS CLEARANCE DELIVERY	GND - 121.90 MHz - ADAMS GROUND
TWR - 118.70 MHz - ADAMS TOWER	REC - 125.65 MHz - ATIS
DEP - 119.50 MHz - LITTLE ROCK DEPARTURE	DEP - 135.40 MHz - LITTLE ROCK DEPARTURE
APP - 119.50 MHz - LITTLE ROCK APPROACH	APP - 135.40 MHz - LITTLE ROCK APPROACH
COM - 122.95 MHz - ADAMS UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	6,243 ft	181.51	CONCRETE	0 ft	0 ft
	46 m	1,903 m	181.93		0 m	0 m
36	151 ft	6,243 ft	1.51	CONCRETE	164 ft	194 ft
	46 m	1,903 m	1.93		50 m	59 m
04R	151 ft	8,259 ft	46.39	CONCRETE	1,056 ft	194 ft
	46 m	2,517 m	46.81		322 m	59 m
22L	151 ft	8,259 ft	226.40	CONCRETE	0 ft	400 ft
	46 m	2,517 m	226.82		0 m	122 m
04L	151 ft	8,282 ft	46.38	CONCRETE	305 ft	705 ft
	46 m	2,524 m	46.80		93 m	215 m
22R	151 ft	8,282 ft	226.39	CONCRETE	0 ft	200 ft
	46 m	2,524 m	226.81		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	ILIT	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04R	DME	ICNL	111.30 MHz	18 nm	-	-	254 ft
				33 km	-		254 m
22R	DME	IAAY	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04L	LOC-ILS	ILIT	110.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
04R	LOC-ILS	ICNL	111.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
22L	LOC-ILS	IBWY	110.70 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
22R	LOC-ILS	IAAY	110.30 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
04L	GS	ILIT	110.30 MHz	10 nm	46.39	3.00	262 ft
				19 km	46.81		262 m
04R	GS	ICNL	111.30 MHz	10 nm	46.39	3.00	262 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	46.81		262 m
22L	GS	IBWY	110.70 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m
22R	GS	IAAY	110.30 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m

KASG

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 1,353 ft / 412 m
Location: 36.176400 -94.119200
Magnetic Var: 0.813 E

METAR

KASG 190148Z 00000KT 10SM CLR 24/19 A2993

TAF

UNKNOWN

Frequencies

REC - 124.67 MHz - AWOS 3
COM - 122.95 MHz - UNICOM
TWR - 118.20 MHz -

COM - 118.20 MHz - CTAF
GND - 121.60 MHz -
APP - 128.15 MHz - RAZORBACK APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	75 ft	5,313 ft	187.06	ASPHALT	363 ft	0 ft
	23 m	1,620 m	186.25		111 m	0 m
36	75 ft	5,313 ft	7.06	ASPHALT	0 ft	0 ft
	23 m	1,620 m	6.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IASG	110.90 MHz	18 nm	187.06	-	1,334 ft
				33 km	186.25		1,334 m
18	GS	IASG	110.90 MHz	10 nm	187.12	3.00	1,336 ft
				19 km	186.31		1,336 m