


2024/06/08 2207Z

VOMD VEMDI J15 ADKAL W42 BIA W57 LATID Q22 VIRAM W57 RIMAV Q22 HIA J3 BPL Q24 OSRAM VIDP

1139.61 nm / 2110.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOMD	-	9.83451	0 ft	-	Madurai
APT	-	78.09340	0 m		
VEMDI	-	11.28940	31,300 ft	87	-
FIX	-	78.25580	9,540 m		
ADKAL	J15	11.84830	35,000 ft	33	-
FIX	AWY-HI	78.28030	10,668 m		
BIA	W42	13.20680	35,000 ft	87	BENGALURU
VOR	AWY-HI	77.73220	10,668 m		
LATID	W57	14.47640	35,000 ft	77	-
FIX	AWY-HI	77.94890	10,668 m		
VIRAM	Q22	15.35940	35,000 ft	53	-
FIX	AWY-HI	78.09860	10,668 m		
RIMAV	W57	16.56670	35,000 ft	73	-
FIX	AWY-HI	78.29650	10,668 m		
HIA	Q22	17.22780	35,000 ft	40	HYDERABAD
VOR	AWY-HI	78.40580	10,668 m		
BUSBO	J3	19.24940	35,000 ft	122	-
FIX	AWY-HI	78.12500	10,668 m		
TAMID	J3	20.68830	35,000 ft	87	-
FIX	AWY-HI	77.84890	10,668 m		
UPTAR	J3	21.51170	35,000 ft	50	-
FIX	AWY-HI	77.68190	10,668 m		
BIGIL	J3	22.11720	35,000 ft	36	-
FIX	AWY-HI	77.56560	10,668 m		
BPL	J3	23.28270	35,000 ft	71	BHOPAL
VOR	AWY-HI	77.33590	10,668 m		
PUKES	Q24	24.70060	35,000 ft	85	-
FIX	AWY-HI	77.27000	10,668 m		
BUKLO	Q24	25.00030	35,000 ft	18	-
FIX	AWY-HI	77.25720	10,668 m		
BAVOX	Q24	26.14190	31,100 ft	68	-
FIX	AWY-HI	77.21560	9,479 m		
OSRAM	Q24	27.48360	13,800 ft	80	-
FIX	AWY-HI	77.14610	4,206 m		
VIDP	-	28.55850	0 ft	64	Indira Gandhi Intl
APT	-	77.09790	0 m		

VOMD

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 462 ft / 141 m
Location: 9.834510 78.093400
Magnetic Var: 1.237 W

METAR

UNKNOWN

TAF

TAF VOMD 081700Z 0818/0924 23005KT 3000 -RA/BR SCT015 BKN080 TEMPO 0818/0824 2000 TSRA/RA SCT012 FEW025CB BKN080

Frequencies

TWR - 122.80 MHz -

APP - 122.80 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,504 ft	85.78	ASPHALT	0 ft	0 ft
	45 m	2,287 m	87.02		0 m	0 m
27	148 ft	7,504 ft	265.78	ASPHALT	203 ft	0 ft
	45 m	2,287 m	267.02		62 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IMDR	110.50 MHz	18 nm	265.78	-	462 ft
				33 km	267.02		462 m
27	GS	IMDR	110.50 MHz	10 nm	265.78	3.00	462 ft
				19 km	267.02		462 m

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.605 E

METAR

VIDP 082130Z 25005KT 4000 HZ NSC 32/13 Q1002 NOSIG

TAF

TAF VIDP 081700Z 0818/0924 30006KT 4000 HZ NSC BECMG 0900/0902 32005KT 2500 HZ BECMG 0908/0910 29008G18KT 5000 HZ

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH
GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.08		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.84		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.09		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.84		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.09		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.10		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.10		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.84		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.09		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.84		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.09		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.10		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.10		778 m