

# LGAV

Athens Eleftherios Venizelos


# LFPO

Paris Orly

2024/06/04 1108Z

LGAV KOR LATAN LUPAL BCS LISKO KEGED ANC LIKNO VABMO LOMED RUXOL BEROK MIVKI KALMO GEN TESTO TOP  
BANKO MOLUS GILIR PENDU GIVRI LFSD OBURO OKRIX LFPO

1218.78 nm / 2257.18 km



## Notes

Requested: LGAV KOR LATAN LUPAL BCS UTAME LISKO KEGED ANC LIKNO VABMO LOMED RUXOL BEROK MIVKI KALMO GEN TESTO TOP E

Unmatched points: UTAME WEBCA ODNUP FUZKA

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LGAV	-	37.93670	0 ft	-	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		
KOR	-	37.93040	0 ft	47	KORINTHOS
NDB	-	22.93590	0 m		
LATAN	-	39.29330	0 ft	202	-
FIX	-	19.00000	0 m		
LUPAL	-	39.46970	0 ft	15	-
FIX	-	18.76940	0 m		
BCS	-	40.65860	0 ft	80	CASALE (BRINDISI)
VOR	-	17.95190	0 m		
LISKO	-	43.57140	0 ft	243	-
FIX	-	14.13220	0 m		
KEGED	-	43.57880	0 ft	12	-
FIX	-	13.83780	0 m		
ANC	-	43.58640	0 ft	15	ANCONA
VOR	-	13.47110	0 m		
LIKNO	-	43.79390	0 ft	50	-
FIX	-	12.34830	0 m		
VABMO	-	43.92170	0 ft	32	-
FIX	-	11.62420	0 m		
LOMED	-	44.02720	0 ft	27	-
FIX	-	11.00330	0 m		
RUXOL	-	44.11530	0 ft	18	-
FIX	-	10.59310	0 m		
BEROK	-	44.16560	0 ft	10	-
FIX	-	10.35170	0 m		
MIVKI	-	44.22420	0 ft	12	-
FIX	-	10.07060	0 m		
KALMO	-	44.32170	0 ft	21	-
FIX	-	9.59417	0 m		
GEN	-	44.42460	0 ft	22	GENOVA DME
DME	-	9.08167	0 m		
TESTO	-	44.59720	0 ft	20	-
FIX	-	8.66556	0 m		
TOP	-	44.92540	0 ft	39	TORINO
VOR	-	7.86167	0 m		
BANKO	-	45.82000	0 ft	63	-
FIX	-	7.05472	0 m		
MOLUS	-	46.44390	0 ft	40	-
FIX	-	6.67944	0 m		
GILIR	-	47.06330	0 ft	41	-
FIX	-	6.23917	0 m		
PENDU	-	47.34890	0 ft	19	-
FIX	-	6.03278	0 m		
GIVRI	-	47.29190	0 ft	28	-
FIX	-	5.34222	0 m		
LFSD	-	47.26900	0 ft	10	Dijon Longvic
APT	-	5.09011	0 m		
OBURO	-	47.65170	0 ft	40	-
FIX	-	4.26472	0 m		
OKRIX	-	47.96610	0 ft	33	-
FIX	-	3.56750	0 m		
LFPO	-	48.72630	0 ft	66	Paris Orly
APT	-	2.36698	0 m		

## LGAV

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 308 ft / 94 m  
Location: 37.936700 23.944500  
Magnetic Var: 5.114 E

## METAR

LGAV 041020Z 10008KT CAVOK 33/11 Q1012 NOSIG

## TAF

TAF TAF LGAV 040500Z 0406/0506 VRB03KT 9999 FEW025 BECMG 0406/0408 26010KT

## Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.76		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.74		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.76		300 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.41		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.86		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.39		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.92		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.95		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.95		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.92		282 m

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.459 E

## METAR

LFPO 041030Z 22007KT 170V290 9999 SCT035 SCT180 21/14 Q1014 NOSIG

## TAF

TAF LFPO 040500Z 0406/0512 VRB03KT 9999 SCT045 BECMG 0409/0411 24010KT PROB40 TEMPO 0420/0512 30005KT

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.36		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.88		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.84		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.85		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.85		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.34		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.90		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.34		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.90		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.91	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.85	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.34	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.90	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.34	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.90	3.00	291 ft 291 m