

ENBR

Bergen Lufthavn Flesland


ESSA

Stockholm Arlanda

2024/05/08 1415Z

ENBR AGEKU **N623** EBURI ESSA

383.52 nm / 710.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ENBR	-	60.29360	0 ft	-	Bergen Lufthavn Flesland
APT	-	5.21806	0 m	-	
AGEKU	-	60.20140	32,800 ft	91	-
FIX	-	8.29514	9,997 m	-	-
ATLAP	N623	60.14610	35,000 ft	45	-
FIX	AWY-HI	9.80069	10,668 m	-	-
ESEBA	N623	60.01270	35,000 ft	78	-
FIX	AWY-HI	12.39230	10,668 m	-	-
TEKVA	N623	59.98470	33,900 ft	9	-
FIX	AWY-HI	12.71940	10,333 m	-	-
EBURI	N623	59.80000	21,200 ft	59	-
FIX	AWY-HI	14.66060	6,462 m	-	-
ESSA	-	59.65190	0 ft	99	Stockholm Arlanda
APT	-	17.91860	0 m	-	

ENBR

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 1

Elevation: 166 ft / 51 m
Location: 60.293600 5.218060
Magnetic Var: 1.989 E

METAR

ENBR 081350Z 24006KT 200V300 9999 SCT022 BKN036 11/07 Q1026 NOSIG RMK WIND 1200FT 25006KT

TAF

TAF ENBR 081100Z 0812/0912 32006KT 9999 SCT018 BKN040 BECMG 0820/0822 16010KT BECMG 0823/0901 -RA BKN014 BECMG 0901/0903 20006KT

Frequencies

REC - 125.25 MHz - FLESLAND INFORMATION
TWR - 119.10 MHz - FLESLAND TOWER
APP - 125.00 MHz - FLESLAND APPROACH EAST
GND - 121.90 MHz - FLESLAND GROUND
APP - 121.00 MHz - FLESLAND APPROACH WEST
CLD - 118.85 MHz - FLESLAND DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	9,791 ft	170.53	ASPHALT	876 ft	0 ft
	45 m	2,984 m	168.54		267 m	0 m
35	148 ft	9,791 ft	350.53	ASPHALT	889 ft	0 ft
	45 m	2,984 m	348.55		271 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	BR	109.90 MHz	18 nm	170.56	-	165 ft
				33 km	168.58		165 m
35	LOC-ILS	BG	110.50 MHz	18 nm	350.55	-	165 ft
				33 km	348.56		165 m
17	GS	BR	109.90 MHz	10 nm	170.53	3.10	166 ft
				19 km	168.54		166 m
35	GS	BG	110.50 MHz	10 nm	350.53	3.00	166 ft
				19 km	348.54		166 m

ESSA

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 3

Elevation: 138 ft / 42 m
Location: 59.651900 17.918600
Magnetic Var: 7.121 E

METAR

ESSA 081350Z 13010KT 9999 -RA SCT007 BKN010 03/02 Q1027 NOSIG

TAF

TAF ESSA 081130Z 0812/0912 10010KT 9999 -RA BKN007 PROB40 0812/0818 BKN012 BECMG 0907/0909 BKN015 PROB40 0909/0912

Frequencies

REC - 119.00 MHz - ATIS	REC - 121.62 MHz - ATIS
APP - 123.75 MHz - STOCKHOLM CONTROL APPROACH	APP - 120.15 MHz - STOCKHOLM CONTROL APPROACH
APP - 126.65 MHz - STOCKHOLM CONTROL APPROACH	DEP - 123.75 MHz - STOCKHOLM CONTROL DEPARTURE
DEP - 120.15 MHz - STOCKHOLM CONTROL DEPARTURE	DEP - 126.65 MHz - STOCKHOLM CONTROL DEPARTURE
TWR - 118.50 MHz - ARLANDA TOWER	TWR - 125.12 MHz - ARLANDA TOWER
TWR - 128.72 MHz - ARLANDA TOWER	TWR - 123.10 MHz - ARLANDA TOWER
GND - 121.70 MHz - ARLANDA GROUND	GND - 121.97 MHz - ARLANDA GROUND
GND - 121.92 MHz - ARLANDA GROUND	CLD - 121.82 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	148 ft	10,817 ft	10.38	ASPHALT	0 ft	154 ft
	45 m	3,297 m	3.25		0 m	47 m
19R	148 ft	10,817 ft	190.38	ASPHALT	0 ft	164 ft
	45 m	3,297 m	183.26		0 m	50 m
01R	148 ft	8,151 ft	10.38	ASPHALT	0 ft	223 ft
	45 m	2,484 m	3.26		0 m	68 m
19L	148 ft	8,151 ft	190.38	ASPHALT	0 ft	0 ft
	45 m	2,484 m	183.26		0 m	0 m
08	148 ft	8,180 ft	75.84	ASPHALT	0 ft	161 ft
	45 m	2,493 m	68.72		0 m	49 m
26	148 ft	8,180 ft	255.88	ASPHALT	0 ft	161 ft
	45 m	2,493 m	248.76		0 m	49 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	LOC-ILS	SSA	109.90 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
01R	LOC-ILS	TSA	109.35 MHz	18 nm	10.38	-	138 ft
				33 km	3.26		138 m
19L	LOC-ILS	USA	111.35 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
19R	LOC-ILS	NSA	110.70 MHz	18 nm	190.38	-	138 ft
				33 km	183.26		138 m
26	LOC-ILS	ESA	110.10 MHz	18 nm	255.86	-	138 ft
				33 km	248.74		138 m
08	LOC-LOC	WSA	109.55 MHz	18 nm	75.86	-	138 ft
				33 km	68.74		138 m
01L	GS	SSA	109.90 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	GS	TSA	109.35 MHz	10 nm	10.38	3.00	138 ft
				19 km	3.26		138 m
19L	GS	USA	111.35 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
19R	GS	NSA	110.70 MHz	10 nm	190.38	3.00	138 ft
				19 km	183.26		138 m
26	GS	ESA	110.10 MHz	10 nm	255.86	3.00	138 ft
				19 km	248.74		138 m