

# TTPP

Piarco Intl


# SVMI

Maiquetia Simon Bolivar Intl

2024/06/08 2047Z

TTPP MEGIR A552 KAMOS SVMI

336.40 nm / 623.01 km



## Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 170kts
- Cruise Altitude: 16000ft
- Cruise Speed: 220kts
- Descent Rate: 1500ft/min
- Descent Speed: 160kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TTPP	-	10.59540	0 ft	-	Piarco Intl
APT	-	-61.33730	0 m		
MEGIR	-	10.51670	13,000 ft	31	-
FIX	-	-61.87220	3,962 m		
ESNAP	A552	10.65810	16,000 ft	82	-
FIX	AWY-LO	-63.25940	4,877 m		
SILED	A552	10.55640	16,000 ft	27	-
FIX	AWY-LO	-63.71030	4,877 m		
CUM	A552	10.44480	16,000 ft	26	CUMANA
VOR	AWY-LO	-64.13920	4,877 m		
PORGA	A552	10.47300	16,000 ft	24	-
FIX	AWY-LO	-64.55370	4,877 m		
MEXOT	A552	10.50310	16,000 ft	25	-
FIX	AWY-LO	-64.98870	4,877 m		
KAMOS	A552	10.52000	16,000 ft	15	-
FIX	AWY-LO	-65.25310	4,877 m		
SVMI	-	10.60320	0 ft	102	Maiquetia Simon Bolivar Intl
APT	-	-66.99040	0 m		

## TTPP

Region: TRINIDAD AND TOBAGO  
Timezone: AMERICA/PORT\_OF\_SPAIN  
Runways: 1

Elevation: 57 ft / 17 m  
Location: 10.595400 -61.337300  
Magnetic Var: 15.355 W

## METAR

TTPP 082000Z 12010KT 9999 VCSH FEW012CB 30/26 Q1013 NOSIGRMK CB-NW VCSH-N NE SW NW

## TAF

TAF TTPP 081600Z 0818/0918 09014KT 9999 FEW012CB SCT018 TEMPO 0818/0822 09014G28KT 3000 TSRA FEW010CB BKN015 BECM

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.10 MHz - PIARCO TOWER  
APP - 119.55 MHz - PIARCO APPROACH  
GND - 121.90 MHz - PIARCO GROUND  
APP - 119.00 MHz - PIARCO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.16		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.03		57 m

## SVMI

Region: VENEZUELA  
Timezone: AMERICA/CARACAS  
Runways: 2

Elevation: 234 ft / 71 m  
Location: 10.603200 -66.990400  
Magnetic Var: 12.880 W

## METAR

SVMI 082000Z 11005KT 9999 FEW016 SCT070 34/27 Q1012

## TAF

UNKNOWN

## Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY  
TWR - 118.40 MHz - MAIQUETIA TOWER  
DEP - 120.10 MHz - MAIQUETIA DEPARTURE  
GND - 121.90 MHz - MAIQUETIA GROUND  
APP - 120.40 MHz - MAIQUETIA APPROACH  
REC - 132.85 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.01		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.01		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.83		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.78		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.17		235 m