


2024/06/01 1713Z

KLAS PGS **V291** INW **J86** RUTER **J13** BECON CJS **UJ54** URKOM **UT3** MOV MMAN

1010.75 nm / 1871.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAS	-	36.08070	0 ft	-	McCarran Intl
APT	-	-115.15300	0 m		
PGS	-	35.62470	29,600 ft	82	PEACH SPRINGS
VOR	-	-113.54400	9,022 m		
KACEE	V291	35.34670	35,000 ft	56	-
FIX	AWY-LO	-112.43900	10,668 m		
FLG	V291	35.14720	35,000 ft	39	FLAGSTAFF
VOR	AWY-LO	-111.67400	10,668 m		
TAWNE	V291	35.11850	35,000 ft	14	-
FIX	AWY-LO	-111.37100	10,668 m		
INW	V291	35.06160	35,000 ft	28	WINSLOW
VOR	AWY-LO	-110.79500	10,668 m		
PYRIT	J86	34.86960	35,000 ft	18	-
FIX	AWY-HI	-110.51100	10,668 m		
VERNO	J86	34.26070	35,000 ft	56	-
FIX	AWY-HI	-109.62700	10,668 m		
GREBE	J86	33.21910	35,000 ft	96	-
FIX	AWY-HI	-108.16400	10,668 m		
RUTER	J86	32.28370	35,000 ft	85	-
FIX	AWY-HI	-106.89900	10,668 m		
BECON	J13	31.78820	35,000 ft	31	-
FIX	AWY-HI	-106.71300	10,668 m		
CJS	-	31.63620	35,000 ft	17	JUAREZ (CIUDAD JUAREZ)
VOR	-	-106.42700	10,668 m		
URKOM	UJ54	30.23030	35,000 ft	91	-
FIX	AWY-HI	-105.73900	10,668 m		
MOV	UT3	26.95550	19,900 ft	298	MONCLOVA
VOR	AWY-HI	-101.47100	6,066 m		
MMAN	-	25.86580	0 ft	93	DEL NORTE INTL
APT	-	-100.24000	0 m		

KLAS

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 2,180 ft / 664 m
Location: 36.080700 -115.153000
Magnetic Var: 11.042 E

METAR

KLAS 011656Z 18008G15KT 10SM CLR 34/M01 A2979 RMK A02 SLP055 T03391006

TAF

TAF AMD KLAS 011444Z 0115/0218 18010KT P6SM SKC FM011700 20014G22KT P6SM FEW150 FM020300 20010G18KT P6SM SKC FM021200 20010G18KT P6SM SKC

Frequencies

REC - 132.40 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.00 MHz - CLEARANCE DELIVERY	GND - 121.10 MHz - LAS VEGAS GROUND
GND - 121.90 MHz - LAS VEGAS GROUND	TWR - 128.80 MHz - LAS VEGAS TOWER
TWR - 118.75 MHz - LAS VEGAS TOWER	TWR - 119.90 MHz - LAS VEGAS TOWER
APP - 125.60 MHz - LAS VEGAS APPROACH	APP - 125.02 MHz - LAS VEGAS APPROACH
DEP - 125.90 MHz - LAS VEGAS DEPARTURE	DEP - 133.95 MHz - LAS VEGAS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	14,525 ft	89.92	CONCRETE	2,152 ft	0 ft
	46 m	4,427 m	78.88		656 m	0 m
26R	151 ft	14,525 ft	269.95	CONCRETE	1,414 ft	374 ft
	46 m	4,427 m	258.91		431 m	114 m
08R	151 ft	10,535 ft	89.92	CONCRETE	0 ft	381 ft
	46 m	3,211 m	78.88		0 m	116 m
26L	151 ft	10,535 ft	269.94	CONCRETE	0 ft	381 ft
	46 m	3,211 m	258.90		0 m	116 m
01R	151 ft	9,779 ft	24.82	CONCRETE	486 ft	400 ft
	46 m	2,981 m	13.78		148 m	122 m
19L	151 ft	9,779 ft	204.83	CONCRETE	876 ft	394 ft
	46 m	2,981 m	193.79		267 m	120 m
01L	151 ft	8,998 ft	24.82	CONCRETE	584 ft	400 ft
	46 m	2,743 m	13.78		178 m	122 m
19R	151 ft	8,998 ft	204.83	CONCRETE	0 ft	0 ft
	46 m	2,743 m	193.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ICUA	110.10 MHz	18 nm	-	-	2,092 ft
				33 km	-		2,092 m
26R	DME	ILAS	110.30 MHz	18 nm	-	-	2,203 ft
				33 km	-		2,203 m
01L	LOC-ILS	ICUA	110.10 MHz	18 nm	24.83	-	2,180 ft
				33 km	13.79		2,180 m
26L	LOC-ILS	IRLE	111.50 MHz	18 nm	269.93	-	2,180 ft
				33 km	258.89		2,180 m
26R	LOC-ILS	ILAS	110.30 MHz	18 nm	269.94	-	2,180 ft
				33 km	258.90		2,180 m
01L	GS	ICUA	110.10 MHz	10 nm	24.83	3.40	2,180 ft
				19 km	13.79		2,180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	GS	IRLE	111.50 MHz	10 nm	269.93	3.00	2,180 ft
				19 km	258.89		2,180 m
26R	GS	ILAS	110.30 MHz	10 nm	269.94	3.00	2,180 ft
				19 km	258.90		2,180 m