


2024/05/16 1847Z

CYQU ROFFO **J550** MALPY CYRV

270.86 nm / 501.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQU APT	-	55.18310 -118.88700	0 ft 0 m	-	GRANDE PRAIRIE
ROFFO FIX	-	53.40000 -119.00000	35,000 ft 10,668 m	107	-
MALPY FIX	J550 AWY-HI	51.22170 -118.95100	7,000 ft 2,134 m	130	-
CYRV APT	-	50.96230 -118.18400	0 ft 0 m	32	REVELSTOKE

CYQU

Region: CANADA
Timezone: AMERICA/EDMONTON
Runways: 2

Elevation: 2,192 ft / 668 m
Location: 55.183100 -118.887000
Magnetic Var: 15.491 E

METAR

CYQU 161800Z 01006KT 8SM -RA SCT010 OVC025 06/04 A2959 RMK SC3SC5 SLP041

TAF

TAF AMD TAF AMD CYQU 161427Z 1614/1701 21007KT P6SM -RA SCT012 OVC025 TEMPO 1614/1620 5SM -RA BR OVC012 BECMG 1615/

Frequencies

REC - 128.60 MHz - ATIS

COM - 118.10 MHz - MF

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,486 ft	134.90	ASPHALT	400 ft	0 ft
	45 m	2,586 m	119.41		122 m	0 m
30	148 ft	8,486 ft	314.92	ASPHALT	0 ft	0 ft
	45 m	2,586 m	299.43		0 m	0 m
07	200 ft	6,182 ft	89.86	ASPHALT	0 ft	0 ft
	61 m	1,884 m	74.37		0 m	0 m
25	200 ft	6,182 ft	269.88	ASPHALT	0 ft	0 ft
	61 m	1,884 m	254.39		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IQU	109.90 MHz	18 nm	314.92	-	2,192 ft
				33 km	299.43		2,192 m
30	GS	IQU	109.90 MHz	10 nm	314.92	3.00	2,192 ft
				19 km	299.43		2,192 m