

SAVC

Comodoro Rivadavia Airport


SAZN

Presidente Peron

2024/05/23 0531Z

SAVC ISKES **UT105** EKOPA SAZN

411.83 nm / 762.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

| Ident Type | Via | Lat Lon | Alt | Dist (nm) | Name |
|---------------|-----------------|------------------------|-----------------------|--------------|----------------------------|
| SAVC APT | - | -45.78530 -67.46560 | 0 ft 0 m | - | Comodoro Rivadavia Airport |
| ISKES FIX | - | -44.86030 -67.48890 | 19,800 ft 6,035 m | 55 | - |
| ELADA FIX | UT105 AWY-HI | -43.10530 -67.70440 | 35,000 ft 10,668 m | 105 | - |
| PAKAL FIX | UT105 AWY-HI | -42.37360 -67.79060 | 35,000 ft 10,668 m | 44 | - |
| SEMGA FIX | UT105 AWY-HI | -41.10190 -67.94250 | 27,700 ft 8,443 m | 76 | - |
| EKOPA FIX | UT105 AWY-HI | -40.39110 -68.02500 | 18,600 ft 5,669 m | 42 | - |
| SAZN APT | - | -38.94900 -68.15570 | 0 ft 0 m | 86 | Presidente Peron |

SAVC

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/CATAMARCA
Runways: 1

Elevation: 188 ft / 57 m
Location: -45.785300 -67.465600
Magnetic Var: 5.591 E

METAR

SAVC 230500Z 22010KT CAVOK 03/M05 Q1029

TAF

TAF TAF SAVC 222230Z 2300/2324 23010KT CAVOK TX05/2318Z TNM01/2311Z BECMG 2312/2314 VRB03KT

Frequencies

TWR - 119.90 MHz - COMODORO RIVADAVIA TOWER APP - 120.80 MHz - COMODORO RIVADAVIA APPROACH
COM - 122.80 MHz - COMODORO RIVADAVIA UNICOM

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|----------|---------------------|-------------------|
| 07 | 164 ft | 9,189 ft | 79.32 | CONCRETE | 0 ft | 492 ft |
| | 50 m | 2,801 m | 73.73 | | 0 m | 150 m |
| 25 | 164 ft | 9,189 ft | 259.30 | CONCRETE | 0 ft | 814 ft |
| | 50 m | 2,801 m | 253.71 | | 0 m | 248 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 25 | LOC-ILS | CR | 110.30 MHz | 18 nm | 259.31 | - | 188 ft |
| | | | | 33 km | 253.72 | | 188 m |
| 25 | GS | CR | 110.30 MHz | 10 nm | 259.31 | 3.00 | 188 ft |
| | | | | 19 km | 253.72 | | 188 m |

SAZN

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/SALTA
Runways: 1

Elevation: 895 ft / 273 m
Location: -38.949000 -68.155700
Magnetic Var: 1.717 E

METAR

SAZN 230500Z 32002KT CAVOK 03/02 Q1021

TAF

TAF SAZN 222300Z 2300/2324 27005KT CAVOK TX09/2318Z TN03/2311Z BECMG 2310/2312 12010KT SCT040

Frequencies

REC - 127.65 MHz - NEUQUEN ATIS
TWR - 119.80 MHz - NEUQUEN TOWER

GND - 121.80 MHz - NEUQUEN GROUND
COM - 122.80 MHz - NEUQUEN UNICOM

Runways

| Ident | Width | Length | Bearing (true) (mag) | Surface | Threshold Offset | Overrun Length |
|-------|--------|----------|-------------------------|---------|---------------------|-------------------|
| 09 | 147 ft | 8,417 ft | 90.22 | ASPHALT | 0 ft | 679 ft |
| | 45 m | 2,565 m | 88.50 | | 0 m | 207 m |
| 27 | 147 ft | 8,417 ft | 270.20 | ASPHALT | 0 ft | 676 ft |
| | 45 m | 2,565 m | 268.48 | | 0 m | 206 m |

Approach Nav aids

| Runway | Type | Ident | Frequency | Range | Bearing (true) (mag) | Slope | Elevation |
|--------|---------|-------|------------|-------|-------------------------|-------|-----------|
| 09 | LOC-ILS | NE | 110.30 MHz | 18 nm | 90.21 | - | 895 ft |
| | | | | 33 km | 88.49 | | 895 m |
| 09 | GS | NE | 110.30 MHz | 10 nm | 90.21 | 3.00 | 895 ft |
| | | | | 19 km | 88.49 | | 895 m |