

# KJFK

John F. Kennedy Intl


# SEGU

Jose Joaquin de Olmedo Intl

2024/05/18 0116Z

KJFK WAVEY EMJAY TOPRR YAZUU KALDA ORF CARPX CASPR **AR3** ZQA ENAMO NEFTU SIA COLBY DAGAS MIKUS TBG  
**UL780** UGUIP SEGU

2642.76 nm / 4894.40 km



## Notes

Requested: KJFK WAVEY EMJAY Q167 TOPRR Q167 YAZUU Q167 TBONN Q167 PAJET Q167 KALDA Q131 ODAWG ORF EARZZ SKARP Y327

Unmatched points: Q167 Q167 Q167 TBONN Q167 PAJET Q167 Q131 ODAWG EARZZ SKARP IDOLS PRTHR RROOO Y323 Y307 Y307 MIR

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK	-	40.64010	0 ft	-	John F. Kennedy Intl
APT	-	-73.77650	0 m	-	
WAVEY	-	40.23460	0 ft	29	-
FIX	-	-73.39440	0 m	-	-
EMJAY	-	40.09300	0 ft	10	-
FIX	-	-73.26170	0 m	-	-
TOPRR	-	39.84700	0 ft	19	-
FIX	-	-73.53670	0 m	-	-
YAZUU	-	39.41240	0 ft	34	-
FIX	-	-74.01710	0 m	-	-
KALDA	-	37.84200	0 ft	120	-
FIX	-	-75.62650	0 m	-	-
ORF	-	36.89190	0 ft	63	NORFOLK
VOR	-	-76.20030	0 m	-	
CARPX	-	30.40800	0 ft	397	-
FIX	-	-77.75000	0 m	-	-
CASPR	-	29.50730	0 ft	54	-
FIX	-	-77.70310	0 m	-	-
NUCAR	AR3	28.12600	0 ft	83	-
FIX	AWY-HI	-77.63300	0 m	-	-
ANGLL	AR3	27.00000	0 ft	67	-
FIX	AWY-HI	-77.56940	0 m	-	-
BARTS	AR3	25.98370	0 ft	61	-
FIX	AWY-HI	-77.50570	0 m	-	-
HANKX	AR3	25.68630	0 ft	17	-
FIX	AWY-HI	-77.48720	0 m	-	-
MELON	AR3	25.51950	0 ft	10	-
FIX	AWY-HI	-77.47690	0 m	-	-
KURAY	AR3	25.25920	0 ft	15	-
FIX	AWY-HI	-77.46080	0 m	-	-
ZQA	AR3	25.02550	0 ft	14	NASSAU
VOR	AWY-HI	-77.44640	0 m	-	
ENAMO	-	23.56220	0 ft	88	-
FIX	-	-77.35960	0 m	-	-
NEFTU	-	20.55000	0 ft	180	-
FIX	-	-77.44690	0 m	-	-
SIA	-	18.50100	0 ft	125	SANGSTER
VOR	-	-77.92410	0 m	-	
COLBY	-	15.00000	0 ft	213	-
FIX	-	-78.53330	0 m	-	-
DAGAS	-	11.63440	0 ft	205	-
FIX	-	-79.13310	0 m	-	-
MIKUS	-	10.41780	0 ft	73	-
FIX	-	-79.29970	0 m	-	-
TBG	-	8.78757	0 ft	99	TABOGA ISLAND
VOR	-	-79.56200	0 m	-	
TORIL	UL780	7.28111	0 ft	90	-
FIX	AWY-HI	-79.60670	0 m	-	-
BUXOS	UL780	5.16667	0 ft	127	-
FIX	AWY-HI	-79.66670	0 m	-	-
UGUPI	UL780	1.41667	0 ft	225	-
FIX	AWY-HI	-79.83330	0 m	-	-
SEGU	-	-2.15783	0 ft	214	Jose Joaquin de Olmedo Intl
APT	-	-79.88390	0 m	-	

## KJFK

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 4

Elevation: 12 ft / 4 m  
Location: 40.640100 -73.776500  
Magnetic Var: 12.819 W

## METAR

KJFK 180051Z 10006KT 10SM FEW048 BKN080 BKN250 17/12 A2995 RMK A02 SLP143 T01670117

## TAF

TAF KJFK 172337Z 1800/1906 21007KT P6SM BKN060 FM180100 VRB04KT P6SM BKN050 FM180400 04007KT P6SM FEW025 BKN040 T

## Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m

## SEGU

Region: EQUADOR  
Timezone: AMERICA/GUAYAQUIL  
Runways: 1

Elevation: 19 ft / 6 m  
Location: -2.157830 -79.883900  
Magnetic Var: 3.176 W

## METAR

SEGU 180100Z 22011KT 9999 FEW030 SCT100 28/22 Q1009 NOSIG RMK A2981

## TAF

TAF SEGU 172230Z 1800/1824 22006KT 9999 BKN023 BECMG 1807/1809 FEW010 BKN023 BECMG 1815/1816 15005KT SCT030 SCT100

## Frequencies

APP - 119.30 MHz - GUAYAQUIL APPROACH	APP - 120.70 MHz - GUAYAQUIL APPROACH
GND - 121.70 MHz - GUAYAQUIL GROUND	GND - 121.90 MHz - GUAYAQUIL GROUND
TWR - 118.90 MHz - GUAYAQUIL TOWER	TWR - 118.30 MHz - GUAYAQUIL TOWER
REC - 115.90 MHz - ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	8,814 ft	29.95	ASPHALT	318 ft	299 ft
	45 m	2,687 m	33.13		97 m	91 m
21	148 ft	8,814 ft	209.95	ASPHALT	427 ft	0 ft
	45 m	2,687 m	213.13		130 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	ILG	110.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
21	LOC-ILS	ILG	110.30 MHz	18 nm	210.13	-	17 ft
				33 km	213.30		17 m
21	GS	ILG	110.30 MHz	10 nm	210.86	3.00	17 ft
				19 km	214.03		17 m