

KSFO

San Francisco International



MMUN

Cancun Intl

2024/05/10 2130Z

KSFO SYRAH JSICA **Q130** HASSL RSK **J58** FTI KA30W LBB **V62** ABI **J50** ACT MARLN MAFAP DARTR DAS SBI **L208**
DUTNA ODKOT ADSUN MMUN

2197.14 nm / 4069.10 km



Notes

Requested: KSFO TRUKN2 SYRAH JSICA Q130 REANA Q130 HASSL RSK J58 REGINA J58 ESPAN J58 FTI KA30W LBB V62 ABI J50 HICO

Unmatched points: TRUKN2 VOMAR

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFO	-	37.61850	0 ft	-	San Francisco International
APT	-	-122.37500	0 m	-	
SYRAH	-	37.99110	0 ft	64	-
FIX	-	-121.10300	0 m	-	
JSICA	-	38.52050	0 ft	182	-
FIX	-	-117.28700	0 m	-	
REANA	Q130	38.40000	0 ft	139	-
FIX	AWY-HI	-114.33300	0 m	-	
ROCCY	Q130	37.82820	0 ft	115	-
FIX	AWY-HI	-112.00000	0 m	-	
HASSL	Q130	37.57000	0 ft	55	-
FIX	AWY-HI	-110.88400	0 m	-	
RSK	-	36.74840	0 ft	142	RATTLESNAKE (FARMINGTON)
VOR	-	-108.09900	0 m	-	
RGINA	J58	36.46300	0 ft	42	-
FIX	AWY-HI	-107.29600	0 m	-	
ESPAN	J58	36.11980	0 ft	49	-
FIX	AWY-HI	-106.35700	0 m	-	
FTI	J58	35.65760	0 ft	65	FORT UNION
VOR	AWY-HI	-105.13600	0 m	-	
KA30W	-	35.00000	0 ft	68	-
FIX	-	-104.00000	0 m	-	
LBB	-	33.70490	0 ft	129	LUBBOCK
VOR	-	-101.91400	0 m	-	
HYDRO	V62	33.56950	0 ft	14	-
FIX	AWY-LO	-101.68100	0 m	-	
WABVI	V62	33.02560	0 ft	56	-
FIX	AWY-LO	-100.76200	0 m	-	
ROTAN	V62	32.82280	0 ft	20	-
FIX	AWY-LO	-100.42400	0 m	-	
ABI	V62	32.48130	0 ft	34	ABILENE
VOR	AWY-LO	-99.86340	0 m	-	
HICOE	J50	31.93810	0 ft	94	-
FIX	AWY-HI	-98.11900	0 m	-	
ACT	J50	31.66220	0 ft	46	WACO
VOR	AWY-HI	-97.26900	0 m	-	
MARLN	-	31.40130	0 ft	32	-
FIX	-	-96.72240	0 m	-	
MAFAP	-	30.75040	0 ft	70	-
FIX	-	-95.59080	0 m	-	
DARTR	-	30.40310	0 ft	36	-
FIX	-	-95.00680	0 m	-	
DAS	-	30.18970	0 ft	22	DAISETTA
VOR	-	-94.64500	0 m	-	
SBI	-	29.68670	0 ft	43	SABINE PASS
VOR	-	-94.03800	0 m	-	
ANKRR	L208	27.68210	0 ft	128	-
FIX	AWY-HI	-93.20040	0 m	-	
RUMMM	L208	27.49910	0 ft	11	-
FIX	AWY-HI	-93.12540	0 m	-	
PEGLG	L208	26.80450	0 ft	44	-
FIX	AWY-HI	-92.84440	0 m	-	
DUTNA	L208	24.50000	0 ft	160	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-91.33470	0 m		
ODKOT	-	24.28140	0 ft	14	-
FIX	-	-91.22890	0 m		
ADSUN	-	21.51560	0 ft	271	-
FIX	-	-87.33640	0 m		
MMUN	-	21.04210	0 ft	38	Cancun Intl
APT	-	-86.87350	0 m		

KSFO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 13 ft / 4 m
Location: 37.618500 -122.375000
Magnetic Var: 12.843 E

METAR

KSFO 102056Z 31011KT 10SM FEW060 27/12 A2992 RMK A02 SLP132 T02670117 58013

TAF

KSFO 102059Z 1021/1124 29015KT P6SM FEW250 FM110600 27008KT P6SM FEW250 FM111400 30004KT P6SM FEW010 FEW250 FM112

Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.05		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.05		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.07		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.87		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m

MMUN

Region: MEXICO
Timezone: AMERICA/CANCUN
Runways: 2

Elevation: 22 ft / 7 m
Location: 21.042100 -86.873500
Magnetic Var: 2.720 W

METAR

UNKNOWN

TAF

TAF MMUN 101657Z 1018/1118 16020KT P6SM SCT015 TX32/1021Z TN26/1112Z TEMPO 1022/1102 BKN015 FM110200 13010KT 5SM

Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.57		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.58		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.56		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.56		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.56		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.57		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.56		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.57		21 m