

KJFK

John F. Kennedy Intl


KDAL

Dallas Love Field

2024/05/18 0134Z

KJFK MXE **V419** EMI **V166** ESL **V4** HVQ **J6** LIT **V124** YOTUB KDAL

1204.78 nm / 2231.25 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
MXE VOR	-	39.91800 -75.67080	34,600 ft 10,546 m	97	MODENA
HERES FIX	V419 AWY-LO	39.55360 -76.80010	35,000 ft 10,668 m	56	-
EMI VOR	V419 AWY-LO	39.49500 -76.97860	35,000 ft 10,668 m	8	WESTMINSTER
RUANE FIX	V166 AWY-LO	39.44610 -77.37400	35,000 ft 10,668 m	18	-
MRB VOR	V166 AWY-LO	39.38560 -77.84840	35,000 ft 10,668 m	22	MARTINSBURG
MEPEW FIX	V166 AWY-LO	39.33420 -78.22370	35,000 ft 10,668 m	17	-
CAPON FIX	V166 AWY-LO	39.30550 -78.42980	35,000 ft 10,668 m	9	-
ESL VOR	V166 AWY-LO	39.22550 -78.98950	35,000 ft 10,668 m	26	KESSEL
OMIYO FIX	V4 AWY-LO	39.14190 -79.29250	35,000 ft 10,668 m	14	-
EKN VOR	V4 AWY-LO	38.91440 -80.09930	35,000 ft 10,668 m	40	ELKINS
REACH FIX	V4 AWY-LO	38.81620 -80.39680	35,000 ft 10,668 m	15	-
FILES FIX	V4 AWY-LO	38.72700 -80.66460	35,000 ft 10,668 m	13	-
ITALY FIX	V4 AWY-LO	38.53370 -81.23600	35,000 ft 10,668 m	29	-
CAMMA FIX	V4 AWY-LO	38.49050 -81.36210	35,000 ft 10,668 m	6	-
HVQ VOR	V4 AWY-LO	38.34970 -81.76990	35,000 ft 10,668 m	20	CHARLESTON
SPAYD FIX	J6 AWY-HI	38.19350 -82.32460	35,000 ft 10,668 m	27	-
YOCKY FIX	J6 AWY-HI	37.65410 -84.15620	35,000 ft 10,668 m	92	-
UNCKL FIX	J6 AWY-HI	37.48140 -84.71630	35,000 ft 10,668 m	28	-
RYANS FIX	J6 AWY-HI	37.38800 -85.01700	35,000 ft 10,668 m	15	-
BWG VOR	J6 AWY-HI	36.92870 -86.44340	35,000 ft 10,668 m	73	BOWLING GREEN
LAJUG FIX	J6 AWY-HI	36.61210 -87.31590	35,000 ft 10,668 m	46	-
SOPIE FIX	J6 AWY-HI	36.14370 -88.56330	35,000 ft 10,668 m	66	-
LIT VOR	J6 AWY-HI	34.67770 -92.18050	35,000 ft 10,668 m	197	LITTLE ROCK
JENAN FIX	V124 AWY-LO	34.63170 -92.39370	35,000 ft 10,668 m	10	-
BEGAN FIX	V124 AWY-LO	34.58470 -92.61000	35,000 ft 10,668 m	11	-
TAYUV	V124	34.56320	35,000 ft	5	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-92.70800	10,668 m		
LONNS	V124	34.53750	35,000 ft	5	-
FIX	AWY-LO	-92.82490	10,668 m		
HOT	V124	34.47860	35,000 ft	13	HOT SPRINGS
VOR	AWY-LO	-93.09060	10,668 m		
NEPRE	V124	34.26710	35,000 ft	29	-
FIX	AWY-LO	-93.63800	10,668 m		
DEENS	V124	34.00740	31,200 ft	36	-
FIX	AWY-LO	-94.29800	9,510 m		
YOTUB	V124	33.61580	19,600 ft	53	-
FIX	AWY-LO	-95.26910	5,974 m		
KDAL	-	32.84620	0 ft	91	Dallas Love Field
APT	-	-96.85070	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 180051Z 10006KT 10SM FEW048 BKN080 BKN250 17/12 A2995 RMK A02 SLP143 T01670117

TAF

TAF KJFK 172337Z 1800/1906 21007KT P6SM BKN060 FM180100 VRB04KT P6SM BKN050 FM180400 04007KT P6SM FEW025 BKN040 T

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m

KDAL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 485 ft / 148 m
Location: 32.846200 -96.850700
Magnetic Var: 2.615 E

METAR

KDAL 180053Z 00000KT 10SM FEW075 SCT250 28/15 A2973 RMK A02 SLP061 CB DSNT E MOV E T02780150

TAF

KDAL 172323Z 1800/1824 30006KT P6SM SCT050 FM180200 19004KT P6SM SCT250

Frequencies

REC - 133.40 MHz - ATIS	CLD - 127.90 MHz - CLEARANCE DELIVERY
GND - 121.75 MHz - LOVE GROUND	TWR - 123.70 MHz - LOVE TOWER
APP - 125.12 MHz - REGIONAL APPROACH SOUTH	DEP - 125.20 MHz - REGIONAL DEPARTURE SOUTH
DEP - 124.30 MHz - REGIONAL DEPARTURE NORTH	APP - 118.55 MHz - REGIONAL APPROACH NORTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	8,801 ft	135.76	CONCRETE	495 ft	200 ft
	46 m	2,683 m	133.14		151 m	61 m
31L	151 ft	8,801 ft	315.77	CONCRETE	0 ft	197 ft
	46 m	2,683 m	313.15		0 m	60 m
13L	151 ft	7,756 ft	135.77	CONCRETE	0 ft	184 ft
	46 m	2,364 m	133.16		0 m	56 m
31R	151 ft	7,756 ft	315.78	CONCRETE	0 ft	200 ft
	46 m	2,364 m	313.17		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IDAL	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13R	DME	IDPX	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31L	DME	ILVF	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31R	DME	IOVW	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13L	LOC-ILS	IDAL	111.50 MHz	18 nm	135.78	-	487 ft
				33 km	133.16		487 m
13R	LOC-ILS	IDPX	111.10 MHz	18 nm	135.77	-	470 ft
				33 km	133.15		470 m
31L	LOC-ILS	ILVF	111.10 MHz	18 nm	315.75	-	448 ft
				33 km	313.14		448 m
31R	LOC-ILS	IOVW	111.50 MHz	18 nm	315.77	-	487 ft
				33 km	313.15		487 m
13L	GS	IDAL	111.50 MHz	10 nm	136.55	3.00	478 ft
				19 km	133.94		478 m
13R	GS	IDPX	111.10 MHz	10 nm	136.53	3.00	476 ft
				19 km	133.92		476 m
31L	GS	ILVF	111.10 MHz	10 nm	316.51	3.08	476 ft
				19 km	313.89		476 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	GS	IOVW	111.50 MHz	10 nm	316.54	3.00	480 ft
				19 km	313.92		480 m