


2024/05/15 0456Z

KBDR FITRE **V167** HNK **V34** BEEPS **Q140** PEPLA **Q917** SSM **V300** YQT **J500** VLN **J504** YEA VINKO **Q828** RABOX
Q967 VETBI YYC **V304** YNY CYKA

2037.56 nm / 3773.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 270kts
- Cruise Altitude: 35000ft
- Cruise Speed: 270kts
- Descent Rate: 1500ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBDR	-	41.16350	0 ft	-	Sikorsky Memorial
APT	-	-73.12620	0 m		
FITRE	-	41.91240	35,000 ft	92	-
FIX	-	-74.91750	10,668 m		
HNK	V167	42.06310	35,000 ft	19	HANCOCK
VOR	AWY-LO	-75.31630	10,668 m		
PTAKI	V34	42.65010	35,000 ft	67	-
FIX	AWY-LO	-76.60130	10,668 m		
BEEPS	V34	42.82040	35,000 ft	19	-
FIX	AWY-LO	-76.98470	10,668 m		
HANKK	Q140	42.89500	35,000 ft	8	-
FIX	AWY-HI	-77.15420	10,668 m		
AHPAH	Q140	43.30530	35,000 ft	49	-
FIX	AWY-HI	-78.12640	10,668 m		
MEDAV	Q140	43.48860	35,000 ft	29	-
FIX	AWY-HI	-78.76280	10,668 m		
RAGIX	Q140	43.54380	35,000 ft	9	-
FIX	AWY-HI	-78.95750	10,668 m		
SIKBO	Q140	43.65360	35,000 ft	18	-
FIX	AWY-HI	-79.34920	10,668 m		
PEPLA	Q140	43.79750	35,000 ft	30	-
FIX	AWY-HI	-80.01490	10,668 m		
DUTEL	Q917	44.66640	35,000 ft	75	-
FIX	AWY-HI	-81.29640	10,668 m		
VIGLO	Q917	45.39670	35,000 ft	64	-
FIX	AWY-HI	-82.41970	10,668 m		
ULUTO	Q917	46.30440	35,000 ft	88	-
FIX	AWY-HI	-84.09470	10,668 m		
SSM	Q917	46.41210	35,000 ft	11	SAULT STE MARIE
VOR	AWY-HI	-84.31490	10,668 m		
CATGA	V300	46.47210	35,000 ft	7	-
FIX	AWY-LO	-84.46710	10,668 m		
SSM16	V300	46.54490	35,000 ft	8	-
FIX	AWY-LO	-84.64950	10,668 m		
SRADE	V300	46.65820	35,000 ft	13	-
FIX	AWY-LO	-84.94530	10,668 m		
AVALE	V300	46.73400	35,000 ft	8	-
FIX	AWY-LO	-85.13330	10,668 m		
KJNGG	V300	48.11160	35,000 ft	177	-
FIX	AWY-LO	-89.00400	10,668 m		
YQT	V300	48.25390	35,000 ft	19	THUNDER BAY
VOR	AWY-LO	-89.43720	10,668 m		
VBI	J500	49.47690	35,000 ft	196	SIOUX NARROWS
VOR	AWY-HI	-94.04670	10,668 m		
VLR	J500	50.42240	35,000 ft	189	LANGRUTH
VOR	AWY-HI	-98.72370	10,668 m		
VLN	J500	50.66690	35,000 ft	235	LUMSDEN
VOR	AWY-HI	-104.89000	10,668 m		
YEA	J504	50.92610	35,000 ft	194	EMPRESS
VOR	AWY-HI	-109.99000	10,668 m		
VINKO	-	50.96390	35,000 ft	2	-
FIX	-	-110.00000	10,668 m		
RABOX	Q828	51.09060	35,000 ft	73	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-111.92700	10,668 m		
SESDA	Q967	51.18780	35,000 ft	48	-
FIX	AWY-HI	-113.21800	10,668 m		
VETBI	Q967	51.20220	35,000 ft	7	-
FIX	AWY-HI	-113.42400	10,668 m		
YYC	-	51.11500	35,000 ft	18	CALGARY
VOR	-	-113.88200	10,668 m		
CANOP	V304	51.06780	35,000 ft	26	-
FIX	AWY-LO	-114.59100	10,668 m		
PEVNI	V304	51.03380	35,000 ft	17	-
FIX	AWY-LO	-115.05400	10,668 m		
SPRAE	V304	51.00370	35,000 ft	15	-
FIX	AWY-LO	-115.45700	10,668 m		
WELLF	V304	50.90820	35,000 ft	43	-
FIX	AWY-LO	-116.60200	10,668 m		
RAGUT	V304	50.82700	35,000 ft	33	-
FIX	AWY-LO	-117.48300	10,668 m		
YNY	V304	50.67780	19,100 ft	56	ENDERBY
VOR	AWY-LO	-118.93900	5,822 m		
CYKA	-	50.70220	0 ft	57	Kamloops
APT	-	-120.44500	0 m		

KBDR

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 8 ft / 2 m
Location: 41.163500 -73.126200
Magnetic Var: 13.205 W

METAR

KBDR 150352Z AUTO 20005KT 10SM BKN049 OVC060 16/14 A2995 RMK AO2 RAB05E46 SLP142 P0000 T01560139

TAF

TAF AMD KBDR 150239Z 1503/1524 VRB03KT P6SM VCSH SCT035 OVC100 FM150600 VRB03KT 6SM BR VCSH FEW010 OVC040 TEMPO 15

Frequencies

REC - 119.15 MHz - BRIDGEPORT ATIS
COM - 123.00 MHz - BRIDGEPORT UNICOM
TWR - 120.90 MHz - BRIDGEPORT TOWER
DEP - 124.07 MHz - NEW YORK DEPARTURE
COM - 120.90 MHz - BRIDGEPORT CTAF
GND - 121.75 MHz - BRIDGEPORT GROUND
APP - 124.07 MHz - NEW YORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	100 ft	4,682 ft	44.90	ASPHALT	0 ft	0 ft
	30 m	1,427 m	58.10		0 m	0 m
24	100 ft	4,682 ft	224.91	ASPHALT	322 ft	315 ft
	30 m	1,427 m	238.11		98 m	96 m
11	150 ft	4,766 ft	97.85	ASPHALT	0 ft	0 ft
	46 m	1,453 m	111.06		0 m	0 m
29	150 ft	4,766 ft	277.86	ASPHALT	364 ft	0 ft
	46 m	1,453 m	291.07		111 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBDR	110.70 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
06	LOC-ILS	IBDR	110.70 MHz	18 nm	44.90	-	8 ft
				33 km	58.11		8 m
06	GS	IBDR	110.70 MHz	10 nm	44.90	3.00	8 ft
				19 km	58.11		8 m

CYKA

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 2

Elevation: 1,131 ft / 345 m
Location: 50.702200 -120.445000
Magnetic Var: 15.041 E

METAR

CYKA 150400Z 07004KT 40SM FEW110 SCT250 18/04 A2998 RMK AC1CI2 SLP159 DENSITY ALT 1700FT

TAF

TAF TAF CYKA 150040Z 1501/1513 09008KT P6SM FEW100 BKN120 FM150400 09008KT P6SM SCT090 TEMPO 1504/1513 BKN080 RMK

Frequencies

TWR - 123.00 MHz - SHELL AERO CNTR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,967 ft	103.28	ASPHALT	0 ft	102 ft
	45 m	2,429 m	88.24		0 m	31 m
27	148 ft	7,967 ft	283.31	ASPHALT	0 ft	0 ft
	45 m	2,429 m	268.27		0 m	0 m
04	49 ft	2,779 ft	61.01	ASPHALT	686 ft	0 ft
	15 m	847 m	45.97		209 m	0 m
22	49 ft	2,779 ft	241.02	ASPHALT	0 ft	0 ft
	15 m	847 m	225.98		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IKA	109.30 MHz	18 nm	103.29	-	1,131 ft
				33 km	88.25		1,131 m
27	LOC-LOC	XPP	109.90 MHz	18 nm	283.29	-	1,131 ft
				33 km	268.25		1,131 m
09	GS	IKA	109.30 MHz	10 nm	103.29	3.10	1,131 ft
				19 km	88.25		1,131 m