

EDDW

Bremen


EDDC

Dresden

2024/05/21 0240Z

EDDW POVEL **Y800** ELTED EDDC

217.55 nm / 402.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDW	-	53.04570	0 ft	-	Bremen
APT	-	8.78900	0 m		
POVEL	-	52.12840	26,700 ft	92	-
FIX	-	10.82780	8,138 m		
ELTED	Y800	51.82030	19,400 ft	34	-
FIX	AWY-HI	11.60110	5,913 m		
EDDC	-	51.13430	0 ft	90	Dresden
APT	-	13.76800	0 m		

EDDW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 14 ft / 4 m
Location: 53.045700 8.789000
Magnetic Var: 3.306 E

METAR

EDDW 210220Z AUTO 07007KT CAVOK 13/12 Q1011

TAF

TAF EDDW 202300Z 2100/2124 08006KT CAVOK PROB40 TEMPO 2100/2105 BKN003 PROB30 TEMPO 2105/2107 BKN008 BECMG 2105/2

Frequencies

GND - 121.75 MHz -
TWR - 118.50 MHz -
APP - 124.80 MHz - RADAR

TWR - 125.10 MHz - INFO
TWR - 134.82 MHz -
APP - 136.27 MHz - RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	75 ft	2,299 ft	51.50	ASPHALT	0 ft	0 ft
	23 m	701 m	48.19		0 m	0 m
23	75 ft	2,299 ft	231.51	ASPHALT	0 ft	0 ft
	23 m	701 m	228.20		0 m	0 m
09	148 ft	8,616 ft	87.78	ASPHALT	945 ft	0 ft
	45 m	2,626 m	84.48		288 m	0 m
27	148 ft	8,616 ft	267.82	ASPHALT	984 ft	0 ft
	45 m	2,626 m	264.51		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBRE	110.30 MHz	18 nm	87.80	-	14 ft
				33 km	84.49		14 m
27	LOC-ILS	IBRW	110.90 MHz	18 nm	267.80	-	14 ft
				33 km	264.49		14 m
09	GS	IBRE	110.30 MHz	10 nm	87.80	3.00	14 ft
				19 km	84.49		14 m
27	GS	IBRW	110.90 MHz	10 nm	267.80	3.00	14 ft
				19 km	264.49		14 m

EDDC

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 751 ft / 229 m
Location: 51.134300 13.768000
Magnetic Var: 4.629 E

METAR

EDDC 210220Z AUTO 13002KT CAVOK 12/10 Q1011

TAF

TAF EDDC 202300Z 2100/2124 11004KT CAVOK BECMG 2106/2108 09012KT TEMPO 2110/2124 09015G25KT PROB40 TEMPO 2111/2113 09015G25KT

Frequencies

REC - 118.87 MHz - DRESDEN ATIS
GND - 121.75 MHz - DRESDEN APRON
TWR - 122.92 MHz - DRESDEN TOWER

GND - 121.97 MHz - DRESDEN GROUND
COM - 125.80 MHz - DRESDEN UNICOM
APP - 125.87 MHz - MUENCHEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	197 ft	9,359 ft	40.81	CONCRETE	0 ft	184 ft
	60 m	2,853 m	36.18		0 m	56 m
22	197 ft	9,359 ft	220.83	CONCRETE	994 ft	187 ft
	60 m	2,853 m	216.20		303 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IDRE	110.50 MHz	18 nm	40.83	-	751 ft
				33 km	36.20		751 m
22	LOC-ILS	IDRW	109.75 MHz	18 nm	220.83	-	751 ft
				33 km	216.20		751 m
04	GS	IDRE	110.50 MHz	10 nm	40.83	3.00	751 ft
				19 km	36.20		751 m
22	GS	IDRW	109.75 MHz	10 nm	221.83	3.00	751 ft
				19 km	217.20		751 m