

# EHAM

Amsterdam Schiphol


# EFRO

Rovaniemi Airport

2024/05/18 0052Z

EHAM KONOM **UZ704** AMADA **Z704** RASVI **Z705** TOR **P850** BAKIL **M852** RASEN **M82** MISMO EFRO

1070.83 nm / 1983.17 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
KONOM FIX	-	53.63270 5.49532	29,900 ft 9,114 m	83	-
LIMBI FIX	UZ704 AWY-HI	54.55160 6.06300	35,000 ft 10,668 m	58	-
AMADA FIX	UZ704 AWY-HI	55.00000 6.35000	35,000 ft 10,668 m	28	-
RASVI FIX	Z704 AWY-HI	57.28960 8.04948	35,000 ft 10,668 m	148	-
TOR VOR	Z705 AWY-HI	59.16910 10.25930	35,000 ft 10,668 m	132	TORP
ELVOM FIX	P850 AWY-HI	59.67780 11.12500	35,000 ft 10,668 m	40	-
ROGED FIX	P850 AWY-HI	60.51270 12.60670	35,000 ft 10,668 m	66	-
DIKVI FIX	P850 AWY-HI	61.29560 14.36310	35,000 ft 10,668 m	69	-
ETOMI FIX	P850 AWY-HI	61.71580 15.36640	35,000 ft 10,668 m	38	-
BAKIL FIX	P850 AWY-HI	62.97220 17.93680	35,000 ft 10,668 m	104	-
RASEN FIX	M852 AWY-HI	63.81180 19.09760	35,000 ft 10,668 m	59	-
ELBOG FIX	M82 AWY-HI	65.16270 21.51480	29,300 ft 8,931 m	102	-
MISMO FIX	M82 AWY-HI	66.17470 23.81940	11,500 ft 3,505 m	83	-
EFRO APT	-	66.56480 25.83040	0 ft 0 m	53	Rovaniemi Airport

## EHAM

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 6

Elevation: -11 ft / -3 m  
Location: 52.308100 4.764170  
Magnetic Var: 2.046 E

## METAR

EHAM 180025Z 32005KT 290V350 6000 NSC 14/13 Q1009 NOSIG

## TAF

TAF TAF EHAM 172316Z 1800/1906 32007KT 6000 NSC PROB30 1800/1806 3000 BR BECMG 1804/1806 CAVOK PROB30 TEMPO 1815/1

## Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m

## EFRO

Region: FINLAND  
Timezone: EUROPE/HELSINKI  
Runways: 1

Elevation: 643 ft / 196 m  
Location: 66.564800 25.830400  
Magnetic Var: 12.737 E

## METAR

EFRO 180020Z AUTO 20013KT 9999 //CB 12/02 Q1013

## TAF

TAF EFRO 172337Z 1800/1824 21013KT CAVOK TEMPO 1800/1801 FEW070CB TEMPO 1822/1824 SHRA SCT060CB

## Frequencies

REC - 133.70 MHz - ATIS	TWR - 119.70 MHz - ROVANIEMI TOWER
TWR - 118.70 MHz - ROVANIEMI TOWER	GND - 118.52 MHz - ROVANIEMI GROUND
APP - 129.90 MHz - ROVANIEMI RADAR	APP - 119.70 MHz - ROVANIEMI RADAR
APP - 118.60 MHz - ROVANIEMI ARRIVAL	APP - 119.70 MHz - ROVANIEMI ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,857 ft	37.15	ASPHALT	0 ft	0 ft
	60 m	3,005 m	24.41		0 m	0 m
21	197 ft	9,857 ft	217.19	ASPHALT	0 ft	0 ft
	60 m	3,005 m	204.45		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	RO	111.70 MHz	18 nm	-	-	673 ft
				33 km	-		673 m
21	LOC-ILS	RO	111.70 MHz	18 nm	217.18	-	643 ft
				33 km	204.44		643 m
21	GS	RO	111.70 MHz	10 nm	217.18	3.00	643 ft
				19 km	204.44		643 m