

# VOMM

Chennai International Airport


# VOTV

Trivandrum Intl

2024/05/29 0450Z

VOMM TANGO **R457** TTR TTR **R457** MDI VOTV

332.77 nm / 616.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOMM APT	-	12.99510 80.16900	0 ft 0 m	-	Chennai International Airport
TANGO FIX	-	11.58640 79.24830	35,000 ft 10,668 m	100	-
TTR VOR	R457 AWY-HI	10.76870 78.72480	35,000 ft 10,668 m	57	TIRUCHIRAPPALLI
TTR DME	-	10.76240 78.71340	35,000 ft 10,668 m	0	TIRUCHIRAPPALLI VOR-DME
MDI VOR	R457 AWY-HI	9.83108 78.08900	22,800 ft 6,949 m	67	MADURAI
VOTV APT	-	8.48224 76.91980	0 ft 0 m	106	Trivandrum Intl

## VOMM

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 2

Elevation: 51 ft / 16 m  
Location: 12.995100 80.169000  
Magnetic Var: 0.775 W

## METAR

VOMM 290430Z 28015KT 6000 FEW020 SCT100 36/25 Q1003 NOSIG

## TAF

TAF VOMM 290200Z 2903/2912 27010G20KT 6000 FEW020 SCT100 BECMG 2909/2910 16010KT

## Frequencies

REC - 127.45 MHz - ATIS  
TWR - 118.10 MHz -  
APP - 124.45 MHz -  
GND - 121.90 MHz -  
APP - 127.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.70		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.70		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.51		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.52		346 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.69		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.69		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.69		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.69		51 m

## VOTV

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 1

Elevation: 17 ft / 5 m  
Location: 8.482240 76.919800  
Magnetic Var: 1.470 W

## METAR

VOTV 290430Z 32010G20KT 2000 RA BR FEW010 SCT012 FEW025CB OVC080 26/24 Q1009 BECMG 3000 -RA BR

## TAF

TAF VOTV 282300Z 2900/3006 28010G20KT 1500 +SHRA BR SCT008 SCT012 FEW025CB OVC080 BECMG 2904/2905 28010KT 4000 -RA

## Frequencies

REC - 126.60 MHz - THIRUVANANTHAPURAM INFORMATION  
TWR - 118.10 MHz - THIRUVANANTHAPURAM TOWER  
APP - 125.95 MHz - THIRUVANANTHAPURAM RADAR  
GND - 121.90 MHz - THIRUVANANTHAPURAM GROUND  
APP - 119.60 MHz - THIRUVANANTHAPURAM APPROACH  
APP - 132.25 MHz - THIRUVANANTHAPURAM RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,100 ft	136.04	ASPHALT	1,342 ft	0 ft
	45 m	3,383 m	137.51		409 m	0 m
32	148 ft	11,100 ft	316.04	ASPHALT	443 ft	0 ft
	45 m	3,383 m	317.51		135 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	ITDM	109.90 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
32	LOC-ILS	ITDM	109.90 MHz	18 nm	316.05	-	14 ft
				33 km	317.52		14 m
32	GS	ITDM	109.90 MHz	10 nm	316.05	3.00	14 ft
				19 km	317.52		14 m