

SABE

Aeroparque Jorge Newbery


SAZN

Presidente Peron

2024/06/04 0220Z

SABE TORUL **UT654** BIXIM **UT669** ROPON SAZN

542.76 nm / 1005.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SABE APT	-	-34.55920 -58.41570	0 ft 0 m	-	Aeroparque Jorge Newbery
TORUL FIX	-	-35.36170 -59.44000	24,900 ft 7,590 m	69	-
SIKAR FIX	UT654 AWY-HI	-36.12690 -60.76830	35,000 ft 10,668 m	79	-
BIXIM FIX	UT654 AWY-HI	-37.34720 -63.01610	35,000 ft 10,668 m	130	-
PONVA FIX	UT669 AWY-HI	-38.41110 -65.95310	23,500 ft 7,163 m	153	-
ROPON FIX	UT669 AWY-HI	-38.94030 -67.51190	6,400 ft 1,951 m	79	-
SAZN APT	-	-38.94900 -68.15570	0 ft 0 m	30	Presidente Peron

SABE

Region: ARGENTINA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: -34.559200 -58.415700
Magnetic Var: 10.085 W

METAR

SABE 040200Z 05011KT 9999 BKN030 10/03 Q1029 NOSIG

TAF

TAF SABE 032300Z 0400/0424 09010KT 9999 FEW035 TX13/0418Z TN08/0410Z BECMG 0401/0403 03010KT CAVOK

Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD
APP - 120.60 MHz - AEROPARQUE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.18		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.17		131 m	154 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.18		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.17		18 m

SAZN

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/SALTA
Runways: 1

Elevation: 895 ft / 273 m
Location: -38.949000 -68.155700
Magnetic Var: 1.713 E

METAR

SAZN 040200Z 07004KT CAVOK 09/01 Q1018

TAF

TAF SAZN 032300Z 0400/0424 05005KT CAVOK TX11/0418Z TN03/0410Z BECMG 0403/0406 VRB03KT BECMG 0415/0418 09005KT

Frequencies

REC - 127.65 MHz - NEUQUEN ATIS
TWR - 119.80 MHz - NEUQUEN TOWER

GND - 121.80 MHz - NEUQUEN GROUND
COM - 122.80 MHz - NEUQUEN UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	147 ft	8,417 ft	90.22	ASPHALT	0 ft	679 ft
	45 m	2,565 m	88.51		0 m	207 m
27	147 ft	8,417 ft	270.20	ASPHALT	0 ft	676 ft
	45 m	2,565 m	268.49		0 m	206 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	NE	110.30 MHz	18 nm	90.21	-	895 ft
				33 km	88.50		895 m
09	GS	NE	110.30 MHz	10 nm	90.21	3.00	895 ft
				19 km	88.50		895 m