

# SBCF

Confins-Tancredo Neves Intl


# SBRF

Recife-Guararapes Intl

2024/06/07 0132Z

SBCF MOSTI **W1** YLH EDSAS **UZ67** MCE SBRF

873.88 nm / 1618.42 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCF	-	-19.63580	0 ft	-	Confins-Tancredo Neves Intl
APT	-	-43.96690	0 m	-	
MOSTI	-	-18.72780	25,600 ft	71	-
FIX	-	-43.14330	7,803 m	-	-
DAGOV	W1	-17.58670	35,000 ft	97	-
FIX	AWY-LO	-41.92330	10,668 m	-	-
ARUBI	W1	-17.15930	35,000 ft	36	-
FIX	AWY-LO	-41.46680	10,668 m	-	-
DENDE	W1	-15.28730	35,000 ft	158	-
FIX	AWY-LO	-39.52200	10,668 m	-	-
YLH	W1	-14.81220	35,000 ft	40	ILHEUS
NDB	AWY-LO	-39.03670	10,668 m	-	
EDSAS	-	-14.81220	35,000 ft	0	-
FIX	-	-39.03670	10,668 m	-	-
DORGO	UZ67	-14.01130	35,000 ft	56	-
FIX	AWY-HI	-38.53550	10,668 m	-	-
OSANI	UZ67	-13.91930	35,000 ft	6	-
FIX	AWY-HI	-38.47820	10,668 m	-	-
VUKOR	UZ67	-12.99230	35,000 ft	65	-
FIX	AWY-HI	-37.90350	10,668 m	-	-
AROLO	UZ67	-12.62570	35,000 ft	25	-
FIX	AWY-HI	-37.67770	10,668 m	-	-
KOSLO	UZ67	-12.09700	35,000 ft	37	-
FIX	AWY-HI	-37.35340	10,668 m	-	-
KIDEN	UZ67	-11.58680	35,000 ft	35	-
FIX	AWY-HI	-37.04180	10,668 m	-	-
NIGVI	UZ67	-11.04570	35,000 ft	37	-
FIX	AWY-HI	-36.71280	10,668 m	-	-
SAVTO	UZ67	-10.36120	33,600 ft	47	-
FIX	AWY-HI	-36.29880	10,241 m	-	-
MCE	UZ67	-9.50989	20,900 ft	59	ZUMBI (MACEIO)
VOR	AWY-HI	-35.78690	6,370 m	-	
SBRF	-	-8.12547	0 ft	97	Recife-Guararapes Intl
APT	-	-34.92350	0 m	-	

## SBCF

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 1

Elevation: 2,721 ft / 829 m  
Location: -19.635800 -43.966900  
Magnetic Var: 23.419 W

## METAR

SBCF 070100Z 11007KT CAVOK 20/14 Q1025

## TAF

TAF SBCF 062000Z 0700/0724 10005KT CAVOK TN15/0709Z TX27/0718Z BECMG 0704/0706 14005KT BECMG 0709/0711 12002KT BE

## Frequencies

REC - 127.85 MHz - ATIS	CLD - 121.00 MHz - CONFINS CLEARANCE
GND - 121.90 MHz - CONFINS GROUND	TWR - 118.20 MHz - CONFINS TOWER
APP - 119.10 MHz - BELO HORIZONTE APPROACH	APP - 119.30 MHz - BELO HORIZONTE APPROACH
APP - 119.65 MHz - BELO HORIZONTE APPROACH	APP - 120.20 MHz - BELO HORIZONTE APPROACH
APP - 128.55 MHz - BELO HORIZONTE APPROACH	APP - 129.10 MHz - BELO HORIZONTE APPROACH
APP - 129.40 MHz - BELO HORIZONTE APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,854 ft	138.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	162.38		0 m	0 m
34	148 ft	11,854 ft	318.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	342.37		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICF	109.70 MHz	18 nm	138.96	-	2,721 ft
				33 km	162.38		2,721 m
34	LOC-ILS	ITN	110.30 MHz	18 nm	318.96	-	2,721 ft
				33 km	342.38		2,721 m
16	GS	ICF	109.70 MHz	10 nm	138.96	3.00	2,721 ft
				19 km	162.38		2,721 m
34	GS	ITN	110.30 MHz	10 nm	318.96	3.00	2,721 ft
				19 km	342.38		2,721 m

## SBRF

Region: BRAZIL  
Timezone: AMERICA/RECIFE  
Runways: 1

Elevation: 33 ft / 10 m  
Location: -8.125470 -34.923500  
Magnetic Var: 21.886 W

## METAR

SBRF 070100Z 22005KT 6000 2500NW -RA SCT012 SCT017 BKN050 25/25 Q1015

## TAF

TAF SBRF 062002Z 0700/0724 14010KT 9999 SCT023 TN24/0708Z TX29/0718Z TEMPO 0703/0714 20007KT 4000 RA BR BKN007 RM

## Frequencies

REC - 127.65 MHz - ATIS	CLD - 118.90 MHz - RECIFE CLEARANCE
CLD - 120.40 MHz - RECIFE CLEARANCE	GND - 121.85 MHz - RECIFE GROUND
TWR - 118.35 MHz - RECIFE TOWER	TWR - 122.80 MHz - RECIFE TOWER
TWR - 125.25 MHz - RECIFE TOWER	APP - 119.50 MHz - RECIFE APPROACH
APP - 119.95 MHz - RECIFE APPROACH	APP - 120.40 MHz - RECIFE APPROACH
APP - 129.60 MHz - RECIFE APPROACH	COM - 122.80 MHz - UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,906 ft	161.89	ASPHALT	978 ft	0 ft
	45 m	3,324 m	183.78		298 m	0 m
36	148 ft	10,906 ft	341.89	ASPHALT	0 ft	528 ft
	45 m	3,324 m	3.77		0 m	161 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IRF	110.30 MHz	18 nm	161.89	-	33 ft
				33 km	183.78		33 m
18	GS	IRF	110.30 MHz	10 nm	162.89	3.00	33 ft
				19 km	184.78		33 m