

KISP

Long Island Mac Arthur Airport


KORD

Chicago O'Hare International

2024/06/17 1139Z

KISP BEERS V232 MIP J146 GIJ KORD

672.16 nm / 1244.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KISP APT	-	40.79620 -73.09950	0 ft 0 m	-	Long Island Mac Arthur Airport
BEERS FIX	-	40.87990 -75.46040	35,000 ft 10,668 m	107	-
LYTEL FIX	V232 AWY-LO	40.93020 -75.87070	35,000 ft 10,668 m	18	-
MIP VOR	V232 AWY-LO	41.02340 -76.66530	35,000 ft 10,668 m	36	MILTON
ETG VOR	J146 AWY-HI	41.21500 -78.14280	35,000 ft 10,668 m	67	KEATING
WEVEL FIX	J146 AWY-HI	41.25030 -78.45810	35,000 ft 10,668 m	14	-
MIGET FIX	J146 AWY-HI	41.29460 -78.86430	35,000 ft 10,668 m	18	-
TEESY FIX	J146 AWY-HI	41.42110 -80.11180	35,000 ft 10,668 m	56	-
CXR VOR	J146 AWY-HI	41.51690 -81.16320	35,000 ft 10,668 m	47	CHARDON
CXR14 FIX	J146 AWY-HI	41.55390 -81.47760	35,000 ft 10,668 m	14	-
WOOST FIX	J146 AWY-HI	41.69580 -82.78920	35,000 ft 10,668 m	59	-
IDEAS FIX	J146 AWY-HI	41.77140 -83.55180	35,000 ft 10,668 m	34	-
GERBS FIX	J146 AWY-HI	41.77770 -84.42510	33,600 ft 10,241 m	39	-
PLAIN FIX	J146 AWY-HI	41.77780 -85.20670	26,100 ft 7,955 m	35	-
GIJ VOR	J146 AWY-HI	41.76860 -86.31850	15,400 ft 4,694 m	49	GIPPER (NILES)
KORD APT	-	41.97340 -87.90660	0 ft 0 m	72	Chicago O'Hare International

KISP

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 99 ft / 30 m
Location: 40.796200 -73.099500
Magnetic Var: 13.143 W

METAR

KISP 171056Z 18004KT 10SM FEW060 FEW250 19/18 A3022 RMK A02 SLP234 T01940183 \$

TAF

KISP 170831Z 1709/1806 18004KT P6SM SCT008 SCT250 FM171200 20007KT P6SM SCT250 FM171600 19011G18KT P6SM FEW040 SC

Frequencies

REC - 120.72 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 121.85 MHz - CLEARANCE DELIVERY	TWR - 119.30 MHz - LONG ISLAND TOWER
GND - 135.30 MHz - LONG ISLAND GROUND	APP - 120.05 MHz - NEW YORK APPROACH
DEP - 120.05 MHz - NEW YORK DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	7,004 ft	44.88	ASPHALT	0 ft	200 ft
	46 m	2,135 m	58.03		0 m	61 m
24	150 ft	7,004 ft	224.90	ASPHALT	0 ft	200 ft
	46 m	2,135 m	238.04		0 m	61 m
15R	150 ft	5,184 ft	135.13	ASPHALT	0 ft	0 ft
	46 m	1,580 m	148.27		0 m	0 m
33L	150 ft	5,184 ft	315.14	ASPHALT	0 ft	200 ft
	46 m	1,580 m	328.28		0 m	61 m
15L	75 ft	3,174 ft	135.10	ASPHALT	0 ft	0 ft
	23 m	967 m	148.25		0 m	0 m
33R	75 ft	3,174 ft	315.11	ASPHALT	0 ft	0 ft
	23 m	967 m	328.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IISP	108.30 MHz	18 nm	44.89	-	99 ft
				33 km	58.03		99 m
24	LOC-ILS	IRXN	108.30 MHz	18 nm	224.89	-	99 ft
				33 km	238.03		99 m
06	GS	IISP	108.30 MHz	10 nm	44.89	3.00	99 ft
				19 km	58.03		99 m
24	GS	IRXN	108.30 MHz	10 nm	224.89	3.00	99 ft
				19 km	238.03		99 m

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.117 W

METAR

KORD 171051Z 20006KT 10SM FEW250 26/21 A2990 RMK AO2 SLP120 T02560206

TAF

KORD 170848Z 1709/1812 20007KT P6SM FEW250 FM171700 21015G26KT P6SM BKN050 FM180200 19007KT P6SM BKN050

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.97		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.52		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.97		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.99		0 m	122 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.53		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.12		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.11		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.01		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.98		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.98		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.53		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.11		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.12		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.99		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.99		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	274.00		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.53		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.12		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.11		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.01		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.98		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.98		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.53		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.11		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.12		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.99		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.99		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	274.00		680 m