

PAOM

Nome


PASH

Shishmaref

2024/05/01 0419Z

PAOM HIKAX PASH

105.69 nm / 195.74 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAOM	-	64.51220	0 ft	-	Nome
APT	-	-165.44500	0 m		
HIKAX	-	65.60560	8,400 ft	66	-
FIX	-	-165.74500	2,560 m		
PASH	-	66.24960	0 ft	39	Shishmaref
APT	-	-166.08900	0 m		

PAOM

Region: USA (ALASKA)
Timezone: AMERICA/NOME
Runways: 2

Elevation: 37 ft / 11 m
Location: 64.512200 -165.445000
Magnetic Var: 7.906 E

METAR

PAOM 010353Z AUTO 00000KT 10SM CLR 02/M02 A3000

TAF

PAOM 302325Z 0100/0124 06007KT P6SM SKC FM011830 05009KT P6SM BKN050

Frequencies

REC - 119.93 MHz - ASOS
APP - 133.30 MHz - ANCHORAGE ARTCC
COM - 123.60 MHz - CTAF
DEP - 290.40 MHz - ANCHORAGE ARTCC

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	6,006 ft	109.78	ASPHALT	0 ft	0 ft
	46 m	1,831 m	101.87		0 m	0 m
28	150 ft	6,006 ft	289.81	ASPHALT	0 ft	0 ft
	46 m	1,831 m	281.91		0 m	0 m
03	150 ft	5,586 ft	41.65	ASPHALT	0 ft	0 ft
	46 m	1,703 m	33.74		0 m	0 m
21	150 ft	5,586 ft	221.67	ASPHALT	0 ft	0 ft
	46 m	1,703 m	213.77		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	IOME	108.70 MHz	18 nm	289.76	-	37 ft
				33 km	281.86		37 m
28	GS	IOME	108.70 MHz	10 nm	290.56	3.00	15 ft
				19 km	282.66		15 m