


**WAOO**  
Syamsudin Noor

**WIII**  
Jakarta Soekarno-Hatta Intl

2024/05/01 0454Z

WAOO CD10 BDM30 SPIKO ALAMO FRIDA GASPA TEGAR OM25L WIII

541.65 nm / 1003.13 km



## Notes

Requested: WAOO CD10 BDM30 SPIKO ALAMO FRIDA GASPA TEGAR OM25L WIII

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WA00	-	-3.44232	0 ft	-	Syamsudin Noor
APT	-	114.76300	0 m	-	
CD10	-	-3.41426	0 ft	10	-
FIX	-	114.59000	0 m	-	-
BDM30	-	-3.72370	0 ft	24	-
FIX	-	114.32100	0 m	-	-
SPIKO	-	-4.87667	0 ft	243	-
FIX	-	110.42300	0 m	-	-
ALAMO	-	-4.71243	0 ft	96	-
FIX	-	108.81500	0 m	-	-
FRIDA	-	-5.00026	0 ft	30	-
FIX	-	108.40500	0 m	-	-
GASPA	-	-5.55549	0 ft	34	-
FIX	-	108.26400	0 m	-	-
TEGAR	-	-5.96132	0 ft	73	-
FIX	-	107.10100	0 m	-	-
OM25L	-	-6.10611	0 ft	23	-
FIX	-	106.73400	0 m	-	-
WIII	-	-6.11981	0 ft	4	Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m	-	

## WAOO

Region: INDONESIA  
Timezone: ASIA/MAKASSAR  
Runways: 1

Elevation: 66 ft / 20 m  
Location: -3.442320 114.763000  
Magnetic Var: 0.253 E

## METAR

WAOO 010400Z 10009KT 070V140 9999 SCT018 33/25 Q1006 NOSIG

## TAF

TAF WAOO 302300Z 0100/0124 06006KT 9999 SCT018 PROB30 TEMPO 0106/0110 4000 RA

## Frequencies

REC - 128.05 MHz - ATIS  
TWR - 118.40 MHz - ULIN TOWER  
TWR - 123.40 MHz - ULIN TOWER  
APP - 128.80 MHz - BANJARMASIN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	147 ft	8,193 ft	100.49	ASPHALT	0 ft	0 ft
	45 m	2,497 m	100.23		0 m	0 m
28	147 ft	8,193 ft	280.49	ASPHALT	0 ft	0 ft
	45 m	2,497 m	280.23		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	IBDM	110.70 MHz	18 nm	100.49	-	66 ft
				33 km	100.24		66 m
10	GS	IBDM	110.70 MHz	10 nm	100.49	3.00	66 ft
				19 km	100.24		66 m

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.530 E

## METAR

WIII 010430Z 05009KT 350V070 6000 FEW018CB SCT020 30/26 Q1008 NOSIG RMK CB TO NE AND NW

## TAF

TAF WIII 302300Z 0100/0206 20004KT 8000 FEW020 BECMG 0102/0104 04010KT TEMPO 0113/0117 4000 -TSRA FEW016CB BKN020

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m