

LFPG

Paris Charles De Gaulle


EVRA

Riga Intl

2024/05/14 1852Z

LFPG FAMEN **UZ707** LNO **UJ158** BAM **UM170** OSN **UP605** MALIV **UM611** KOLJA **UM864** LIE EVRA

920.14 nm / 1704.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
FAMEN FIX	-	49.97500 4.56667	33,700 ft 10,272 m	97	-
LNO VOR	UZ707 AWY-HI	50.58583 5.71028	35,000 ft 10,668 m	57	OLNO VOR-DME
AGENI FIX	UJ158 AWY-HI	50.75000 6.03333	35,000 ft 10,668 m	15	-
BAM VOR	UJ158 AWY-HI	51.32776 7.17698	35,000 ft 10,668 m	55	BARMEN VORTAC
ABAMI FIX	UM170 AWY-HI	51.42500 7.28056	35,000 ft 10,668 m	7	-
DOM VOR	UM170 AWY-HI	51.70953 7.58713	35,000 ft 10,668 m	20	-
OSN VOR	UM170 AWY-HI	52.20014 8.28552	35,000 ft 10,668 m	39	OSNABRUCK VOR
VALKI FIX	UP605 AWY-HI	53.13528 9.47361	35,000 ft 10,668 m	70	-
HAM VOR	UP605 AWY-HI	53.68558 10.20500	35,000 ft 10,668 m	42	HAMBURG VORTAC
LUB VOR	UP605 AWY-HI	53.94074 10.66779	35,000 ft 10,668 m	22	LUBECK VOR
TOSPA FIX	UP605 AWY-HI	54.11389 10.98361	35,000 ft 10,668 m	15	-
AMICH FIX	UP605 AWY-HI	54.20556 11.15361	35,000 ft 10,668 m	8	-
MEGAR FIX	UP605 AWY-HI	54.46833 11.64833	35,000 ft 10,668 m	23	-
GESKA FIX	UP605 AWY-HI	54.61750 11.93250	35,000 ft 10,668 m	13	-
KOSMO FIX	UP605 AWY-HI	55.01528 12.73028	35,000 ft 10,668 m	36	-
MOSAT FIX	UP605 AWY-HI	55.04194 12.78806	35,000 ft 10,668 m	2	-
MALIV FIX	UP605 AWY-HI	55.16272 13.03686	35,000 ft 10,668 m	11	-
ELVIX FIX	UM611 AWY-HI	55.41186 14.09422	35,000 ft 10,668 m	39	-
KOLJA FIX	UM611 AWY-HI	56.00000 16.81467	35,000 ft 10,668 m	98	-
NINTA FIX	UM864 AWY-HI	56.22889 18.28556	35,000 ft 10,668 m	51	-
ADAXA FIX	UM864 AWY-HI	56.29778 18.89833	35,000 ft 10,668 m	20	-
LASMA FIX	UM864 AWY-HI	56.43528 20.21528	27,500 ft 8,382 m	44	-
LIE VOR	UM864 AWY-HI	56.51856 21.09197	27,500 ft 8,382 m	29	-
EVRA APT	-	56.92366 23.97119	0 ft 0 m	97	Riga Intl

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 141830Z 14009KT 100V160 9999 -RA NSC 14/12 Q1005 NOSIG

TAF

TAF LFPG 141700Z 1418/1524 15008KT 9999 -RA SCT010 BKN060 TX21/1514Z TN12/1504Z PROB40 TEMPO 1421/1503 4000 -SHRA

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

EVRA

Region: LATVIA
Timezone: EUROPE/RIGA
Runways: 1

Elevation: 34 ft / 10 m
Location: 56.920700 23.970700
Magnetic Var: 8.574 E

METAR

EVRA 141820Z 35003KT CAVOK 14/07 Q1021 NOSIG

TAF

TAF TAF EVRA 141701Z 1418/1518 36005KT CAVOK PROB40 TEMPO 1421/1503 3000 BR

Frequencies

REC - 120.17 MHz - ATIS	TWR - 118.10 MHz - RIGA TOWER
GND - 118.80 MHz - RIGA GROUND	GND - 131.60 MHz - RIGA APRON
APP - 134.85 MHz - RIGA APPROACH	APP - 129.92 MHz - RIGA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,509 ft	185.16	ASPHALT	0 ft	171 ft
	45 m	3,203 m	176.58		0 m	52 m
36	148 ft	10,509 ft	5.15	ASPHALT	0 ft	167 ft
	45 m	3,203 m	356.58		0 m	51 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	IAO	110.30 MHz	18 nm	-	-	0 ft
				33 km	-		0 m
36	DME	IRP	110.30 MHz	18 nm	-	-	0 ft
				33 km	-		0 m
18	LOC-ILS	IAO	110.30 MHz	18 nm	185.14	-	34 ft
				33 km	176.56		34 m
36	LOC-ILS	IRP	110.30 MHz	18 nm	5.14	-	34 ft
				33 km	356.57		34 m
18	GS	IAO	110.30 MHz	10 nm	185.29	3.00	34 ft
				19 km	176.72		34 m
36	GS	IRP	110.30 MHz	10 nm	5.29	3.00	34 ft
				19 km	356.72		34 m