

MYCC

Cat Cay


KFXE

Fort Lauderdale Executive

2024/05/05 1201Z

MYCC DEKAL KFXE

61.93 nm / 114.70 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MYCC APT	-	25.55510 -79.27600	0 ft 0 m	-	Cat Cay
DEKAL FIX	-	25.85060 -79.63140	7,600 ft 2,316 m	26	-
KFXE APT	-	26.19700 -80.17040	0 ft 0 m	35	Fort Lauderdale Executive

KFXE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 13 ft / 4 m
Location: 26.197000 -80.170400
Magnetic Var: 7.392 W

METAR

KFXE 051053Z 11011KT 10SM FEW035 25/20 A3001 RMK A02 SLP165 T02500200

TAF

KFXE 050836Z 0509/0606 11007KT P6SM FEW050 SCT250 FM051300 12012G22KT P6SM SCT025 FM060300 09007KT P6SM FEW030 SC

Frequencies

REC - 119.85 MHz - EXECUTIVE ATIS
CLD - 127.95 MHz - EXECUTIVE CLEARANCE DELIVERY
TWR - 120.90 MHz - EXECUTIVE TOWER
APP - 119.70 MHz - MIAMI APPROACH
COM - 122.95 MHz - EXECUTIVE UNICOM
GND - 121.75 MHz - EXECUTIVE GROUND
APP - 119.70 MHz - MIAMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	100 ft	5,998 ft	83.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	91.14		0 m	60 m
27	100 ft	5,998 ft	263.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	271.15		0 m	60 m
13	100 ft	4,004 ft	128.94	ASPHALT	0 ft	148 ft
	30 m	1,220 m	136.34		0 m	45 m
31	100 ft	4,004 ft	308.95	ASPHALT	0 ft	148 ft
	30 m	1,220 m	316.34		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IFXE	111.10 MHz	18 nm	83.76	-	13 ft
				33 km	91.15		13 m
09	GS	IFXE	111.10 MHz	10 nm	83.76	3.00	13 ft
				19 km	91.15		13 m