

KSFZ

North Central State


KMVY

Marthas Vineyard

2024/05/03 0114Z

KSFZ MVY KMVY

50.61 nm / 93.73 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFZ	-	41.92030	0 ft	-	North Central State
APT	-	-71.49150	0 m		
MVY	-	41.39620	0 ft	50	MARTHA'S VINEYARD
VOR	-	-70.61270	0 m		
KMVY	-	41.39380	0 ft	0	Marthas Vineyard
APT	-	-70.61420	0 m		

KSFZ

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 441 ft / 134 m
Location: 41.920300 -71.491500
Magnetic Var: 14.017 W

METAR

KSFZ 030056Z AUTO 05004KT 10SM -RA OVC008 11/11 A3003 RMK A02 RAB23 CIG 005V012 SLP172 P0002 T01110111 \$

TAF

UNKNOWN

Frequencies

REC - 120.02 MHz - AWOS 3
APP - 135.40 MHz - PROVIDENCE APP/DEP

COM - 123.07 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	5,005 ft	31.99	ASPHALT	0 ft	46 ft
	46 m	1,525 m	46.01		0 m	14 m
23	150 ft	5,005 ft	212.00	ASPHALT	0 ft	49 ft
	46 m	1,525 m	226.01		0 m	15 m
15	75 ft	3,215 ft	139.67	ASPHALT	0 ft	0 ft
	23 m	980 m	153.69		0 m	0 m
33	75 ft	3,215 ft	319.68	ASPHALT	0 ft	0 ft
	23 m	980 m	333.69		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ISFZ	111.90 MHz	18 nm	-	-	441 ft
				33 km	-		441 m
05	LOC-LOC	ISFZ	111.90 MHz	18 nm	31.99	-	441 ft
				33 km	46.01		441 m

KMVY

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 67 ft / 20 m
Location: 41.393800 -70.614200
Magnetic Var: 14.228 W

METAR

KMVY 030053Z AUTO 02013G20KT 10SM BKN055 OVC090 12/11 A3000 RMK A02 SLP157 T01170106

TAF

UNKNOWN

Frequencies

REC - 126.25 MHz - ATIS
CLD - 134.65 MHz - CLNC DEL
TWR - 121.50 MHz - VINEYARD TWR
COM - 122.95 MHz - UNICOM
GND - 121.80 MHz -
APP - 134.65 MHz - CAPE APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	75 ft	3,333 ft	130.77	ASPHALT	0 ft	0 ft
	23 m	1,016 m	145.00		0 m	0 m
33	75 ft	3,333 ft	310.78	ASPHALT	0 ft	0 ft
	23 m	1,016 m	325.00		0 m	0 m
06	98 ft	5,510 ft	40.51	ASPHALT	0 ft	0 ft
	30 m	1,680 m	54.74		0 m	0 m
24	98 ft	5,510 ft	220.52	ASPHALT	0 ft	0 ft
	30 m	1,680 m	234.75		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IMVY	108.70 MHz	18 nm	-	-	68 ft
				33 km	-		68 m
24	LOC-ILS	IMVY	108.70 MHz	18 nm	220.52	-	67 ft
				33 km	234.75		67 m
24	GS	IMVY	108.70 MHz	10 nm	220.52	3.00	67 ft
				19 km	234.75		67 m