


2024/05/02 2052Z

OIGG SIVIT **B121** MAGRI **N77** ADANO **T925** REBLO UGSB

457.84 nm / 847.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIGG	-	37.32550	0 ft	-	Rasht
APT	-	49.60560	0 m		
SIVIT	-	37.59810	10,500 ft	29	-
FIX	-	49.08640	3,200 m		
DASDA	B121	38.69310	35,000 ft	123	-
FIX	AWY-HI	46.87060	10,668 m		
MAGRI	B121	38.90220	35,000 ft	26	-
FIX	AWY-HI	46.38330	10,668 m		
ADANO	N77	39.66670	35,000 ft	52	-
FIX	AWY-HI	45.83330	10,668 m		
GOGOL	T925	40.13190	35,000 ft	47	-
FIX	AWY-HI	44.99920	10,668 m		
REBLO	T925	40.84000	22,400 ft	73	-
FIX	AWY-HI	43.68500	6,828 m		
UGSB	-	41.60970	0 ft	104	BATUMI
APT	-	41.60020	0 m		

OIGG

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 1

Elevation: -37 ft / -11 m
Location: 37.325500 49.605600
Magnetic Var: 5.685 E

METAR

OIGG 021900Z 00000KT CAVOK 16/14 Q1006

TAF

UNKNOWN

Frequencies

REC - 126.20 MHz - RASHT ATIS
TWR - 122.70 MHz - RASHT TOWER

TWR - 121.90 MHz - RASHT TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,548 ft	93.85	ASPHALT	328 ft	492 ft
	45 m	2,910 m	88.17		100 m	150 m
27	148 ft	9,548 ft	273.87	ASPHALT	0 ft	489 ft
	45 m	2,910 m	268.19		0 m	149 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IRST	109.90 MHz	18 nm	-	-	-40 ft
				33 km	-		-40 m
27	LOC-ILS	IRST	109.90 MHz	18 nm	273.86	-	-37 ft
				33 km	268.18		-37 m
27	GS	IRST	109.90 MHz	10 nm	273.86	3.00	-37 ft
				19 km	268.18		-37 m

UGSB

Region: GEORGIA
Timezone: ASIA/TBILISI
Runways: 1

Elevation: 105 ft / 32 m
Location: 41.609700 41.600200
Magnetic Var: 7.084 E

METAR

UGSB 022030Z VRB02KT 6000 RA SCT006 OVC020 15/14 Q1007 NOSIG

TAF

TAF UGSB 021700Z 0218/0318 25007KT 8000 -RA SCT013 BKN025 TX17/0311Z TN14/0302Z TEMPO 0218/0224 24017KT 2500 TSRA

Frequencies

TWR - 118.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	8,210 ft	130.99	ASPHALT	0 ft	0 ft
	45 m	2,502 m	123.91		0 m	0 m
31	148 ft	8,210 ft	311.01	ASPHALT	0 ft	0 ft
	45 m	2,502 m	303.92		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	ILU	110.30 MHz	18 nm	130.94	-	121 ft
				33 km	123.86		121 m
13	GS	ILU	110.30 MHz	10 nm	131.63	2.50	127 ft
				19 km	124.55		127 m