

KSFZ

North Central State


KATL

Hartsfield-Jackson Atlanta Intl

2024/05/02 2224Z

KSFZ PRENO **V433** LGA **V123** DAVYS **V213** ENO **V157** RIC **V20** SUG **V222** CALOK KATL

804.02 nm / 1489.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 7000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFZ	-	41.92030	0 ft	-	North Central State
APT	-	-71.49150	0 m	-	
PRENO	-	41.06550	7,000 ft	96	-
FIX	-	-73.31400	2,134 m	-	-
WRENN	V433	40.94720	7,000 ft	12	-
FIX	AWY-LO	-73.54830	2,134 m	-	-
DUNBO	V433	40.86760	7,000 ft	8	-
FIX	AWY-LO	-73.70460	2,134 m	-	-
LGA	V433	40.78370	7,000 ft	8	LA GUARDIA (NEW YORK)
VOR	AWY-LO	-73.86860	2,134 m	-	
DIALS	V123	40.71560	7,000 ft	4	-
FIX	AWY-LO	-73.92680	2,134 m	-	-
PROUD	V123	40.62980	7,000 ft	6	-
FIX	AWY-LO	-73.99980	2,134 m	-	-
TICKL	V123	40.56810	7,000 ft	4	-
FIX	AWY-LO	-74.05210	2,134 m	-	-
APPLE	V123	40.55610	7,000 ft	0	-
FIX	AWY-LO	-74.06230	2,134 m	-	-
RENUE	V123	40.51850	7,000 ft	2	-
FIX	AWY-LO	-74.09410	2,134 m	-	-
MINKS	V123	40.37490	7,000 ft	12	-
FIX	AWY-LO	-74.27700	2,134 m	-	-
TYKES	V123	40.28960	7,000 ft	7	-
FIX	AWY-LO	-74.38500	2,134 m	-	-
RBV	V123	40.20240	7,000 ft	7	ROBBINSVILLE
VOR	AWY-LO	-74.49500	2,134 m	-	
KORRY	V123	40.09380	7,000 ft	9	-
FIX	AWY-LO	-74.65150	2,134 m	-	-
BRAND	V123	40.03510	7,000 ft	5	-
FIX	AWY-LO	-74.73600	2,134 m	-	-
HOLEY	V123	39.97160	7,000 ft	5	-
FIX	AWY-LO	-74.82690	2,134 m	-	-
ENZEW	V123	39.94470	7,000 ft	2	-
FIX	AWY-LO	-74.86730	2,134 m	-	-
DAVYS	V123	39.92240	7,000 ft	1	-
FIX	AWY-LO	-74.89720	2,134 m	-	-
EDJER	V213	39.84870	7,000 ft	5	-
FIX	AWY-LO	-74.96390	2,134 m	-	-
BESSI	V213	39.67630	7,000 ft	12	-
FIX	AWY-LO	-75.11240	2,134 m	-	-
SKIPY	V213	39.50620	7,000 ft	12	-
FIX	AWY-LO	-75.27180	2,134 m	-	-
ENO	V213	39.23160	7,000 ft	20	SMYRNA (KENTON)
VOR	AWY-LO	-75.51600	2,134 m	-	
CANNY	V157	39.06110	7,000 ft	12	-
FIX	AWY-LO	-75.67800	2,134 m	-	-
RIDGY	V157	38.94300	7,000 ft	8	-
FIX	AWY-LO	-75.78980	2,134 m	-	-
HEDGE	V157	38.89230	7,000 ft	3	-
FIX	AWY-LO	-75.83730	2,134 m	-	-
ORETE	V157	38.84230	7,000 ft	3	-
FIX	AWY-LO	-75.88440	2,134 m	-	-
CHOPS	V157	38.76160	7,000 ft	6	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-75.96010	2,134 m		
GARED	V157	38.69460	7,000 ft	4	-
FIX	AWY-LO	-76.02280	2,134 m		
CHURK	V157	38.48460	7,000 ft	15	-
FIX	AWY-LO	-76.21820	2,134 m		
GOFER	V157	38.41880	7,000 ft	4	-
FIX	AWY-LO	-76.27930	2,134 m		
PXT	V157	38.28790	7,000 ft	9	PATUXENT (PATUXENT RIVER)
VOR	AWY-LO	-76.40020	2,134 m		
COLIN	V157	38.09980	7,000 ft	16	-
FIX	AWY-LO	-76.66410	2,134 m		
DUPEY	V157	38.03690	7,000 ft	5	-
FIX	AWY-LO	-76.75180	2,134 m		
TAPPA	V157	37.97020	7,000 ft	5	-
FIX	AWY-LO	-76.84460	2,134 m		
SVILL	V157	37.78640	7,000 ft	14	-
FIX	AWY-LO	-77.03250	2,134 m		
RIC	V157	37.50230	7,000 ft	21	RICHMOND
VOR	AWY-LO	-77.32030	2,134 m		
MELIA	V20	37.28230	7,000 ft	25	-
FIX	AWY-LO	-77.77940	2,134 m		
NUTTS	V20	37.07620	7,000 ft	23	-
FIX	AWY-LO	-78.20380	2,134 m		
YUDUG	V20	36.99700	7,000 ft	9	-
FIX	AWY-LO	-78.36550	2,134 m		
LELLI	V20	36.98830	7,000 ft	0	-
FIX	AWY-LO	-78.38320	2,134 m		
SBV	V20	36.67500	7,000 ft	35	SOUTH BOSTON
VOR	AWY-LO	-79.01450	2,134 m		
UFFIN	V20	36.51300	7,000 ft	24	-
FIX	AWY-LO	-79.47510	2,134 m		
LEAKS	V20	36.41370	7,000 ft	14	-
FIX	AWY-LO	-79.75390	2,134 m		
MAYOS	V20	36.32660	7,000 ft	12	-
FIX	AWY-LO	-79.99650	2,134 m		
PROVE	V20	36.28230	7,000 ft	6	-
FIX	AWY-LO	-80.11900	2,134 m		
INGON	V20	36.21860	7,000 ft	9	-
FIX	AWY-LO	-80.29440	2,134 m		
JOTTA	V20	36.01470	7,000 ft	29	-
FIX	AWY-LO	-80.84940	2,134 m		
SANFI	V20	35.96150	7,000 ft	7	-
FIX	AWY-LO	-80.99260	2,134 m		
BZM	V20	35.86890	7,000 ft	13	BARRETTS MOUNTAIN (HICKOR
VOR	AWY-LO	-81.24050	2,134 m		
VAESE	V20	35.73110	7,000 ft	17	-
FIX	AWY-LO	-81.55030	2,134 m		
SWENK	V20	35.67150	7,000 ft	7	-
FIX	AWY-LO	-81.68330	2,134 m		
GENOD	V20	35.55170	7,000 ft	14	-
FIX	AWY-LO	-81.94920	2,134 m		
SUG	V20	35.40650	7,000 ft	17	SUGARLOAF MT. (ASHEVILLE)
VOR	AWY-LO	-82.26860	2,134 m		
FREEZ	V222	35.20990	7,000 ft	18	-
FIX	AWY-LO	-82.55640	2,134 m		
SUNET	V222	34.99480	7,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-82.86850	2,134 m		
CALOK	V222	34.89310	7,000 ft	9	-
FIX	AWY-LO	-83.01510	2,134 m		
KATL	-	33.63660	0 ft	103	Hartsfield-Jackson Atlanta Intl
APT	-	-84.42800	0 m		

KSFZ

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 441 ft / 134 m
Location: 41.920300 -71.491500
Magnetic Var: 14.017 W

METAR

KSFZ 022156Z AUTO 12010KT 10SM CLR 19/12 A2988 RMK A02 SLP116 T01890117 \$

TAF

UNKNOWN

Frequencies

REC - 120.02 MHz - AWOS 3
APP - 135.40 MHz - PROVIDENCE APP/DEP

COM - 123.07 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	5,005 ft	31.99	ASPHALT	0 ft	46 ft
	46 m	1,525 m	46.01		0 m	14 m
23	150 ft	5,005 ft	212.00	ASPHALT	0 ft	49 ft
	46 m	1,525 m	226.01		0 m	15 m
15	75 ft	3,215 ft	139.67	ASPHALT	0 ft	0 ft
	23 m	980 m	153.69		0 m	0 m
33	75 ft	3,215 ft	319.68	ASPHALT	0 ft	0 ft
	23 m	980 m	333.69		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ISFZ	111.90 MHz	18 nm	-	-	441 ft
				33 km	-		441 m
05	LOC-LOC	ISFZ	111.90 MHz	18 nm	31.99	-	441 ft
				33 km	46.01		441 m

KATL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 5

Elevation: 1,026 ft / 313 m
Location: 33.636600 -84.428000
Magnetic Var: 5.629 W

METAR

KATL 022152Z 21005KT 10SM FEW065 FEW200 SCT250 29/13 A2997 RMK A02 SLP139 TCU DSNT SE S MDT CU W T02940133

TAF

TAF AMD KATL 022157Z 0222/0324 16008KT P6SM FEW070 FEW250 FM030100 14005KT P6SM FEW080 SCT250 FM031100 17004KT P6SM

Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.60		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.62		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m