


2024/05/13 0813Z

UMKK KRT **UL730** CHO EDDT

297.80 nm / 551.52 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UMKK APT	-	54.89005 20.59264	0 ft 0 m	-	KHRABROVO
KRT VOR	-	54.29974 18.20799	32,200 ft 9,815 m	90	KARTUZY VOR-DME
BURAN FIX	UL730 AWY-HI	54.18028 17.02972	34,000 ft 10,363 m	41	-
TOMKO FIX	UL730 AWY-HI	53.69583 15.84278	28,500 ft 8,687 m	51	-
CHO NDB	UL730 AWY-HI	53.47530 15.33304	28,500 ft 8,687 m	22	CHOCIWEL NDB
EDDT APT	-	52.55910 13.29019	0 ft 0 m	92	Berlin Tegel

## UMKK

Region: BELARUS AND RUSSIA (KALININGRAD OBLAST) Elevation: 43 ft / 13 m  
Timezone: EUROPE/KALININGRAD Location: 54.891700 20.598600  
Runways: 1 Magnetic Var: 7.053 E

## METAR

UMKK 130800Z 30005MPS CAVOK 15/02 Q1023 R24/CLRD95 NOSIG RMK QFE766/1021

## TAF

TAF UMKK 130448Z 1306/1406 VRB01MPS 9999 FEW030 BECMG 1307/1309 34003G08MPS BECMG 1319/1321 VRB01MPS

## Frequencies

APP - 126.00 MHz - KALININGRAD APPROACH TWR - 127.20 MHz - KALININGRAD TOWER  
REC - 122.05 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,960 ft	65.73	ASPHALT	0 ft	0 ft
	45 m	3,341 m	58.68		0 m	0 m
24	148 ft	10,960 ft	245.77	ASPHALT	0 ft	0 ft
	45 m	3,341 m	238.72		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IFG	110.30 MHz	18 nm	65.75	-	43 ft
				33 km	58.70		43 m
24	LOC-ILS	IKR	109.50 MHz	18 nm	245.75	-	43 ft
				33 km	238.70		43 m
06	GS	IFG	110.30 MHz	10 nm	65.75	3.00	43 ft
				19 km	58.70		43 m
24	GS	IKR	109.50 MHz	10 nm	245.75	3.00	43 ft
				19 km	238.70		43 m

## EDDT

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 122 ft / 37 m  
Location: 52.559100 13.290200  
Magnetic Var: 4.613 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 125.90 MHz - ATIS  
TWR - 118.85 MHz - TEGEL TOWER  
GND - 121.75 MHz - TEGEL GROUND  
CLD - 121.92 MHz - CLEARANCE DELIVERY  
APP - 119.60 MHz - BREMEN RADAR  
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS  
TWR - 124.52 MHz - TEGEL TOWER  
GND - 136.00 MHz - TEGEL GROUND  
APP - 120.60 MHz - BREMEN RADAR  
APP - 119.50 MHz - BREMEN RADAR  
APP - 136.10 MHz - BERLIN DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.25		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.23		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.24		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.24		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.23		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.23		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.24		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.24		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.23		122 m