

OIZH

ZAHEDAN INTL


RCTP

Taiwan Taoyuan Intl

2024/05/03 1313Z

OIZH DERBO **G452** KALAT **G325** PATLA LORAL **J159** LARDO PATNI **A466** SULOM **M890** SP **W85** DDN 3000N07900E
3000N08000E 3000N08100E 3000N08200E 3000N08300E 3000N08400E 3000N08500E 3000N08600E 3000N08700E
3000N08800E RKZ **B345** LXA **B213** CZH CZH **B213** WFX WFX **B213** GAO **V38** OKTUV ENH **W139** DYG **W138** LLC **W46**
ANISA OSONO NF FQG FQG RCTP

3376.11 nm / 6252.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIZH	-	29.47550	0 ft	-	ZAHEDAN INTL
APT	-	60.90500	0 m		
DERBO	-	29.42830	7,100 ft	20	-
FIX	-	61.28360	2,164 m		
SOKIR	G452	29.13360	35,000 ft	165	-
FIX	AWY-HI	64.41720	10,668 m		
KALAT	G452	29.03360	35,000 ft	113	-
FIX	AWY-HI	66.58360	10,668 m		
KAREM	G325	30.00030	35,000 ft	84	-
FIX	AWY-HI	67.76670	10,668 m		
PATLA	G325	30.26750	35,000 ft	23	-
FIX	AWY-HI	68.09440	10,668 m		
LORAL	-	30.48830	35,000 ft	13	-
FIX	-	68.10670	10,668 m		
BHATI	J159	30.88890	35,000 ft	115	-
FIX	AWY-HI	70.29830	10,668 m		
SAGAD	J159	31.05690	35,000 ft	52	-
FIX	AWY-HI	71.29420	10,668 m		
GOJRA	J159	31.28420	35,000 ft	78	-
FIX	AWY-HI	72.80360	10,668 m		
FASAL	J159	31.35670	35,000 ft	26	-
FIX	AWY-HI	73.32280	10,668 m		
LARDO	J159	31.43670	35,000 ft	30	-
FIX	AWY-HI	73.91940	10,668 m		
PATNI	-	31.45000	35,000 ft	5	-
FIX	-	74.01610	10,668 m		
SAHIL	A466	31.40000	35,000 ft	13	-
FIX	AWY-HI	74.26580	10,668 m		
SULOM	A466	31.34640	35,000 ft	15	-
FIX	AWY-HI	74.56580	10,668 m		
LAKET	M890	31.11640	35,000 ft	49	-
FIX	AWY-HI	75.48220	10,668 m		
CHG	M890	30.66780	35,000 ft	73	CHANDIGARH
VOR	AWY-HI	76.80560	10,668 m		
ONOGI	M890	30.40000	35,000 ft	25	-
FIX	AWY-HI	77.19860	10,668 m		
SP	M890	29.99990	35,000 ft	26	SARSAWA
NDB	AWY-HI	77.43200	10,668 m		
DDN	W85	30.18890	35,000 ft	39	DEHRADUN
VOR	AWY-HI	78.16680	10,668 m		
3000N07900E	-	30.00000	35,000 ft	44	-
LATLON	-	79.00000	10,668 m		
3000N08000E	-	30.00000	35,000 ft	52	-
LATLON	-	80.00000	10,668 m		
3000N08100E	-	30.00000	35,000 ft	52	-
LATLON	-	81.00000	10,668 m		
3000N08200E	-	30.00000	35,000 ft	52	-
LATLON	-	82.00000	10,668 m		
3000N08300E	-	30.00000	35,000 ft	52	-
LATLON	-	83.00000	10,668 m		
3000N08400E	-	30.00000	35,000 ft	52	-
LATLON	-	84.00000	10,668 m		
3000N08500E	-	30.00000	35,000 ft	52	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	85.00000	10,668 m		
3000N08600E	-	30.00000	35,000 ft	52	-
LATLON	-	86.00000	10,668 m		
3000N08700E	-	30.00000	35,000 ft	52	-
LATLON	-	87.00000	10,668 m		
3000N08800E	-	30.00000	35,000 ft	52	-
LATLON	-	88.00000	10,668 m		
RKZ	-	29.35500	35,000 ft	76	RIKAZE
VOR	-	89.27170	10,668 m		
LXA	B345	29.29670	35,000 ft	90	LHASA
VOR	AWY-HI	90.99830	10,668 m		
TAPUN	B213	30.00330	35,000 ft	116	-
FIX	AWY-HI	93.07500	10,668 m		
LEDIM	B213	30.31670	35,000 ft	57	-
FIX	AWY-HI	94.11670	10,668 m		
RG	B213	31.14670	35,000 ft	165	CHANGDU
NDB	AWY-HI	97.17670	10,668 m		
PEXUN	B213	30.92830	35,000 ft	145	-
FIX	AWY-HI	100.00000	10,668 m		
KAMAX	B213	30.78330	35,000 ft	98	-
FIX	AWY-HI	101.90300	10,668 m		
MIKOS	B213	30.69830	35,000 ft	54	-
FIX	AWY-HI	102.95800	10,668 m		
CZH	B213	30.64830	35,000 ft	37	CHONGZHOU VOR-DME
DME	AWY-HI	103.68700	10,668 m		
CZH	-	30.64500	35,000 ft	0	CHONGZHOU
VOR	-	103.68700	10,668 m		
CTU	B213	30.57330	35,000 ft	13	SHUANGLIU (CHENGDU)
VOR	AWY-HI	103.94300	10,668 m		
WFX	B213	30.60330	35,000 ft	28	WUFENGXI VOR-DME
DME	AWY-HI	104.49200	10,668 m		
WFX	-	30.60670	35,000 ft	0	WUFENGXI
VOR	-	104.49200	10,668 m		
TEBUN	B213	30.66170	35,000 ft	23	-
FIX	AWY-HI	104.94800	10,668 m		
GAO	B213	30.81000	35,000 ft	64	NANCHONG
VOR	AWY-HI	106.18800	10,668 m		
OKTUV	V38	30.31830	35,000 ft	170	-
FIX	AWY-HI	109.43800	10,668 m		
ENH	-	30.29170	35,000 ft	8	ENSHI
VOR	-	109.60200	10,668 m		
IGPAR	W139	29.49000	35,000 ft	55	-
FIX	AWY-HI	110.14200	10,668 m		
DYG	W139	29.09330	35,000 ft	27	ZHANGJIAJIE
VOR	AWY-HI	110.40500	10,668 m		
LLC	W138	28.06830	35,000 ft	113	LAOLIANGCANG
VOR	AWY-HI	112.20800	10,668 m		
ZK	W46	28.01830	35,000 ft	40	DATUOPU
NDB	AWY-HI	112.96300	10,668 m		
ESBIX	W46	28.08330	35,000 ft	22	-
FIX	AWY-HI	113.38800	10,668 m		
PAVTU	W46	28.10500	35,000 ft	9	-
FIX	AWY-HI	113.55700	10,668 m		
OVTAN	W46	28.21170	35,000 ft	42	-
FIX	AWY-HI	114.34800	10,668 m		
ANISA	W46	28.30000	35,000 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	114.99300	10,668 m		
OSONO	-	27.76500	35,000 ft	47	-
FIX	-	115.65500	10,668 m		
NF	-	27.20830	35,000 ft	58	NANFENG
NDB	-	116.55800	10,668 m		
FQG	-	25.74000	23,100 ft	175	FUQING VOR-DME
DME	-	119.38300	7,041 m		
FQG	-	25.74000	23,100 ft	0	FUQING
VOR	-	119.38500	7,041 m		
RCTP	-	25.07790	0 ft	107	Taiwan Taoyuan Intl
APT	-	121.23400	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.989 W

METAR

RCTP 031230Z 05008KT 9999 FEW015 SCT120 23/20 Q1013 NOSIG RMK A2993

TAF

TAF RCTP 031100Z 0312/0418 06010KT 9999 FEW015 BKN032 TEMPO 0318/0324 12005KT 5000 BR BECMG 0403/0405 24005KT TEM

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.00		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.01		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.01		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m