


2024/05/20 0936Z

CYYU YTS **V5** YSB **V164** YMS BOLMO **T614** NUBER BIMRO JARVS **V37** CKB **V103** EKN **V37** OAKLE **Q103** PSK **V37** CAE  
**J51** SAV **V3** KELER **V437** HOTAR KDAB

1250.95 nm / 2316.76 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYU APT	-	49.41420 -82.46740	0 ft 0 m	-	KAPUSKASING
YTS VOR	-	48.57210 -81.37010	23,700 ft 7,224 m	66	TIMMINS
FRALK FIX	V5 AWY-LO	46.92690 -80.88330	35,000 ft 10,668 m	100	-
YSB VOR	V5 AWY-LO	46.62910 -80.79820	35,000 ft 10,668 m	18	SUDBURY
MONKK FIX	V164 AWY-LO	45.21690 -80.67100	35,000 ft 10,668 m	84	-
YMS VOR	V164 AWY-LO	44.14320 -80.14640	35,000 ft 10,668 m	68	MANS (MANSFIELD)
BOLMO FIX	-	43.91000 -80.05250	35,000 ft 10,668 m	14	-
NUBER FIX	T614 AWY-LO	43.45780 -80.37750	35,000 ft 10,668 m	30	-
BIMRO FIX	-	43.02810 -80.31670	35,000 ft 10,668 m	25	-
JARVS FIX	-	42.73990 -80.11990	35,000 ft 10,668 m	19	-
FOWEL FIX	V37 AWY-LO	42.60140 -80.15840	35,000 ft 10,668 m	8	-
ERI22 FIX	V37 AWY-LO	42.37380 -80.20800	35,000 ft 10,668 m	13	-
ERI VOR	V37 AWY-LO	42.01740 -80.29270	35,000 ft 10,668 m	21	ERIE
HAGAR FIX	V37 AWY-LO	41.46070 -80.25450	35,000 ft 10,668 m	33	-
MERCY FIX	V37 AWY-LO	41.26610 -80.23610	35,000 ft 10,668 m	11	-
EWC VOR	V37 AWY-LO	40.82490 -80.21150	35,000 ft 10,668 m	26	ELLWOOD CITY
CETPU FIX	V37 AWY-LO	40.55940 -80.24210	35,000 ft 10,668 m	16	-
AKSAR FIX	V37 AWY-LO	40.15930 -80.28740	35,000 ft 10,668 m	24	-
TEDDS FIX	V37 AWY-LO	39.63850 -80.27610	35,000 ft 10,668 m	31	-
METZE FIX	V37 AWY-LO	39.52710 -80.27410	35,000 ft 10,668 m	6	-
CKB VOR	V37 AWY-LO	39.25320 -80.26790	35,000 ft 10,668 m	16	CLARKSBURG
EKN VOR	V103 AWY-LO	38.91440 -80.09930	35,000 ft 10,668 m	21	ELKINS
HAWKI FIX	V37 AWY-LO	38.47910 -80.24840	35,000 ft 10,668 m	27	-
OAKLE FIX	V37 AWY-LO	38.12050 -80.36250	35,000 ft 10,668 m	22	-
ASBUR FIX	Q103 AWY-HI	37.82340 -80.46430	35,000 ft 10,668 m	18	-
PSK VOR	Q103 AWY-HI	37.08770 -80.71290	35,000 ft 10,668 m	45	PULASKI (DUBLIN)
DOILY	V37	36.87130	35,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-80.74070	10,668 m		
MEGXE	V37	36.49010	35,000 ft	23	-
FIX	AWY-LO	-80.78940	10,668 m		
JOTTA	V37	36.01470	35,000 ft	28	-
FIX	AWY-LO	-80.84940	10,668 m		
OWALT	V37	35.74950	35,000 ft	16	-
FIX	AWY-LO	-80.88260	10,668 m		
MOPED	V37	35.57120	35,000 ft	10	-
FIX	AWY-LO	-80.90470	10,668 m		
CLT	V37	35.19030	35,000 ft	22	CHARLOTTE
VOR	AWY-LO	-80.95180	10,668 m		
CIBOB	V37	34.99040	35,000 ft	12	-
FIX	AWY-LO	-80.96730	10,668 m		
ZUKUR	V37	34.77070	35,000 ft	13	-
FIX	AWY-LO	-80.98430	10,668 m		
RICHE	V37	34.69840	35,000 ft	4	-
FIX	AWY-LO	-80.98980	10,668 m		
GREAT	V37	34.45710	35,000 ft	14	-
FIX	AWY-LO	-81.00830	10,668 m		
BLOTS	V37	34.28320	35,000 ft	10	-
FIX	AWY-LO	-81.02160	10,668 m		
BEFTY	V37	34.14020	35,000 ft	8	-
FIX	AWY-LO	-81.03250	10,668 m		
CAE	V37	33.85730	35,000 ft	17	COLUMBIA
VOR	AWY-LO	-81.05390	10,668 m		
SAV	J51	32.14630	35,000 ft	103	SAVANNAH
VOR	AWY-HI	-81.19910	10,668 m		
KELER	V3	31.91870	35,000 ft	13	-
FIX	AWY-LO	-81.18590	10,668 m		
CATHY	V437	31.66990	32,000 ft	14	-
FIX	AWY-LO	-81.17150	9,754 m		
STARY	V437	31.20130	26,000 ft	28	-
FIX	AWY-LO	-81.14460	7,925 m		
HOTAR	V437	30.63980	18,700 ft	33	-
FIX	AWY-LO	-81.11270	5,700 m		
KDAB	-	29.17990	0 ft	87	Daytona Beach Intl
APT	-	-81.05600	0 m		

## KDAB

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 34 ft / 10 m  
Location: 29.179900 -81.056000  
Magnetic Var: 7.239 W

## METAR

KDAB 200853Z 00000KT 10SM SCT060 BKN250 21/20 A2986 RMK A02 SLP111 T02110200 55005

## TAF

TAF KDAB 200528Z 2006/2106 VRB04KT P6SM FEW030 SCT050 FM201500 34010G16KT P6SM SCT045 FM201800 01015G25KT P6SM SC

## Frequencies

COM - 122.95 MHz - DAYTONA UNICOM  
TWR - 120.70 MHz - DAYTONA TOWER  
DEP - 123.90 MHz - DAYTONA DEPARTURE

GND - 121.90 MHz - DAYTONA GROUND  
APP - 125.80 MHz - DAYTONA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	151 ft	10,511 ft	65.11	ASPHALT	709 ft	381 ft
	46 m	3,204 m	72.34		216 m	116 m
25R	151 ft	10,511 ft	245.12	ASPHALT	0 ft	200 ft
	46 m	3,204 m	252.36		0 m	61 m
16	151 ft	6,006 ft	157.27	ASPHALT	0 ft	207 ft
	46 m	1,831 m	164.51		0 m	63 m
34	151 ft	6,006 ft	337.27	ASPHALT	0 ft	203 ft
	46 m	1,831 m	344.51		0 m	62 m
07R	98 ft	3,199 ft	65.04	ASPHALT	0 ft	0 ft
	30 m	975 m	72.28		0 m	0 m
25L	98 ft	3,199 ft	245.04	ASPHALT	0 ft	0 ft
	30 m	975 m	252.28		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IDBF	109.70 MHz	18 nm	-	-	34 ft
				33 km	-		34 m
07L	LOC-ILS	IDAB	109.70 MHz	18 nm	65.12	-	27 ft
				33 km	72.36		27 m
25R	LOC-ILS	IDBF	109.70 MHz	18 nm	245.11	-	34 ft
				33 km	252.35		34 m
07L	GS	IDAB	109.70 MHz	10 nm	65.22	3.00	26 ft
				19 km	72.46		26 m
25R	GS	IDBF	109.70 MHz	10 nm	245.22	3.00	34 ft
				19 km	252.46		34 m