

# WAPD

Dobo


# WAPP

Ambon Pattimura

2024/05/05 0220Z

WAPD LEBON **W54** GOMBY WAPP

390.24 nm / 722.72 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WAPD	-	-5.77395	0 ft	-	Dobo
APT	-	134.20900	0 m		
LEBON	-	-5.65000	31,800 ft	89	-
FIX	-	132.72000	9,693 m		
FOLOT	W54	-5.51667	35,000 ft	21	-
FIX	AWY-HI	132.39000	10,668 m		
GOMBY	W54	-4.27892	22,100 ft	176	-
FIX	AWY-HI	129.71700	6,736 m		
WAPP	-	-3.71030	0 ft	103	Ambon Pattimura
APT	-	128.09000	0 m		

## WAPP

Region: INDONESIA  
Timezone: ASIA/JAYAPURA  
Runways: 1

Elevation: 33 ft / 10 m  
Location: -3.710300 128.090000  
Magnetic Var: 0.515 E

## METAR

WAPP 050130Z 08004KT 040V140 9999 SCT017 30/26 Q1008 NOSIG

## TAF

UNKNOWN

## Frequencies

REC - 125.40 MHz - ATIS  
APP - 121.00 MHz - AMBON APPROACH

TWR - 122.20 MHz - PATTIMURA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,223 ft	44.85	ASPHALT	0 ft	197 ft
	45 m	2,506 m	44.34		0 m	60 m
22	148 ft	8,223 ft	224.85	ASPHALT	0 ft	197 ft
	45 m	2,506 m	224.34		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAMN	111.10 MHz	18 nm	44.85	-	33 ft
				33 km	44.34		33 m
04	GS	IAMN	111.10 MHz	10 nm	44.85	3.00	33 ft
				19 km	44.34		33 m