

# SBAR

Aracaju-Santa Maria Intl


# SBGR

Guarulhos-Andre Franco Montoro Intl

2024/05/08 2048Z

SBAR SAPSI **UZZ1** GEVGA SBGR

936.30 nm / 1734.03 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBAR	-	-10.98400	0 ft	-	Aracaju-Santa Maria Intl
APT	-	-37.07040	0 m	-	
SAPSI	-	-11.66220	30,600 ft	85	-
FIX	-	-38.35300	9,327 m	-	-
UGUDI	UZ21	-12.22680	35,000 ft	41	-
FIX	AWY-HI	-38.75620	10,668 m	-	-
UTKUD	UZ21	-12.43330	35,000 ft	15	-
FIX	AWY-HI	-38.90420	10,668 m	-	-
VUKPO	UZ21	-12.63580	35,000 ft	14	-
FIX	AWY-HI	-39.04970	10,668 m	-	-
PORBA	UZ21	-12.78650	35,000 ft	11	-
FIX	AWY-HI	-39.15820	10,668 m	-	-
NITBO	UZ21	-13.27950	35,000 ft	36	-
FIX	AWY-HI	-39.51400	10,668 m	-	-
TOSOP	UZ21	-13.72180	35,000 ft	32	-
FIX	AWY-HI	-39.83470	10,668 m	-	-
MOPSO	UZ21	-14.32030	35,000 ft	43	-
FIX	AWY-HI	-40.25330	10,668 m	-	-
MOTBO	UZ21	-15.66850	35,000 ft	96	-
FIX	AWY-HI	-41.16700	10,668 m	-	-
UTGIR	UZ21	-16.84550	35,000 ft	85	-
FIX	AWY-HI	-41.98750	10,668 m	-	-
OPVUK	UZ21	-18.41700	35,000 ft	113	-
FIX	AWY-HI	-43.07380	10,668 m	-	-
VAPAR	UZ21	-18.66150	35,000 ft	18	-
FIX	AWY-HI	-43.26880	10,668 m	-	-
EPDIM	UZ21	-18.91970	35,000 ft	19	-
FIX	AWY-HI	-43.48320	10,668 m	-	-
NISTI	UZ21	-19.06230	35,000 ft	10	-
FIX	AWY-HI	-43.60200	10,668 m	-	-
DEPOT	UZ21	-19.30420	35,000 ft	19	-
FIX	AWY-HI	-43.81930	10,668 m	-	-
CNF	UZ21	-19.55820	35,000 ft	20	CONFINS (BELO HORIZONTE)
VOR	AWY-HI	-44.04850	10,668 m	-	
REDAD	UZ21	-20.13650	35,000 ft	42	-
FIX	AWY-HI	-44.49570	10,668 m	-	-
PUDVA	UZ21	-20.48970	35,000 ft	26	-
FIX	AWY-HI	-44.77090	10,668 m	-	-
MAVBO	UZ21	-20.74430	35,000 ft	18	-
FIX	AWY-HI	-44.97000	10,668 m	-	-
UKPAD	UZ21	-21.02270	35,000 ft	20	-
FIX	AWY-HI	-45.18900	10,668 m	-	-
MAPMI	UZ21	-21.49770	27,500 ft	35	-
FIX	AWY-HI	-45.56520	8,382 m	-	-
GEVGA	UZ21	-22.16270	16,900 ft	49	-
FIX	AWY-HI	-46.08980	5,151 m	-	-
SBGR	-	-23.43230	0 ft	79	Guarulhos-Andre Franco Montoro Intl
APT	-	-46.46950	0 m	-	

## SBGR

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,461 ft / 750 m  
Location: -23.432300 -46.469500  
Magnetic Var: 22.209 W

## METAR

SBGR 082000Z 31006KT CAVOK 29/15 Q1017

## TAF

TAF SBGR 081630Z 0818/0924 34010KT CAVOK TN18/0909Z TX31/0918Z BECMG 0901/0903 36005KT BECMG 0913/0915 34005KT BE

## Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.79		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m