

SAWH

Ushuaia Intl


SAWE

Rio Grande Intl

2024/05/14 2217Z

SAWH KEXOP SAWE

66.79 nm / 123.70 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAWH	-	-54.84330	0 ft	-	Ushuaia Intl
APT	-	-68.29480	0 m		
KEXOP	-	-54.50000	7,700 ft	21	-
FIX	-	-68.10970	2,347 m		
SAWE	-	-53.77760	0 ft	45	Rio Grande Intl
APT	-	-67.74950	0 m		

SAWH

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/USHUAIA
Runways: 1

Elevation: 102 ft / 31 m
Location: -54.843300 -68.294800
Magnetic Var: 11.946 E

METAR

SAWH 142200Z 25032KT 9000 -DZ BKN040 07/04 Q1009

TAF

TAF AMD SAWH 141900Z 1419/1518 24030G40KT 8000 RA BKN020 BKN030 TX06/1419Z TN03/1510Z TEMPO 1419/1422 3000 +RA OVC020

Frequencies

REC - 127.80 MHz - USHUAIA ATIS
APP - 118.10 MHz - USHUAIA APPROACH

TWR - 118.10 MHz - USHUAIA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,534 ft	86.15	CONCRETE	591 ft	295 ft
	45 m	2,906 m	74.20		180 m	90 m
25	148 ft	9,534 ft	266.11	CONCRETE	899 ft	95 ft
	45 m	2,906 m	254.17		274 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	US	111.30 MHz	18 nm	-	-	92 ft
				33 km	-		92 m
25	LOC-ILS	US	111.30 MHz	18 nm	266.19	-	54 ft
				33 km	254.24		54 m
25	GS	US	111.30 MHz	10 nm	266.19	3.50	91 ft
				19 km	254.25		91 m

SAWE

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/USHUAIA
Runways: 1

Elevation: 65 ft / 20 m
Location: -53.777600 -67.749500
Magnetic Var: 10.905 E

METAR

UNKNOWN

TAF

TAF SAWE 141700Z 1418/1518 25020KT 9999 SCT030 SCT040 TX13/1419Z TN05/1510Z TEMPO 1500/1510 25020G30KT

Frequencies

TWR - 118.30 MHz - RIO GRANDE TOWER

APP - 118.30 MHz - RIO GRANDE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,535 ft	87.46	ASPHALT	0 ft	164 ft
	45 m	1,992 m	76.56		0 m	50 m
26	148 ft	6,535 ft	267.44	ASPHALT	0 ft	604 ft
	45 m	1,992 m	256.53		0 m	184 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	LOC-LOC	GR	109.50 MHz	18 nm	267.68	-	66 ft
				33 km	256.77		66 m
26	GS	GR	109.50 MHz	10 nm	268.02	3.00	65 ft
				19 km	257.12		65 m