

# LEMH

Menorca


# LEBL

Josep Tarradellas Barcelona-El Prat

2024/05/06 1923Z

LEMH LUNIK LEBL

129.79 nm / 240.37 km



## Notes

Basic altitude profile:

- Ascent Rate: 700ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 2000ft
- Cruise Speed: 420kts
- Descent Rate: 700ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LEMH	-	39.86260	0 ft	-	Menorca	
APT	-	4.21866	0 m			
LUNIK	-	40.43970	2,000 ft	51	-	
FIX	-	3.39247	610 m			
LEBL	-	41.29510	0 ft	78	Josep Tarradellas Barcelona-El Prat	
APT	-	2.08803	0 m			

## LEMH

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 303 ft / 92 m  
Location: 39.862600 4.218660  
Magnetic Var: 2.008 E

## METAR

LEMH 061900Z 35008KT 9999 -RA SCT008 17/16 Q1014

## TAF

TAF LEMH 061400Z 0615/0715 04009KT 9999 FEW020 TX19/0712Z TN12/0705Z PROB40 TEMPO 0616/0620 BKN010 TEMPO 0620/0700

## Frequencies

TWR - 118.20 MHz - MENORCA TOWER  
APP - 119.65 MHz - MENORCA APPROACH

GND - 121.75 MHz - MENORCA GROUND  
REC - 129.15 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft 45 m	8,387 ft 2,556 m	8.97 6.97	ASPHALT	0 ft 0 m	154 ft 47 m
19	148 ft 45 m	8,387 ft 2,556 m	188.98 186.97	ASPHALT	643 ft 196 m	203 ft 62 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IMH	110.30 MHz	18 nm 33 km	8.99 6.98	-	303 ft 303 m
19	LOC-ILS	MAO	111.50 MHz	18 nm 33 km	188.99 186.98	-	303 ft 303 m
01	GS	IMH	110.30 MHz	10 nm 19 km	8.99 6.98	3.00	303 ft 303 m
19	GS	MAO	111.50 MHz	10 nm 19 km	188.99 186.98	3.00	303 ft 303 m

## LEBL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 3

Elevation: 14 ft / 4 m  
Location: 41.295100 2.088030  
Magnetic Var: 1.540 E

## METAR

LEBL 061900Z VRB02KT 9999 FEW015 SCT063 16/12 Q1014 NOSIG

## TAF

TAF LEBL 061700Z 0618/0718 10008KT 9999 SCT010 SCT040 TX19/0712Z TN13/0705Z BECMG 0622/0624 24008KT PROB30 TEMPO

## Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.37		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.38		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.96		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.94		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.38		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.96		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.96		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.38		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.96		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.96		14 m