LHBP

Ferihegy (Budapest)

-


LZIB

Bratislava/M.R. Stefanik

2024/03/29 0448Z

LHBP ALAMU LZIB

93.79 nm / 173.69 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LHBP APT	–	47.43529 19.26579	0 ft 0 m	–	Ferihegy (Budapest)
ALAMU FIX	–	47.73694 18.33000	11,000 ft 3,353 m	42	–
LZIB APT	–	48.16831 17.21560	0 ft 0 m	51	Bratislava/M.R. Stefanik

LHBP

Region: HUNGARY
Timezone: EUROPE/BUDAPEST
Runways: 2

Elevation: 495 ft / 151 m
Location: 47.436900 19.255600
Magnetic Var: 5.488 E

METAR

LHBP 290430Z 15005KT 110V180 CAVOK 04/03 Q1012 NOSIG

TAF

TAF TAF LHBP 282315Z 2900/2924 29020G30KT 9999 -RA -SHRA SCT018 BKN045 BECMG 2900/2903 23008KT CAVOK PROB30 TEMPO

Frequencies

REC - 117.30 MHz - ATIS
TWR - 119.97 MHz - BUDAPEST TOWER
GND - 121.90 MHz - BUDAPEST GROUND
APP - 119.50 MHz - BUDAPEST APPROACH
APP - 123.85 MHz - BUDAPEST APPROACH
REC - 119.35 MHz - BUDAPEST INFORMATION

REC - 132.37 MHz - ATIS
TWR - 118.10 MHz - BUDAPEST TOWER
CLD - 134.55 MHz - CLEARANCE DELIVERY
APP - 122.97 MHz - BUDAPEST APPROACH
APP - 124.90 MHz - BUDAPEST APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft 45 m	9,882 ft 3,012 m	132.42 126.93	CONCRETE	0 ft 0 m	0 ft 0 m
31L	148 ft 45 m	9,882 ft 3,012 m	312.44 306.95	CONCRETE	0 ft 0 m	0 ft 0 m
13L	148 ft 45 m	12,175 ft 3,711 m	132.46 126.98	CONCRETE	0 ft 0 m	0 ft 0 m
31R	148 ft 45 m	12,175 ft 3,711 m	312.49 307.00	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	BPL	111.70 MHz	27 nm 50 km	- -	-	495 ft 495 m
13R	DME	FER	110.50 MHz	27 nm 50 km	- -	-	495 ft 495 m
31L	DME	FHL	111.50 MHz	14 nm 26 km	- -	-	495 ft 495 m
31R	DME	BPR	109.50 MHz	32 nm 59 km	- -	-	495 ft 495 m
13L	LOC-ILS	BPL	109.15 MHz	18 nm 33 km	132.48 126.99	-	495 ft 495 m
13R	LOC-ILS	FER	110.50 MHz	18 nm 33 km	132.44 126.95	-	495 ft 495 m
31L	LOC-ILS	FHL	111.50 MHz	18 nm 33 km	312.44 306.95	-	495 ft 495 m
31R	LOC-ILS	BPR	109.50 MHz	18 nm 33 km	312.48 306.99	-	495 ft 495 m
13L	GS	BPL	109.15 MHz	10 nm 19 km	132.48 126.99	3.00	495 ft 495 m
13R	GS	FER	110.50 MHz	10 nm 19 km	132.44 126.95	3.00	495 ft 495 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	GS	FHL	111.50 MHz	10 nm	312.44	3.00	495 ft
				19 km	306.95		495 m
31R	GS	BPR	109.50 MHz	10 nm	312.48	3.00	495 ft
				19 km	306.99		495 m

LZIB

Region: SLOVAKIA
Timezone: EUROPE/BRATISLAVA
Runways: 2

Elevation: 436 ft / 133 m
Location: 48.168300 17.215600
Magnetic Var: 5.147 E

METAR

LZIB 290430Z VRB01KT 9999 MIFG NSC 03/03 Q1010 NOSIG

TAF

TAF LZIB 282315Z 2900/3000 27008KT 9999 SCT035 BECMG 2904/2906 17009KT TEMPO 2910/2918 19020G35KT

Frequencies

TWR - 118.30 MHz - STEFANIK TOWER
APP - 128.65 MHz - STEFANIK ARRIVAL
TWR - 118.70 MHz - STEFANIK TOWER

APP - 119.70 MHz - STEFANIK APPROACH
APP - 120.90 MHz - STEFANIK APPROACH
REC - 133.87 MHz - STEFANIK ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft 45 m	9,689 ft 2,953 m	134.00 128.85	CONCRETE	0 ft 0 m	98 ft 30 m
31	148 ft 45 m	9,689 ft 2,953 m	314.02 308.87	CONCRETE	0 ft 0 m	787 ft 240 m
04	197 ft 60 m	9,541 ft 2,908 m	43.83 38.68	CONCRETE	0 ft 0 m	0 ft 0 m
22	197 ft 60 m	9,541 ft 2,908 m	223.85 218.70	CONCRETE	0 ft 0 m	49 ft 15 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	OKR	108.30 MHz	25 nm 46 km	- -	-	436 ft 436 m
31	DME	OB	110.70 MHz	25 nm 46 km	- -	-	433 ft 433 m
22	LOC-ILS	OKR	108.30 MHz	18 nm 33 km	223.84 218.69	-	436 ft 436 m
31	LOC-ILS	OB	110.70 MHz	18 nm 33 km	314.01 308.86	-	436 ft 436 m
22	GS	OKR	108.30 MHz	10 nm 19 km	223.84 218.69	3.00	436 ft 436 m
31	GS	OB	110.70 MHz	10 nm 19 km	314.01 308.86	3.00	436 ft 436 m