SARF

FORMOSA

-


SAWH

Ushuaia_Intl_Islas Malvinas

2024/03/19 0349Z

SARF SIS **UL793** GUA **UW64** EZE **UW22** BCA **UW18** VIE **UT108** GRA SAWH

1823.93 nm / 3377.92 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SARF APT	–	-26.21272 -58.22811	0 ft 0 m	–	FORMOSA
SIS VOR	–	-27.44694 -59.05722	30,800 ft 9,388 m	86	RESISTENCIA VOR-DME
DAMIS FIX	UL793 AWY-HI	-28.86056 -58.94917	35,000 ft 10,668 m	85	–
TODES FIX	UL793 AWY-HI	-30.49583 -58.82056	35,000 ft 10,668 m	98	–
DALAB FIX	UL793 AWY-HI	-32.33333 -58.67083	35,000 ft 10,668 m	110	–
GUA VOR	UL793 AWY-HI	-33.00972 -58.61417	35,000 ft 10,668 m	40	GUALEGUAYCHU VOR-DME
LANDA FIX	UW64 AWY-HI	-33.90806 -58.57528	35,000 ft 10,668 m	53	–
EZE VOR	UW64 AWY-HI	-34.82417 -58.53528	35,000 ft 10,668 m	55	EZEIZA VOR-DME
OSAKA FIX	UW22 AWY-HI	-35.21111 -59.14389	34,000 ft 10,363 m	37	–
VALOS FIX	UW22 AWY-HI	-35.45778 -59.35056	34,000 ft 10,363 m	17	–
EGANI FIX	UW22 AWY-HI	-36.51611 -60.22556	34,000 ft 10,363 m	76	–
PULAS FIX	UW22 AWY-HI	-37.97083 -61.48500	34,000 ft 10,363 m	106	–
BCA VOR	UW22 AWY-HI	-38.72000 -62.15833	34,000 ft 10,363 m	55	BAHIA BLANCA VOR-DME
PADEX FIX	UW18 AWY-HI	-39.59028 -62.49306	34,000 ft 10,363 m	54	–
VIE VOR	UW18 AWY-HI	-40.86722 -63.00083	34,000 ft 10,363 m	80	VIEDMA VOR
UDENA FIX	UT108 AWY-HI	-43.44972 -63.78417	34,000 ft 10,363 m	158	–
ORIGI FIX	UT108 AWY-HI	-46.24972 -64.70111	34,000 ft 10,363 m	172	–
KOTON FIX	UT108 AWY-HI	-49.62667 -65.94944	34,000 ft 10,363 m	208	–
GUDUX FIX	UT108 AWY-HI	-52.74722 -67.26806	28,000 ft 8,534 m	193	–
GRA VOR	UT108 AWY-HI	-53.77529 -67.74584	24,500 ft 7,468 m	64	RIO GRANDE VOR-DME
SAWH APT	–	-54.84331 -68.29490	0 ft 0 m	66	Ushuaia_Intl_Islas Malvinas

SARF

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/CORDOBA
Runways: 1

Elevation: 194 ft / 59 m
Location: -26.212700 -58.228100
Magnetic Var: 14.418 W

METAR

UNKNOWN

TAF

TAF AMD SARF 182300Z 1900/1924 14005KT CAVOK TX36/1918Z TN27/1909Z PROB30 1908/1912 9999 SCT030 BKN100 TEMPO 1517

Frequencies

TWR - 119.10 MHz -

TWR - 119.00 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	100 ft 30 m	5,922 ft 1,805 m	24.88 39.30	ASPHALT	0 ft 0 m	65 ft 20 m
22	100 ft 30 m	5,922 ft 1,805 m	204.88 219.30	ASPHALT	0 ft 0 m	65 ft 20 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	FS	110.90 MHz	18 nm 33 km	- -	-	194 ft 194 m
22	LOC-ILS	FS	110.90 MHz	18 nm 33 km	204.88 219.30	-	194 ft 194 m
22	GS	FS	110.90 MHz	10 nm 19 km	205.77 220.18	3.00	193 ft 193 m

SAWH

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/USHUAIA
Runways: 1

Elevation: 102 ft / 31 m
Location: -54.843300 -68.294800
Magnetic Var: 11.957 E

METAR

SAWH 190300Z 29006KT CAVOK 01/M02 Q1001

TAF

TAF SAWH 182300Z 1900/1924 VRB05KT 9999 FEW020 BKN030 TX05/1918Z TN00/1909Z BECMG 1917/1919 18005KT SHRASN

Frequencies

REC - 127.80 MHz - USHUAIA ATIS
APP - 118.10 MHz - USHUAIA APPROACH

TWR - 118.10 MHz - USHUAIA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft 45 m	9,534 ft 2,906 m	86.15 74.19	CONCRETE	591 ft 180 m	295 ft 90 m
25	148 ft 45 m	9,534 ft 2,906 m	266.11 254.15	CONCRETE	899 ft 274 m	95 ft 29 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	US	111.30 MHz	18 nm 33 km	- -	-	92 ft 92 m
25	LOC-ILS	US	111.30 MHz	18 nm 33 km	266.19 254.23	-	54 ft 54 m
25	GS	US	111.30 MHz	10 nm 19 km	266.19 254.24	3.50	91 ft 91 m