

KMCI

Kansas City International


KATL

Hartsfield-Jackson Atlanta Intl

2024/05/04 0207Z

KMCI EUNIK **J41** SGF **V159** ARG **Q26** DEVAC **J66** CALCO KATL

627.00 nm / 1161.20 km



Notes

Requested: KMCI EUNIK J41 SGF V159 ARG Q26 DEVAC J66 CALCO KATL

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMCI APT	-	39.29720 -94.71340	0 ft 0 m	-	Kansas City International
EUNIK FIX	-	38.20410 -93.94020	0 ft 0 m	74	-
SGF VOR	J41 AWY-HI	37.35590 -93.33400	0 ft 0 m	58	SPRINGFIELD
FORDS FIX	V159 AWY-LO	37.15410 -93.05580	0 ft 0 m	17	-
REVEE FIX	V159 AWY-LO	37.13160 -93.02490	0 ft 0 m	2	-
DGD VOR	V159 AWY-LO	37.02350 -92.87690	0 ft 0 m	9	DOGWOOD
AVARR FIX	V159 AWY-LO	36.79860 -92.39320	0 ft 0 m	26	-
ZERTY FIX	V159 AWY-LO	36.62950 -92.03370	0 ft 0 m	20	-
ARG VOR	V159 AWY-LO	36.11000 -90.95370	0 ft 0 m	60	WALNUT RIDGE
HENSY FIX	Q26 AWY-HI	35.33540 -89.08030	0 ft 0 m	102	-
DEVAC FIX	Q26 AWY-HI	34.61810 -87.43520	0 ft 0 m	91	-
WODDY FIX	J66 AWY-HI	34.43760 -86.48810	0 ft 0 m	48	-
CALCO FIX	J66 AWY-HI	34.34530 -86.01940	0 ft 0 m	23	-
KATL APT	-	33.63660 -84.42800	0 ft 0 m	89	Hartsfield-Jackson Atlanta Intl

KMCI

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,024 ft / 312 m
Location: 39.297200 -94.713400
Magnetic Var: 1.139 E

METAR

KMCI 040053Z 12006KT 10SM SCT055 21/14 A2990 RMK AO2 SLP118 T02110144

TAF

KMCI 032322Z 0400/0424 14010KT P6SM FEW060 FM041100 01008KT 4SM SHRA BR VCTS OVC020CB FM041500 32010G18KT P6SM VC

Frequencies

REC - 126.62 MHz - ATIS
GND - 121.65 MHz -
APP - 120.95 MHz -

COM - 122.95 MHz - UNICOM
TWR - 128.20 MHz - INTL TWR
DEP - 124.70 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	10,819 ft	12.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	11.74		0 m	122 m
19R	151 ft	10,819 ft	192.88	ASPHALT	0 ft	400 ft
	46 m	3,298 m	191.74		0 m	122 m
09	151 ft	9,512 ft	96.15	CONCRETE	0 ft	400 ft
	46 m	2,899 m	95.01		0 m	122 m
27	151 ft	9,512 ft	276.17	CONCRETE	0 ft	394 ft
	46 m	2,899 m	275.03		0 m	120 m
01R	151 ft	9,515 ft	12.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	11.76		0 m	122 m
19L	151 ft	9,515 ft	192.90	CONCRETE	0 ft	400 ft
	46 m	2,900 m	191.76		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	PVL	110.75 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
09	DME	IRNI	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
19L	DME	IDYH	109.55 MHz	18 nm	-	-	1,016 ft
				33 km	-		1,016 m
27	DME	IUQY	109.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
01L	LOC-ILS	IDOT	110.50 MHz	18 nm	12.88	-	1,026 ft
				33 km	11.74		1,026 m
01R	LOC-ILS	PVL	110.75 MHz	18 nm	12.90	-	1,026 ft
				33 km	11.76		1,026 m
09	LOC-ILS	IRNI	109.70 MHz	18 nm	96.17	-	1,026 ft
				33 km	95.03		1,026 m
19L	LOC-ILS	IDYH	109.55 MHz	18 nm	192.90	-	1,011 ft
				33 km	191.76		1,011 m
19R	LOC-ILS	IPAJ	109.10 MHz	18 nm	192.88	-	1,026 ft
				33 km	191.74		1,026 m
27	LOC-ILS	IUQY	109.70 MHz	18 nm	276.14	-	1,026 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	275.01		1,026 m
01L	GS	IDOT	110.50 MHz	10 nm	13.76	3.00	1,007 ft
				19 km	12.62		1,007 m
01R	GS	PVL	110.75 MHz	10 nm	13.80	3.00	1,026 ft
				19 km	12.66		1,026 m
09	GS	IRNI	109.70 MHz	10 nm	96.32	3.00	1,014 ft
				19 km	95.18		1,014 m
19L	GS	IDYH	109.55 MHz	10 nm	193.80	3.00	982 ft
				19 km	192.66		982 m
19R	GS	IPAJ	109.10 MHz	10 nm	193.76	3.00	981 ft
				19 km	192.62		981 m
27	GS	IUQY	109.70 MHz	10 nm	276.32	3.00	1,026 ft
				19 km	275.18		1,026 m

KATL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 5

Elevation: 1,026 ft / 313 m
Location: 33.636600 -84.428000
Magnetic Var: 5.629 W

METAR

KATL 040052Z 19003KT 10SM FEW055 SCT100 BKN200 BKN250 26/14 A3000 RMK A02 SLP150 OCNL LTGIC DSNT SE NW CB DSNT SE N

TAF

TAF AMD KATL 040145Z 0402/0506 15005KT P6SM FEW050 SCT120 BKN250 FM040500 15005KT P6SM FEW050 BKN120 FM040900 1900

Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.62		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.64		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.60		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.60		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.64		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.61		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.61		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.61		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.62		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.60		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.59		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.59		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.65		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.59		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.57		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.59		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.59		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.59		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.65		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.57		990 m