


2024/06/15 0241Z

KLFT FOSIN **J58** BATIK UKW **Q154** GOSIP **V210** ALS KTEX

952.51 nm / 1764.04 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLFT	-	30.20500	0 ft	-	LAFAYETTE RGNL
APT	-	-91.98800	0 m		
FOSIN	-	31.51350	35,000 ft	100	-
FIX	-	-93.19470	10,668 m		
TURNN	J58	31.67520	35,000 ft	24	-
FIX	AWY-HI	-93.63910	10,668 m		
NOBBL	J58	31.74190	35,000 ft	10	-
FIX	AWY-HI	-93.82340	10,668 m		
LURIC	J58	31.78180	35,000 ft	6	-
FIX	AWY-HI	-93.93500	10,668 m		
ADUKE	J58	31.88240	35,000 ft	15	-
FIX	AWY-HI	-94.21650	10,668 m		
FUZ	J58	32.88950	35,000 ft	161	RANGER (DALLAS-FORT WORTH)
VOR	AWY-HI	-97.17940	10,668 m		
BATIK	J58	33.44910	35,000 ft	49	-
FIX	AWY-HI	-97.89320	10,668 m		
UKW	-	33.53590	35,000 ft	6	BOWIE
VOR	-	-97.82130	10,668 m		
NOSEW	Q154	35.51890	35,000 ft	197	-
FIX	AWY-HI	-100.99400	10,668 m		
KENTO	Q154	36.73860	35,000 ft	125	-
FIX	AWY-HI	-103.09900	10,668 m		
GOSIP	Q154	37.62070	35,000 ft	89	-
FIX	AWY-HI	-104.59700	10,668 m		
ACHES	V210	37.43590	26,700 ft	41	-
FIX	AWY-LO	-105.43400	8,138 m		
BLOKE	V210	37.41700	25,800 ft	4	-
FIX	AWY-LO	-105.51700	7,864 m		
ALS	V210	37.34920	22,700 ft	14	ALAMOSA
VOR	AWY-LO	-105.81600	6,919 m		
KTEX	-	37.95380	0 ft	105	Telluride Rgnl
APT	-	-107.90900	0 m		

KLFT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 42 ft / 13 m
Location: 30.205000 -91.988000
Magnetic Var: 0.370 W

METAR

KLFT 150153Z 00000KT 10SM CLR 30/21 A2990 RMK A02 SLP124 T03000206

TAF

KLFT 142322Z 1500/1524 VRB04KT P6SM SCT050 FM150400 00000KT P6SM SKC FM152100 12006KT P6SM FEW050

Frequencies

REC - 134.05 MHz - ATIS	COM - 118.50 MHz - CTAF
COM - 122.95 MHz - UNICOM	CLD - 125.55 MHz - CLNC DEL
GND - 121.80 MHz -	TWR - 118.50 MHz -
APP - 121.10 MHz - APP/DEP	APP - 128.70 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	150 ft	8,048 ft	38.60	ASPHALT	0 ft	600 ft
	46 m	2,453 m	38.97		0 m	183 m
22L	150 ft	8,048 ft	218.61	ASPHALT	0 ft	102 ft
	46 m	2,453 m	218.98		0 m	31 m
11	148 ft	5,394 ft	109.70	ASPHALT	0 ft	0 ft
	45 m	1,644 m	110.07		0 m	0 m
29	148 ft	5,394 ft	289.70	ASPHALT	0 ft	0 ft
	45 m	1,644 m	290.07		0 m	0 m
04L	75 ft	4,104 ft	38.63	ASPHALT	0 ft	0 ft
	23 m	1,251 m	39.00		0 m	0 m
22R	75 ft	4,104 ft	218.63	ASPHALT	0 ft	0 ft
	23 m	1,251 m	219.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	ITYN	110.90 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
22L	DME	ILFT	109.50 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
04R	LOC-ILS	ITYN	110.90 MHz	18 nm	38.12	-	11 ft
				33 km	38.49		11 m
22L	LOC-ILS	ILFT	109.50 MHz	18 nm	219.11	-	42 ft
				33 km	219.48		42 m
04R	GS	ITYN	110.90 MHz	10 nm	39.21	3.00	35 ft
				19 km	39.58		35 m
22L	GS	ILFT	109.50 MHz	10 nm	219.21	3.00	35 ft
				19 km	219.58		35 m

KTEX

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 1

Elevation: 9,078 ft / 2,767 m

Location: 37.953800 -107.909000

Magnetic Var: 8.759 E

METAR

KTEX 150235Z AUTO 00000KT 10SM CLR 11/03 A3036 RMK A02

TAF

TAF KTEX 142320Z 1500/1524 24007G16KT P6SM VCSH BKN035 OVC060 FM150100 15004KT P6SM SCT060 BKN200 FM150400 13006K

Frequencies

REC - 118.32 MHz - AWOS

COM - 123.00 MHz - UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	7,116 ft	104.97	ASPHALT	213 ft	397 ft
	30 m	2,169 m	96.21		65 m	121 m
27	98 ft	7,116 ft	284.99	ASPHALT	210 ft	397 ft
	30 m	2,169 m	276.23		64 m	121 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ITEX	109.30 MHz	18 nm	-	-	9,078 ft
				33 km	-		9,078 m