

EHAM

Amsterdam Schiphol


EETN

Lennart Meri Tallinn

2024/05/09 0431Z

EHAM LEKMO **UZ700** GITER **Z700** CDA **M611** MALIV **P862** EVONA **M611** LOGNA **Q33** TUTVA EETN

807.51 nm / 1495.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
LEKMO FIX	-	53.44170 6.90889	35,000 ft 10,668 m	103	-
NIKIL FIX	UZ700 AWY-HI	53.55780 7.24889	35,000 ft 10,668 m	14	-
MOVAX FIX	UZ700 AWY-HI	54.08670 9.00000	35,000 ft 10,668 m	69	-
BUMAB FIX	UZ700 AWY-HI	54.60420 10.85000	35,000 ft 10,668 m	71	-
GITER FIX	UZ700 AWY-HI	54.64440 11.00000	35,000 ft 10,668 m	5	-
CDA VOR	Z700 AWY-HI	55.00150 12.37920	35,000 ft 10,668 m	52	CODAN
ODARU FIX	M611 AWY-HI	55.09580 12.76140	35,000 ft 10,668 m	14	-
MALIV FIX	M611 AWY-HI	55.16270 13.03690	35,000 ft 10,668 m	10	-
EVONA FIX	P862 AWY-HI	57.16500 19.92470	35,000 ft 10,668 m	259	-
LOGNA FIX	M611 AWY-HI	57.84310 21.66030	29,300 ft 8,931 m	69	-
TUTVA FIX	Q33 AWY-HI	58.59690 23.26190	14,800 ft 4,511 m	67	-
EETN APT	-	59.41330 24.83650	0 ft 0 m	69	Lennart Meri Tallinn

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.042 E

METAR

EHAM 090355Z 32002KT 6000 0250NW R18C/0650N R27/P2000N R18R/0450U R06/P2000N BCFG NSC 07/07 Q1028 NOSIG

TAF

TAF AMD EHAM 090147Z 0901/1006 03003KT 6000 MIFG NSC PROB40 0902/0906 1800 BCFG PROB30 TEMPO 0902/0906 0800 FG BECMO 0906/0908 1800 BCFG PROB30 TEMPO 0908/0910 0800 FG BECMO 0910/1006 03003KT 6000 MIFG NSC

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

EETN

Region: ESTONIA
Timezone: EUROPE/TALLINN
Runways: 1

Elevation: 128 ft / 39 m
Location: 59.413300 24.836500
Magnetic Var: 9.618 E

METAR

EETN 090420Z VRB02KT CAVOK 03/M04 Q1025 NOSIG

TAF

TAF TAF EETN 082330Z 0900/0924 23005KT 9999 SCT045 TEMPO 0910/0915 30009KT BECMG 0916/0918 SCT010 BKN015 TEMPO 0920/0924 23005KT 9999 SCT045

Frequencies

REC - 124.87 MHz - ATIS
TWR - 135.90 MHz - TALLIN TOWER
APP - 125.40 MHz - TALLINN RADAR
REC - 464.50 MHz - ATIS
APP - 127.90 MHz - TALLINN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	11,379 ft	90.27	ASPHALT	774 ft	810 ft
	45 m	3,468 m	80.66		236 m	247 m
26	148 ft	11,379 ft	270.33	ASPHALT	0 ft	203 ft
	45 m	3,468 m	260.71		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IIB	108.30 MHz	18 nm	90.30	-	128 ft
				33 km	80.68		128 m
26	LOC-ILS	ILK	109.30 MHz	18 nm	270.30	-	128 ft
				33 km	260.68		128 m
08	GS	IIB	108.30 MHz	10 nm	90.30	3.00	128 ft
				19 km	80.68		128 m
26	GS	ILK	109.30 MHz	10 nm	270.30	3.00	128 ft
				19 km	260.68		128 m