

LOWI
Innsbruck


—

LIPZ
Venezia-Tessera "Marco Polo"

2024/05/22 0358Z

LOWI 4600N01200E LIPZ

113.60 nm / 210.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWI	-	47.26080	0 ft	-	Innsbruck
APT	-	11.34150	0 m		
4600N01200E	-	46.00000	7,100 ft	80	-
LATLON	-	12.00000	2,164 m		
LIPZ	-	45.50480	0 ft	33	Venezia-Tessera "Marco Polo"
APT	-	12.34970	0 m		

LOWI

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 3

Elevation: 1,907 ft / 581 m
Location: 47.260800 11.341500
Magnetic Var: 3.783 E

METAR

LOWI 220320Z AUTO 00000KT 9999 BKN004 11/10 Q1012

TAF

TAF LOWI 212315Z 2200/2224 VRB03KT 9999 FEW007 BKN070 TX19/2212Z TN10/2203Z PROB40 TEMPO 2200/2208 -RA BKN008 BECMO

Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR
REC - 126.02 MHz - INNSBRUCK INFORMATION

TWR - 120.10 MHz - INNSBRUCK TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,548 ft	80.95	ASPHALT	335 ft	0 ft
	45 m	1,996 m	77.16		102 m	0 m
26	148 ft	6,548 ft	260.96	ASPHALT	0 ft	0 ft
	45 m	1,996 m	257.18		0 m	0 m
08C	125 ft	3,671 ft	81.00	GRASS	0 ft	0 ft
	38 m	1,119 m	77.22		0 m	0 m
26C	125 ft	3,671 ft	261.01	GRASS	0 ft	0 ft
	38 m	1,119 m	257.23		0 m	0 m
08L	164 ft	1,149 ft	81.11	GRASS	0 ft	0 ft
	50 m	350 m	77.33		0 m	0 m
26R	164 ft	1,149 ft	261.11	GRASS	0 ft	0 ft
	50 m	350 m	257.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm	-	-	1,906 ft
				56 km	-		1,906 m
26	DME	OEV	111.10 MHz	27 nm	-	-	1,911 ft
				50 km	-		1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm	260.96	-	1,907 ft
				33 km	257.18		1,907 m
26	GS	OEV	111.10 MHz	10 nm	260.96	3.77	1,907 ft
				19 km	257.18		1,907 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.909 E

METAR

LIPZ 220320Z 23010KT CAVOK 15/12 Q1008 NOSIG

TAF

TAF LIPZ 212300Z 2200/2306 24012KT 9999 SCT018 BECMG 2203/2205 VRB05KT TEMPO 2210/2218 4000 TSRA BECMG 2222/2224 .

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m