

TNCM

Princess Juliana Intl


KJFK

John F. Kennedy Intl

2024/05/05 0424Z

TNCM 1900N06400W 2100N06500W 2200N06500W 2400N06600W 2600N06700W 2700N06700W 2900N06800W
3100N06900W 3200N06900W 3400N07000W 3500N07100W 3700N07200W 3900N07300W KJFK

1487.47 nm / 2754.80 km



Notes

Basic altitude profile:

- Ascent Rate: 250ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 350ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no

- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TNCM	-	18.04090	0 ft	-	Princess Juliana Intl
APT	-	-63.10890	0 m	-	
1900N06400W	-	19.00000	300 ft	76	-
LATLON	-	-64.00000	91 m	-	-
2100N06500W	-	21.00000	300 ft	132	-
LATLON	-	-65.00000	91 m	-	-
2200N06500W	-	22.00000	300 ft	60	-
LATLON	-	-65.00000	91 m	-	-
2400N06600W	-	24.00000	300 ft	132	-
LATLON	-	-66.00000	91 m	-	-
2600N06700W	-	26.00000	300 ft	131	-
LATLON	-	-67.00000	91 m	-	-
2700N06700W	-	27.00000	300 ft	60	-
LATLON	-	-67.00000	91 m	-	-
2900N06800W	-	29.00000	300 ft	131	-
LATLON	-	-68.00000	91 m	-	-
3100N06900W	-	31.00000	300 ft	130	-
LATLON	-	-69.00000	91 m	-	-
3200N06900W	-	32.00000	300 ft	60	-
LATLON	-	-69.00000	91 m	-	-
3400N07000W	-	34.00000	300 ft	130	-
LATLON	-	-70.00000	91 m	-	-
3500N07100W	-	35.00000	300 ft	77	-
LATLON	-	-71.00000	91 m	-	-
3700N07200W	-	37.00000	300 ft	129	-
LATLON	-	-72.00000	91 m	-	-
3900N07300W	-	39.00000	300 ft	129	-
LATLON	-	-73.00000	91 m	-	-
KJFK	-	40.64010	0 ft	104	John F. Kennedy Intl
APT	-	-73.77650	0 m	-	

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.820 W

METAR

KJFK 050351Z 11010KT 10SM BKN017 OVC060 10/07 A3034 RMK A02 SLP272 T01000072

TAF

TAF AMD KJFK 050237Z 0503/0606 12010KT P6SM OVC020 FM050500 10010KT P6SM OVC015 TEMPO 0505/0508 5SM -SHRA BR OVC008

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
31R	DME	IRTH	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm	30.68	-	12 ft
				33 km	43.50		12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm	30.67	-	12 ft
				33 km	43.49		12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm	120.87	-	12 ft
				33 km	133.69		12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm	210.67	-	12 ft
				33 km	223.49		12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm	210.68	-	12 ft
				33 km	223.50		12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm	300.84	-	12 ft
				33 km	313.66		12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm	300.87	-	12 ft
				33 km	313.69		12 m
04L	GS	IHIQ	110.90 MHz	10 nm	30.68	3.00	12 ft
				19 km	43.50		12 m
04R	GS	IJFK	109.50 MHz	10 nm	30.67	3.00	12 ft
				19 km	43.49		12 m
13L	GS	ITLK	111.50 MHz	10 nm	120.87	3.00	12 ft
				19 km	133.69		12 m
22L	GS	IIWY	110.90 MHz	10 nm	210.67	3.00	12 ft
				19 km	223.49		12 m
22R	GS	IJOC	109.50 MHz	10 nm	210.68	3.00	12 ft
				19 km	223.50		12 m
31L	GS	IMOH	111.35 MHz	10 nm	300.84	3.00	12 ft
				19 km	313.66		12 m
31R	GS	IRTH	111.50 MHz	10 nm	300.87	3.00	12 ft
				19 km	313.69		12 m