


2024/05/17 2247Z

BIKF NASBU **G3** LARUX MATIK **UL612** ORSUM EGPF

791.75 nm / 1466.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98160	0 ft	-	Keflavik
APT	-	-22.61460	0 m		
NASBU	-	63.94670	21,300 ft	59	-
FIX	-	-20.34820	6,492 m		
MIKLA	G3	63.84830	35,000 ft	73	-
FIX	AWY-HI	-17.57420	10,668 m		
ING	G3	63.80310	35,000 ft	24	INGO
VOR	AWY-HI	-16.63810	10,668 m		
ROSTI	G3	63.40640	35,000 ft	71	-
FIX	AWY-HI	-14.11220	10,668 m		
LARUX	G3	62.62170	35,000 ft	121	-
FIX	AWY-HI	-10.00000	10,668 m		
MATIK	-	61.00000	35,000 ft	111	-
FIX	-	-8.06667	10,668 m		
BESGA	UL612	60.78970	35,000 ft	13	-
FIX	AWY-HI	-7.91278	10,668 m		
MODGO	UL612	60.44530	35,000 ft	21	-
FIX	AWY-HI	-7.66528	10,668 m		
STN	UL612	58.20690	32,400 ft	141	STORNOWAY
VOR	AWY-HI	-6.18305	9,876 m		
ORSUM	UL612	57.05190	16,300 ft	75	-
FIX	AWY-HI	-5.29472	4,968 m		
EGPF	-	55.87170	0 ft	76	Glasgow
APT	-	-4.43370	0 m		

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.364 W

METAR

BIKF 172230Z 29012KT 9999 BKN032 05/00 Q1014

TAF

TAF BIKF 171932Z 1721/1821 29010KT 9999 SCT020 BKN030 TX09/1817Z TN03/1806Z TEMPO 1800/1809 -DZ BKN009 OVC016 BECMO 0300

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.38		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.38		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.32		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.37		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.37		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.34		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.37		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.34		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.37		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.34		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.37		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.34		169 m

EGPF

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 26 ft / 8 m
Location: 55.871700 -4.433700
Magnetic Var: 1.630 W

METAR

EGPF 172220Z AUTO 05008KT 9999 SCT013 14/12 Q1015

TAF

TAF EGPF 171655Z 1718/1818 09007KT 9999 FEW020 TEMPO 1722/1809 3000 BR BKN004 PROB30 TEMPO 1800/1808 0300 FG BKN004

Frequencies

APP - 119.10 MHz - GLASGOW APPROACH
GND - 121.70 MHz - GLASGOW GROUND

TWR - 118.80 MHz - GLASGOW TOWER
REC - 129.57 MHz - GLASGOW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,699 ft	46.34	ASPHALT	0 ft	489 ft
	45 m	2,651 m	47.97		0 m	149 m
23	148 ft	8,699 ft	226.36	ASPHALT	974 ft	0 ft
	45 m	2,651 m	227.99		297 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IUU	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
23	DME	IOO	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
05	LOC-ILS	IUU	110.10 MHz	18 nm	46.35	-	26 ft
				33 km	47.98		26 m
23	LOC-ILS	IOO	110.10 MHz	18 nm	226.35	-	26 ft
				33 km	227.98		26 m
05	GS	IUU	110.10 MHz	10 nm	46.35	3.00	26 ft
				19 km	47.98		26 m
23	GS	IOO	110.10 MHz	10 nm	226.35	3.00	26 ft
				19 km	227.98		26 m