

RJAA
Narita


—

KJFK
John F. Kennedy Intl

2024/05/12 0811Z

RJAA VGA 46N096E 46N096E UENCH 46N091E 46N090E 46N089E 46N088E 46N087E 46N086E 46N085E TCH SARIN
GILAK BURID GOMAL MADEV ESADO 47N076E 47N075E 47N075E NEPLA TOGDI AGAKO AMASO 48N068E 48N068E
48N067E ARMIK SUBOL ULRIP MASAV BODSI DOGEL GIGRI 44N052E 44N051E 44N051E 43N050E BISNA 42N049E
OKTAT LEYLA ADEKI DEDON TAGAR BANUT LAMET RUTEP OGAPA NALOB NUGRI OLENA 45N036E 45N036E 46N035E
47N034E 48N033E ETOKA KJFK

9292.44 nm / 17209.60 km



Notes

Requested: RJAA MADAL PIGIL IGOMA VGA 46N096E ZMAT 46N096E SOTGI UENCH HOBUL 46N091E 46N090E 46N089E 46N088E 46N087E 46N086E 46N085E TCH SARIN
Unmatched points: MADAL PIGIL IGOMA SOTGI HOBUL OSUPO RUDIZ KOMRE DIFOX

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJAA	-	35.77720	0 ft	-	Narita
APT	-	140.38200	0 m		
VGA	-	46.37840	0 ft	2068	TAISHIR
VOR	-	96.21570	0 m		
46N096E	-	46.00000	0 ft	24	-
LATLON	-	96.00000	0 m		
46N096E	-	46.00000	0 ft	0	-
LATLON	-	96.00000	0 m		
UENCH	-	46.10330	0 ft	165	-
FIX	-	92.03170	0 m		
46N091E	-	46.00000	0 ft	43	-
LATLON	-	91.00000	0 m		
46N090E	-	46.00000	0 ft	41	-
LATLON	-	90.00000	0 m		
46N089E	-	46.00000	0 ft	41	-
LATLON	-	89.00000	0 m		
46N088E	-	46.00000	0 ft	41	-
LATLON	-	88.00000	0 m		
46N087E	-	46.00000	0 ft	41	-
LATLON	-	87.00000	0 m		
46N086E	-	46.00000	0 ft	41	-
LATLON	-	86.00000	0 m		
46N085E	-	46.00000	0 ft	41	-
LATLON	-	85.00000	0 m		
TCH	-	46.66830	0 ft	79	TACHENG
VOR	-	83.34500	0 m		
SARIN	-	46.86560	0 ft	22	-
FIX	-	82.88810	0 m		
GILAK	-	46.96060	0 ft	39	-
FIX	-	81.92670	0 m		
BURID	-	47.04280	0 ft	37	-
FIX	-	81.01420	0 m		
GOMAL	-	47.13580	0 ft	47	-
FIX	-	79.86390	0 m		
MADEV	-	47.31580	0 ft	114	-
FIX	-	77.05780	0 m		
ESADO	-	47.10190	0 ft	44	-
FIX	-	76.01030	0 m		
47N076E	-	47.00000	0 ft	6	-
LATLON	-	76.00000	0 m		
47N075E	-	47.00000	0 ft	40	-
LATLON	-	75.00000	0 m		
47N075E	-	47.00000	0 ft	0	-
LATLON	-	75.00000	0 m		
NEPLA	-	47.15560	0 ft	41	-
FIX	-	74.00860	0 m		
TOGDI	-	47.36190	0 ft	33	-
FIX	-	73.24920	0 m		
AGAKO	-	47.73110	0 ft	61	-
FIX	-	71.82640	0 m		
AMASO	-	47.82060	0 ft	121	-
FIX	-	68.81580	0 m		
48N068E	-	48.00000	0 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	68.00000	0 m		
48N068E	-	48.00000	0 ft	0	-
LATLON	-	68.00000	0 m		
48N067E	-	48.00000	0 ft	40	-
LATLON	-	67.00000	0 m		
ARMIK	-	47.75330	0 ft	19	-
FIX	-	66.69360	0 m		
SUBOL	-	47.78780	0 ft	72	-
FIX	-	64.90920	0 m		
ULRIP	-	47.79530	0 ft	45	-
FIX	-	63.77640	0 m		
MASAV	-	45.08530	0 ft	390	-
FIX	-	55.18140	0 m		
BODSI	-	44.84280	0 ft	39	-
FIX	-	54.32060	0 m		
DOGEL	-	44.40830	0 ft	68	-
FIX	-	52.84970	0 m		
GIGRI	-	44.21330	0 ft	29	-
FIX	-	52.21560	0 m		
44N052E	-	44.00000	0 ft	15	-
LATLON	-	52.00000	0 m		
44N051E	-	44.00000	0 ft	43	-
LATLON	-	51.00000	0 m		
44N051E	-	44.00000	0 ft	0	-
LATLON	-	51.00000	0 m		
43N050E	-	43.00000	0 ft	74	-
LATLON	-	50.00000	0 m		
BISNA	-	42.23330	0 ft	55	-
FIX	-	49.28330	0 m		
42N049E	-	42.00000	0 ft	18	-
LATLON	-	49.00000	0 m		
OKTAT	-	41.42330	0 ft	40	-
FIX	-	48.55330	0 m		
LEYLA	-	41.10920	0 ft	32	-
FIX	-	47.98030	0 m		
ADEKI	-	41.29670	0 ft	56	-
FIX	-	46.75000	0 m		
DEDON	-	41.71530	0 ft	72	-
FIX	-	45.24670	0 m		
TAGAR	-	42.27830	0 ft	102	-
FIX	-	43.06940	0 m		
BANUT	-	42.99000	0 ft	142	-
FIX	-	39.98330	0 m		
LAMET	-	43.34970	0 ft	44	-
FIX	-	39.08860	0 m		
RUTEP	-	43.58810	0 ft	28	-
FIX	-	38.51000	0 m		
OGAPA	-	43.77810	0 ft	23	-
FIX	-	38.03670	0 m		
NALOB	-	43.94720	0 ft	21	-
FIX	-	37.61060	0 m		
NUGRI	-	44.12140	0 ft	21	-
FIX	-	37.16500	0 m		
OLENA	-	44.35000	0 ft	26	-
FIX	-	36.63330	0 m		
45N036E	-	45.00000	0 ft	47	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	36.00000	0 m		
45N036E	-	45.00000	0 ft	0	-
LATLON	-	36.00000	0 m		
46N035E	-	46.00000	0 ft	73	-
LATLON	-	35.00000	0 m		
47N034E	-	47.00000	0 ft	72	-
LATLON	-	34.00000	0 m		
48N033E	-	48.00000	0 ft	72	-
LATLON	-	33.00000	0 m		
ETOKA	-	48.24140	0 ft	29	-
FIX	-	32.35780	0 m		
KJFK	-	40.64010	0 ft	4191	John F. Kennedy Intl
APT	-	-73.77650	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.778 W

METAR

RJAA 120800Z 19009KT 160V220 9999 FEW020 SCT060 BKN170 22/17 Q1015 NOSIG

TAF

TAF RJAA 120505Z 1206/1312 20010KT 9999 FEW020 BKN030 BECMG 1216/1218 20018G28KT 4000 -SHRA BR FEW005 BKN008 TEMPO

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 120751Z 13008KT 10SM FEW019 SCT055 BKN090 BKN250 10/06 A2986 RMK A02 SLP110 T01000056

TAF

TAF AMD KJFK 120629Z 1206/1312 17007KT P6SM BKN025 BKN060 OVC100 TEMPO 1207/1211 -SHRA FM121100 15008KT 6SM -SHRA

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.50		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m