


2024/05/12 2143Z

LSZH ALBIX LIMC

110.33 nm / 204.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 310kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSZH	-	47.46349	0 ft	-	Zurich
APT	-	8.54996	0 m		
ALBIX	-	47.24972	4,500 ft	12	-
FIX	-	8.56444	1,372 m		
LIMC	-	45.63061	0 ft	97	Milano Malpensa
APT	-	8.72811	0 m		

## LSZH

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 3

Elevation: 1,416 ft / 432 m  
Location: 47.463500 8.549950  
Magnetic Var: 3.126 E

## METAR

LSZH 122120Z 27005KT 9999 FEW070 17/11 Q1016 TEMPO SHRA

## TAF

TAF LSZH 122025Z 1221/1403 VRB02KT 9999 SCT060 TX23/1314Z TN13/1304Z BECMG 1301/1304 CAVOK BECMG 1309/1312 9999 F

## Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.91		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.17		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.19		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.87		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm 33 km	335.06 331.93	-	1,417 ft 1,417 m
14	GS	IKL	111.75 MHz	10 nm 19 km	137.31 134.18	3.00	1,417 ft 1,417 m
16	GS	IZH	110.50 MHz	10 nm 19 km	155.05 151.92	3.00	1,417 ft 1,417 m
28	GS	IZW	109.75 MHz	10 nm 19 km	276.01 272.88	3.30	1,417 ft 1,417 m
34	GS	IZS	110.75 MHz	10 nm 19 km	335.06 331.93	3.30	1,417 ft 1,417 m

## LIMC

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 767 ft / 234 m  
Location: 45.630600 8.728120  
Magnetic Var: 3.123 E

## METAR

LIMC 122120Z 20008KT 9999 VCTS FEW040CB BKN060 19/09 Q1016 NOSIG

## TAF

TAF LIMC 121700Z 1218/1324 VRB05KT 9999 SCT040 TEMPO 1301/1312 4000 TSRA

## Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.94		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.95		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.94		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.95		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.94		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.95		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.94		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.12		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.12		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.12		740 m