


2024/05/16 1753Z

PAKN EXIPE **V321** DAJOB KIYGE SUBWA PADL

72.47 nm / 134.21 km



## Notes

Requested: PAKN EXIPE V321 DAJOB KIYGE FISAX SUBWA PADL

Unmatched points: FISAX

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAKN	-	58.67690	0 ft	-	King Salmon
APT	-	-156.65000	0 m	-	
EXIPE	-	58.72680	0 ft	13	-
FIX	-	-157.07200	0 m	-	
DAJOB	V321	58.72850	0 ft	18	-
FIX	AWY-LO	-157.67700	0 m	-	
KIYGE	-	58.79020	0 ft	22	-
FIX	-	-158.39700	0 m	-	
SUBWA	-	58.96290	0 ft	11	-
FIX	-	-158.58400	0 m	-	
PADL	-	59.04470	0 ft	5	Dillingham
APT	-	-158.50500	0 m	-	

## PAKN

Region: USA (ALASKA)  
Timezone: AMERICA/ANCHORAGE  
Runways: 2

Elevation: 73 ft / 22 m  
Location: 58.676900 -156.650000  
Magnetic Var: 11.601 E

## METAR

PAKN 161654Z 13004KT 5SM -RA BR BKN016 OVC022 04/03 A2989

## TAF

TAF PAKN 161121Z 1612/1712 16015KT P6SM VCSH OVC035 FM170000 25008KT 4SM -RA BR OVC007 FM170600 25007KT P6SM VCSH

## Frequencies

REC - 128.80 MHz - KING SALMON ATIS  
GND - 121.90 MHz - KING SALMON GND

COM - 121.90 MHz - KING SALMON CTAF  
TWR - 118.30 MHz - KING SALMON TWR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	8,906 ft	131.92	ASPHALT	0 ft	194 ft
	46 m	2,715 m	120.32		0 m	59 m
30	150 ft	8,906 ft	311.95	ASPHALT	39 ft	564 ft
	46 m	2,715 m	300.35		12 m	172 m
18	100 ft	4,021 ft	196.26	ASPHALT	16 ft	0 ft
	30 m	1,226 m	184.66		5 m	0 m
36	100 ft	4,021 ft	16.25	ASPHALT	0 ft	0 ft
	30 m	1,226 m	4.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAKN	110.30 MHz	18 nm	131.94	-	73 ft
				33 km	120.34		73 m
30	LOC-LOC	IAKN	110.30 MHz	18 nm	311.95	-	73 ft
				33 km	300.35		73 m
12	GS	IAKN	110.30 MHz	10 nm	131.94	3.00	73 ft
				19 km	120.34		73 m
30	GS	IAKN	110.30 MHz	10 nm	311.95	3.00	73 ft
				19 km	300.35		73 m

## PADL

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 1

Elevation: 82 ft / 25 m

Location: 59.044700 -158.505000

Magnetic Var: 10.900 E

## METAR

PADL 161727Z 19004KT 7SM -DZ OVC006 04/04 A2991 RMK A02 RAE22DZB22 P0000

## TAF

PADL 161121Z 1612/1712 17005KT P6SM -RA FEW006 OVC015 FM170900 VRB03KT P6SM SKC

## Frequencies

REC - 125.00 MHz - AFIS

COM - 123.60 MHz - DILLINGHAM UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	6,389 ft	26.45	ASPHALT	0 ft	276 ft
	46 m	1,947 m	15.55		0 m	84 m
19	150 ft	6,389 ft	206.46	ASPHALT	0 ft	200 ft
	46 m	1,947 m	195.56		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IDLG	111.90 MHz	18 nm	-	-	72 ft
				33 km	-		72 m
19	LOC-LOC	IDLG	111.90 MHz	18 nm	206.46	-	82 ft
				33 km	195.56		82 m