

LICC

Catania-Fontanarossa "Vincenzo Bellini"


LIPY

Ancona-Falconara "Raffaello Sanzio"

2024/05/10 0411Z

LICC BUDIN T111 DIRED T92 SOR M736 KASTU Q48 ATPIT LIPY

382.79 nm / 708.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LICC	-	37.46680	0 ft	-	Catania-Fontanarossa	"Vincenzo Bellini"
APT	-	15.06640	0 m			
BUDIN	-	38.47640	21,600 ft	60	-	
FIX	-	15.08000	6,584 m			
DIRED	T111	39.56420	35,000 ft	70	-	
FIX	AWY-HI	14.51580	10,668 m			
NAXES	T92	39.88780	35,000 ft	19	-	
FIX	AWY-HI	14.45890	10,668 m			
SOR	T92	40.58240	35,000 ft	42	SORRENTO	
VOR	AWY-LO	14.33500	10,668 m			
TEA	M736	41.29680	30,800 ft	45	TEANO	
VOR	AWY-HI	13.97070	9,388 m			
ERIKA	M736	41.62280	26,600 ft	19	-	
FIX	AWY-HI	14.03110	8,108 m			
KASTU	M736	41.81440	24,100 ft	11	-	
FIX	AWY-HI	14.06690	7,346 m			
ATPIT	Q48	42.24690	18,200 ft	27	-	
FIX	AWY-HI	13.87190	5,547 m			
LIPY	-	43.61640	0 ft	85	Ancona-Falconara	"Raffaello Sanzio"
APT	-	13.36230	0 m			

LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.831 E

METAR

LICC 100350Z 31004KT 9999 FEW020 16/14 Q1012

TAF

TAF LICC 092300Z 1000/1024 VRB05KT 9999 FEW030 BECMG 1010/1012 08012KT TEMPO 1012/1018 TSRA BECMG 1016/1018 VRB05

Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.12		87 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m

LIPY

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 48 ft / 15 m
Location: 43.616400 13.362300
Magnetic Var: 3.987 E

METAR

LIPY 100350Z AUTO 19003KT 9999 NCD 12/10 Q1018

TAF

TAF LIPY 092300Z 1000/1024 23007KT 9999 FEW060 BECMG 1005/1007 34010KT BECMG 1019/1021 23005KT

Frequencies

TWR - 125.32 MHz - ANCONA APPROACH
TWR - 119.80 MHz - FALCONARA TOWER

TWR - 122.85 MHz - ATIS
TWR - 122.10 MHz - FALCONARA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,736 ft	44.78	ASPHALT	650 ft	0 ft
	45 m	2,968 m	40.80		198 m	0 m
22	148 ft	9,736 ft	224.80	ASPHALT	505 ft	0 ft
	45 m	2,968 m	220.81		154 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IFA	111.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
22	LOC-ILS	IFA	111.90 MHz	18 nm	224.80	-	48 ft
				33 km	220.81		48 m
22	GS	IFA	111.90 MHz	10 nm	224.80	3.50	48 ft
				19 km	220.81		48 m