


2024/05/23 1624Z

LFQQ BAVOL **A6** ROMAM **UT43** BEPER LFTH

474.80 nm / 879.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ APT	-	50.56630 3.09539	0 ft 0 m	-	Lille Lesquin
BAVOL FIX	-	49.10560 3.66167	32,200 ft 9,815 m	90	-
BAXIR FIX	A6 AWY-LO	48.79060 3.87000	35,000 ft 10,668 m	20	-
ALIMO FIX	A6 AWY-LO	48.71580 3.93222	35,000 ft 10,668 m	5	-
ARSIL FIX	A6 AWY-LO	48.56000 4.06167	35,000 ft 10,668 m	10	-
SOMDA FIX	A6 AWY-LO	48.33780 4.24444	35,000 ft 10,668 m	15	-
ERTIP FIX	A6 AWY-LO	48.13440 4.40667	35,000 ft 10,668 m	13	-
BALMU FIX	A6 AWY-LO	47.84670 4.63972	35,000 ft 10,668 m	19	-
DJL VOR	A6 AWY-LO	47.27080 5.09733	35,000 ft 10,668 m	39	DIJON LONGVIC
ALURA FIX	A6 AWY-LO	46.50000 4.95269	35,000 ft 10,668 m	46	-
TMA60 FIX	A6 AWY-LO	46.41580 4.96778	35,000 ft 10,668 m	5	-
BOBSI FIX	A6 AWY-LO	46.32410 4.98519	35,000 ft 10,668 m	5	-
DANBO FIX	A6 AWY-LO	45.92170 5.05861	35,000 ft 10,668 m	24	-
LSE VOR	A6 AWY-LO	45.74550 5.09058	35,000 ft 10,668 m	10	LYON SAINT EXUPERY
LUXAN FIX	A6 AWY-LO	45.37470 5.13278	31,100 ft 9,479 m	22	-
ROMAM FIX	A6 AWY-LO	45.10260 5.16345	27,600 ft 8,412 m	16	-
BEPER FIX	UT43 AWY-HI	44.63810 5.21500	21,600 ft 6,584 m	27	-
LFTH APT	-	43.09810 6.14976	0 ft 0 m	100	Le Palyvestre Navy

## LFQQ

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 154 ft / 47 m  
Location: 50.566300 3.095390  
Magnetic Var: 1.592 E

## METAR

LFQQ 231600Z AUTO 22004KT 9999 FEW046/// SCT056/// BKN092/// ///CB 19/11 Q1015 TEMPO 4000 TSRA

## TAF

TAF LFQQ 231100Z 2312/2418 21010KT 9999 BKN020 PROB40 TEMPO 2312/2313 4000 SHRA BKN020 SCT030CB PROB40 TEMPO 2313

## Frequencies

REC - 119.32 MHz - LILLE ATIS  
TWR - 118.55 MHz - LILLE TWR  
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND  
APP - 126.47 MHz - LILLE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.76		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.79		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.24		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.24		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.54		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.54		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.41		129 m