

KBWI

Baltimore/Washington International Thurgood Marshall Airport


2024/05/18 0435Z

KBWI LDN J134 CAROL KSTL

644.81 nm / 1194.18 km

KSTL

St. Louis Lambert Intl



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KBWI	-	39.17680	0 ft	-	Baltimore/Washington International	Thurgood Marshall Airport
APT	-	-76.66720	0 m			
LDN	-	38.85440	26,500 ft	74	LINDEN	
VOR	-	-78.20560	8,077 m			
COLNS	J134	38.84040	35,000 ft	46	-	
FIX	AWY-HI	-79.19680	10,668 m			
STEVY	J134	38.81980	35,000 ft	43	-	
FIX	AWY-HI	-80.11930	10,668 m			
LAYED	J134	38.76370	35,000 ft	78	-	
FIX	AWY-HI	-81.79760	10,668 m			
HNN	J134	38.75410	35,000 ft	10	HENDERSON	
VOR	AWY-HI	-82.02620	10,668 m			
FLM	J134	38.64940	35,000 ft	107	FALMOUTH	
VOR	AWY-HI	-84.31060	10,668 m			
GBEES	J134	38.69850	35,000 ft	40	-	
FIX	AWY-HI	-85.17030	10,668 m			
MOSEY	J134	38.70930	35,000 ft	9	-	
FIX	AWY-HI	-85.37570	10,668 m			
JUDDI	J134	38.75940	35,000 ft	49	-	
FIX	AWY-HI	-86.44020	10,668 m			
CAROL	J134	38.83920	14,000 ft	118	-	
FIX	AWY-HI	-88.97120	4,267 m			
KSTL	-	38.74900	0 ft	65	St. Louis Lambert Intl	
APT	-	-90.37040	0 m			

KBWI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 145 ft / 44 m
Location: 39.176800 -76.667200
Magnetic Var: 11.134 W

METAR

KBWI 180354Z 19005KT 10SM FEW031 OVC044 17/14 A2996 RMK A02 SLP145 T01670144

TAF

KBWI 180258Z 1803/1906 VRB03KT P6SM OVC030 FM180600 12005KT P6SM -SHRA OVC025 FM180900 11004KT 6SM -SHRA BR OVC015

Frequencies

REC - 115.10 MHz - BALTIMORE ATIS	COM - 122.95 MHz - BALTIMORE UNICOM
CLD - 118.05 MHz - BALTIMORE CLEARANCE	GND - 121.90 MHz - BALTIMORE GROUND
TWR - 119.40 MHz - BALTIMORE TOWER	APP - 119.00 MHz - POTOMAC APPROACH
DEP - 124.55 MHz - POTOMAC DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	10,512 ft	94.21	ASPHALT	548 ft	381 ft
	46 m	3,204 m	105.34		167 m	116 m
28	150 ft	10,512 ft	274.23	ASPHALT	699 ft	384 ft
	46 m	3,204 m	285.37		213 m	117 m
15R	150 ft	9,509 ft	144.32	ASPHALT	299 ft	397 ft
	46 m	2,899 m	155.46		91 m	121 m
33L	150 ft	9,509 ft	324.33	ASPHALT	499 ft	197 ft
	46 m	2,899 m	335.47		152 m	60 m
15L	100 ft	5,005 ft	144.33	ASPHALT	0 ft	0 ft
	30 m	1,525 m	155.46		0 m	0 m
33R	100 ft	5,005 ft	324.34	ASPHALT	0 ft	0 ft
	30 m	1,525 m	335.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	IBAL	109.70 MHz	18 nm	94.22	-	145 ft
				33 km	105.35		145 m
15L	LOC-ILS	IUQC	111.95 MHz	18 nm	144.34	-	145 ft
				33 km	155.47		145 m
15R	LOC-ILS	IFND	111.70 MHz	18 nm	144.33	-	145 ft
				33 km	155.46		145 m
28	LOC-ILS	IOEH	109.70 MHz	18 nm	274.22	-	145 ft
				33 km	285.35		145 m
33L	LOC-ILS	IRUX	111.70 MHz	18 nm	324.34	-	145 ft
				33 km	335.47		145 m
33R	LOC-ILS	IBWI	111.95 MHz	18 nm	324.33	-	145 ft
				33 km	335.46		145 m
10	GS	IBAL	109.70 MHz	10 nm	94.22	3.00	145 ft
				19 km	105.35		145 m
15L	GS	IUQC	111.95 MHz	10 nm	144.34	3.00	145 ft
				19 km	155.47		145 m
15R	GS	IFND	111.70 MHz	10 nm	144.33	3.00	145 ft
				19 km	155.46		145 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	GS	IOEH	109.70 MHz	10 nm	274.22	3.00	145 ft
				19 km	285.35		145 m
33L	GS	IRUX	111.70 MHz	10 nm	324.34	3.00	145 ft
				19 km	335.47		145 m
33R	GS	IBWI	111.95 MHz	10 nm	324.33	3.00	145 ft
				19 km	335.46		145 m

KSTL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 604 ft / 184 m
Location: 38.749000 -90.370400
Magnetic Var: 1.965 W

METAR

KSTL 180351Z 20003KT 10SM FEW250 21/17 A2980 RMK AO2 SLP082 T02110167 \$

TAF

TAF AMD KSTL 180251Z 1803/1906 18004KT P6SM SCT250 FM181500 25005KT P6SM FEW035

Frequencies

REC - 125.05 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.50 MHz - CLEARANCE DELIVERY	GND - 127.55 MHz - ST. LOUIS GROUND
GND - 121.07 MHz - ST. LOUIS GROUND	GND - 121.65 MHz - ST. LOUIS GROUND
GND - 121.90 MHz - ST. LOUIS GROUND	GND - 118.92 MHz - ST. LOUIS GROUND
TWR - 132.47 MHz - ST. LOUIS TOWER	TWR - 120.05 MHz - ST. LOUIS TOWER
TWR - 118.50 MHz - ST. LOUIS TOWER	APP - 132.12 MHz - ST. LOUIS APPROACH
APP - 121.05 MHz - ST. LOUIS APPROACH	APP - 123.70 MHz - ST. LOUIS APPROACH
DEP - 119.15 MHz - ST. LOUIS DEPARTURE	DEP - 128.10 MHz - ST. LOUIS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	9,012 ft	122.28	CONCRETE	0 ft	390 ft
	46 m	2,747 m	124.24		0 m	119 m
29	151 ft	9,012 ft	302.30	CONCRETE	0 ft	390 ft
	46 m	2,747 m	304.26		0 m	119 m
06	151 ft	7,615 ft	62.73	CONCRETE	0 ft	89 ft
	46 m	2,321 m	64.69		0 m	27 m
24	151 ft	7,615 ft	242.74	CONCRETE	0 ft	89 ft
	46 m	2,321 m	244.71		0 m	27 m
12R	200 ft	11,031 ft	122.29	CONCRETE	479 ft	164 ft
	61 m	3,362 m	124.26		146 m	50 m
30L	200 ft	11,031 ft	302.31	CONCRETE	213 ft	187 ft
	61 m	3,362 m	304.28		65 m	57 m
12L	151 ft	9,012 ft	122.32	CONCRETE	0 ft	121 ft
	46 m	2,747 m	124.28		0 m	37 m
30R	151 ft	9,012 ft	302.33	CONCRETE	0 ft	200 ft
	46 m	2,747 m	304.30		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IJAK	110.30 MHz	18 nm	-	-	556 ft
				33 km	-		556 m
11	DME	IOGZ	111.95 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
12L	DME	ILDZ	108.90 MHz	18 nm	-	-	616 ft
				33 km	-		616 m
24	DME	ISTL	110.30 MHz	18 nm	-	-	540 ft
				33 km	-		540 m
29	DME	IRQN	111.95 MHz	18 nm	-	-	608 ft
				33 km	-		608 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	DME	ISJW	111.30 MHz	18 nm 33 km	- -	-	546 ft 546 m
06	LOC-ILS	IJAK	110.30 MHz	18 nm 33 km	62.72 64.68	-	541 ft 541 m
11	LOC-ILS	I0GZ	111.95 MHz	18 nm 33 km	122.29 124.26	-	545 ft 545 m
12L	LOC-ILS	ILDZ	108.90 MHz	18 nm 33 km	122.31 124.27	-	598 ft 598 m
12R	LOC-ILS	ILMR	109.70 MHz	18 nm 33 km	122.30 124.27	-	588 ft 588 m
24	LOC-ILS	ISTL	110.30 MHz	18 nm 33 km	242.73 244.69	-	545 ft 545 m
29	LOC-ILS	IRQN	111.95 MHz	18 nm 33 km	302.27 304.23	-	613 ft 613 m
30L	LOC-ILS	IBKY	111.50 MHz	18 nm 33 km	302.29 304.26	-	549 ft 549 m
30R	LOC-ILS	ISJW	111.30 MHz	18 nm 33 km	302.30 304.26	-	530 ft 530 m
06	GS	IJAK	110.30 MHz	10 nm 19 km	63.45 65.42	3.00	539 ft 539 m
11	GS	I0GZ	111.95 MHz	10 nm 19 km	122.56 124.53	3.00	598 ft 598 m
12L	GS	ILDZ	108.90 MHz	10 nm 19 km	122.62 124.58	3.00	598 ft 598 m
12R	GS	ILMR	109.70 MHz	10 nm 19 km	122.61 124.57	3.00	528 ft 528 m
24	GS	ISTL	110.30 MHz	10 nm 19 km	243.45 245.42	3.00	528 ft 528 m
29	GS	IRQN	111.95 MHz	10 nm 19 km	302.56 304.53	3.00	556 ft 556 m
30L	GS	IBKY	111.50 MHz	10 nm 19 km	302.61 304.57	3.00	566 ft 566 m
30R	GS	ISJW	111.30 MHz	10 nm 19 km	302.62 304.58	3.00	592 ft 592 m