


2024/05/15 0606Z

EGNX WOD L612 MID UL151 SITET UN859 LGL A34 BENAR UN859 BALAN UL152 LMG A34 AGN UN860 GRAUS A34
SEROX UN860 TATOS LEAL

894.38 nm / 1656.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 37000ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGNX	-	52.83100	0 ft	-	East Midlands
APT	-	-1.32810	0 m		
WOD	-	51.45280	28,100 ft	84	WOODLEY
NDB	-	-0.87880	8,565 m		
MID	L612	51.05400	36,700 ft	25	MIDHURST
VOR	AWY-LO	-0.62500	11,186 m		
DRAKE	UL151	50.20940	37,000 ft	54	-
FIX	AWY-HI	-0.07611	11,278 m		
SITET	UL151	50.10000	37,000 ft	7	-
FIX	AWY-HI	0.00000	11,278 m		
ETRAT	UN859	49.68330	37,000 ft	25	-
FIX	AWY-HI	0.16333	11,278 m		
DVL	UN859	49.31070	37,000 ft	23	DEAUVILLE NORMANDIE
VOR	AWY-HI	0.31272	11,278 m		
LGL	UN859	48.79060	37,000 ft	32	L'AIGLE
VOR	AWY-HI	0.53028	11,278 m		
BOBSA	A34	48.49580	37,000 ft	18	-
FIX	AWY-LO	0.64833	11,278 m		
BENAR	A34	48.25310	37,000 ft	15	-
FIX	AWY-LO	0.74444	11,278 m		
VANAD	UN859	47.83720	37,000 ft	25	-
FIX	AWY-HI	0.90722	11,278 m		
AMB	UN859	47.42890	37,000 ft	25	AMBOISE
VOR	AWY-HI	1.06444	11,278 m		
BALAN	UN859	46.51610	37,000 ft	54	-
FIX	AWY-HI	1.03333	11,278 m		
LMG	UL152	45.81590	37,000 ft	42	LIMOGES
VOR	AWY-HI	1.02558	11,278 m		
MAVAC	A34	45.51640	37,000 ft	18	-
FIX	AWY-LO	1.00194	11,278 m		
PERIG	A34	45.11720	37,000 ft	24	-
FIX	AWY-LO	0.96944	11,278 m		
BUGUS	A34	45.00000	37,000 ft	7	-
FIX	AWY-LO	0.96056	11,278 m		
RUMEL	A34	44.50000	37,000 ft	30	-
FIX	AWY-LO	0.92050	11,278 m		
LACOU	A34	44.29680	37,000 ft	12	-
FIX	AWY-LO	0.90439	11,278 m		
AGN	A34	43.88800	37,000 ft	24	AGEN
VOR	AWY-LO	0.87286	11,278 m		
ANETO	UN860	42.69300	37,000 ft	73	-
FIX	AWY-HI	0.55844	11,278 m		
TURUV	UN860	42.36750	37,000 ft	19	-
FIX	AWY-HI	0.47497	11,278 m		
GRAUS	UN860	41.97900	37,000 ft	23	-
FIX	AWY-HI	0.37644	11,278 m		
SEROX	A34	41.34670	37,000 ft	38	-
FIX	AWY-LO	0.21869	11,278 m		
CASPE	UN860	41.26840	36,600 ft	4	-
FIX	AWY-HI	0.19939	11,156 m		
MLA	UN860	41.12960	34,900 ft	8	MAELLA
VOR	AWY-HI	0.16525	10,638 m		
CRETA	UN860	40.87230	31,700 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	0.06156	9,662 m		
RIMES	UN860	40.55790	27,700 ft	19	-
FIX	AWY-HI	-0.06394	8,443 m		
SAURA	UN860	40.25600	24,000 ft	18	-
FIX	AWY-HI	-0.18336	7,315 m		
TATOS	UN860	40.00000	20,700 ft	16	-
FIX	AWY-HI	-0.28375	6,309 m		
LEAL	-	38.28220	0 ft	103	Alicante-Elche "El Altet"
APT	-	-0.55811	0 m		

EGNX

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 306 ft / 93 m
Location: 52.831000 -1.328100
Magnetic Var: 0.053 W

METAR

EGNX 150520Z 10008KT 070V130 8000 FEW004 BKN005 13/12 Q1004

TAF

TAF EGNX 150500Z 1506/1606 11008KT 9999 SCT030 TEMPO 1506/1509 8000 BKN008 PROB30 TEMPO 1506/1509 4000 -RADZ BR BK

Frequencies

REC - 122.65 MHz - EAST MIDLANDS INFORMATION DEP - 120.10 MHz - EAST MIDLANDS DIRECTOR
GND - 121.90 MHz - EAST MIDLANDS GROUND TWR - 124.00 MHz - EAST MIDLANDS TOWER
APP - 126.10 MHz - EAST MIDLANDS RADAR APP - 134.10 MHz - EAST MIDLANDS RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,468 ft	88.26	ASPHALT	587 ft	98 ft
	45 m	2,886 m	88.32		179 m	30 m
27	148 ft	9,468 ft	268.30	ASPHALT	423 ft	98 ft
	45 m	2,886 m	268.35		129 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IEMW	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
27	DME	IEME	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
09	LOC-ILS	IEMW	109.35 MHz	18 nm	88.28	-	306 ft
				33 km	88.33		306 m
27	LOC-ILS	IEME	109.35 MHz	18 nm	268.28	-	306 ft
				33 km	268.33		306 m
09	GS	IEMW	109.35 MHz	10 nm	88.28	3.00	306 ft
				19 km	88.33		306 m
27	GS	IEME	109.35 MHz	10 nm	268.28	3.00	306 ft
				19 km	268.33		306 m

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.888 E

METAR

LEAL 150530Z 27011KT CAVOK 18/04 Q1006 NOSIG

TAF

TAF TAF LEAL 150500Z 1506/1606 31018KT CAVOK TX27/1512Z TN14/1605Z TEMPO 1506/1513 27005KT TEMPO 1513/1516 180200

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m