

LFTW

Nîmes Garons


LFLX

Chateauroux-Centre "Marcel Dassault" Airport

2024/06/07 1709Z

LFTW LERGA **UZ161** ADEKA LFLX

223.69 nm / 414.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LFTW	-	43.75740	0 ft	-	Nimes Garons	
APT	-	4.41635	0 m			
LERGA	-	45.25730	27,600 ft	94	-	
FIX	-	3.75017	8,412 m			
ADEKA	UZ161	45.94170	17,400 ft	47	-	
FIX	AWY-HI	3.18000	5,304 m			
LFLX	-	46.86280	0 ft	81	Chateauroux-Centre "Marcel Dassault" Airport	
APT	-	1.73065	0 m			

LFTW

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 309 ft / 94 m
Location: 43.757400 4.416350
Magnetic Var: 2.106 E

METAR

LFTW 071630Z AUTO 16010KT 130V190 CAVOK 25/18 Q1017 TEMPO FEW090CB

TAF

TAF LFTW 071400Z 0715/0815 16010KT CAVOK PROB40 0715/0718 FEW090CB BECMG 0718/0720 VRB03KT PROB30 TEMPO 0800/0805

Frequencies

REC - 129.35 MHz - GARONS ATIS	TWR - 121.80 MHz - GARONS GROUND
TWR - 123.20 MHz - GARONS TOWER	APP - 131.05 MHz - MONTPELLIER APPROACH
APP - 130.85 MHz - MONTPELLIER APPROACH	APP - 127.72 MHz - MONTPELLIER APPROACH
APP - 120.37 MHz - MONTPELLIER APPROACH	APP - 119.47 MHz - RHONE CONTROL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	8,026 ft	177.03	CONCRETE	0 ft	292 ft
	45 m	2,446 m	174.92		0 m	89 m
36	148 ft	8,026 ft	357.03	CONCRETE	0 ft	302 ft
	45 m	2,446 m	354.92		0 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	NG	109.55 MHz	18 nm	-	-	340 ft
				33 km	-		340 m
36	LOC-ILS	NG	109.09 MHz	18 nm	356.75	-	308 ft
				33 km	354.64		308 m
36	GS	NG	109.09 MHz	10 nm	357.19	3.00	308 ft
				19 km	355.09		308 m

LFLX

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 528 ft / 161 m
Location: 46.862800 1.730650
Magnetic Var: 1.354 E

METAR

LFLX 071630Z AUTO 02003KT 330V100 CAVOK 24/12 Q1017 NOSIG

TAF

TAF LFLX 071100Z 0712/0818 02003KT CAVOK PROB30 TEMPO 0812/0816 4000 -RA

Frequencies

TWR - 125.87 MHz - CHATEAUROUX TWR/INFO

APP - 130.90 MHz - POITERS APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	11,493 ft	33.17	ASPHALT	0 ft	0 ft
	45 m	3,503 m	31.82		0 m	0 m
21	148 ft	11,493 ft	213.19	ASPHALT	0 ft	0 ft
	45 m	3,503 m	211.84		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	CX	110.30 MHz	18 nm	-	-	577 ft
				33 km	-		577 m
21	LOC-ILS	CX	110.30 MHz	18 nm	213.19	-	528 ft
				33 km	211.84		528 m
21	GS	CX	110.30 MHz	10 nm	213.19	3.00	528 ft
				19 km	211.84		528 m